
























CARBORUNDUM

***AUTOBODY REFINISHING PRODUCTS
FOR THE AUTOMOTIVE AFTERMARKET***



TABLE OF CONTENTS

	MEDALIST	4		SCUFFING	17		EZ REPAIR	31
	PREMIER RED	5		STRIPPING	19		PLASTIC REPAIR BEST PRACTICE	36
	WHITE LIGHTNING	8		CUTTING / GRINDING	20		ADHESIVES, SEALERS, AND COATINGS	38
	MIRROR FINISH	10		2" AND 3" GRINDING DISCS	21		TOOLS	42
	DEFECT REMOVAL	11		5" - 7" GRINDING DISCS	23		ACCESSORIES	44
	BUFFING AND POLISHING	13		MASKING	24		CROSS REFERENCE	50
	DETAILING	14		BUMPER CARDS	30		PRODUCT AVAILABILITY MATRIX	54



**GUARANTEED
NO RISK
TEST POLICY**

Carborundum is confident of the superior performance of its abrasive products. In-house tests against any other brand of abrasives are invited. To make it as easy as possible for bodyshops to make their own judgment of the time, labor, and money saving advantages of Carborundum products, and to assure bodyshop personnel that they have absolutely nothing to lose and everything to gain by conducting an in-house test

1. The test will be conducted in the user's own bodyshop, on their own machines and using their own work pieces.
2. If the Carborundum tested product proves completely unsatisfactory, the user will receive a full refund.
3. If the Carborundum tested product performs at a lower level than the product presently used, the user will receive an adjustment to make up the difference in performance.
4. The user is the final judge of performance.

PERFORMANCE PARTNERSHIPS

Teaming up with some of the biggest names in the automotive aftermarket to offer huge benefits for your shop

“The Definition of Performance” is more than a tagline. Carborundum embodies its uniqueness in product, pricing, and experience with a market approach to match. Our brand and our partners represents a rich history of commitment to developing better products that offer better value leadership without compromise.





Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.






FEATURES	BENEFITS
<ul style="list-style-type: none"> • Ceramic grain 	<ul style="list-style-type: none"> • Faster cut rate and more durable • Lasts longer, especially in tougher sanding applications
<ul style="list-style-type: none"> • Unique fiber reinforced 	<ul style="list-style-type: none"> • Maximum tear resistance
<ul style="list-style-type: none"> • Latex/paper backing 	<ul style="list-style-type: none"> • Flexible and easy to work with



Discs-Stick-On, Grip-On and Clean Air Plus

Discs with high-performance ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites, and aluminum.




	 6" Stick-On Disc Roll	 3" Grip-On	 5" Grip-On	 6" Grip-On	 6" Clean Air Plus
GRIT	055395-	055395-	055395-	055395-	055395-
P1500B	—	53344	—	99444	—
P1000B	—	53343	—	99423	—
P800B	99488	53342	99501	99514	50010
P600B	99489	53341*	99502	99515	50009
P500B	99490	53350	99503	99516	50008
P400B	99491	53340	99504	99517	50007
P320B	99492	53339	99505	99518	50006
P280B	99493	—	99506	99519	—
P240B	99494	—	99507	99520	50005
P220B	99495	53338	99508	99521	50004
P180B	99496	53337	99509	99522	50003
P150B	99497	53336	99510	99523	50002
P120C	99498	53335	99511	99524	50001
P100C	99499	—	99512	99525	—
P80C	99500	53334	99513	99526	50000
PKG/CASE	100/400	50/200	50/200	50/200	50/200

* Non-Stock



Perforated Grip-On Sheet Rolls

Continuous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.

	 2-3/4" x 13 yds
GRIT	055395-
P600B	99592
P500B	99591
P400B	99590
P320B	99564
P220B	99565
P180B	99566
P150B	99567
P120C	99568
P100C	99569
P80C	99570
PKG/CASE	1/4

PREMIER RED DRI-LUBE

Ultimate choice for sanding paint and primer







Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Premium, P-graded, heat-treated aluminum oxide abrasive 	<ul style="list-style-type: none"> Incredibly fast cut rate Consistent finish
<ul style="list-style-type: none"> Red-colored, fiber-reinforced, B-weight, latex-impregnated, paper backing 	<ul style="list-style-type: none"> Superior resistance to delamination and tearing Can be used moist
<ul style="list-style-type: none"> Advanced bond system 	<ul style="list-style-type: none"> Excellent grain adhesion Extended life
<ul style="list-style-type: none"> "Anti-load" stearate 	<ul style="list-style-type: none"> Superior load resistance



Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.






	 5"	 6"	 8"	 6" x 6 hole Vac
GRIT	055395-	055395-	055395-	055395-
P1500B	—	20294*	—	—
P1200B	—	20295*	—	—
P1000B	—	20296*	—	—
P800B	18101	18162	—	—
P600B	18104	18163	—	15297
P500B	63779	63780	—	—
P400B	18105	18164	—	15298
P320B	18106	18165	61102	15300
P280B	18107	18166	—	—
P240B	18108	18167	—	15304
P220B	18109	18168	—	15311
P180B	18110	18169	61106	15312
P150B	18111	18170	—	15313
P120B	18112	18171	61108	15315
P100B	18113	18172	61109	15316
P80B	18114	18173	61110	15317
PKG/CASE	100/400	100/400	100/400	100/400

* 6" P1000 – P1500 are individual discs



Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

	 3"	 5"	 6"	 5" x 5 hole Vac	 6" x 6 hole Vac
GRIT	055395-	055395-	055395-	055395-	055395-
P1500B	69927	20252	20270	—	—
P1200B	—	20253	20271	—	—
P1000B	69926	20254	20272	—	20318
P800B	70022	20255	20274	—	20319
P600B	—	20256	20275	20305	20320
P500B	—	63781	63782	—	63784
P400B	99430	20257	20276	20306	20321
P320B	70021	20258	20277	20307	20322
P280B	—	20259	20278	—	20323
P240B	—	20260	20282	—	20324
P220B	99429	20262	20283	20310	20325
P180B	70020	20263	20284	20311	20326
P150B	99428	20264	20285	20312	20328
P120B	99427	20266	20287	—	20329
P100B	—	20267	20288	20314	20330
P80B	70019	20269	20289	20315	20331
PKG/CASE	50/200	100/400	100/400	100/400	100/400


PREMIER RED

Anti-loading / Heat-treated grain / Fiber-reinforced, paper-latex B-weight backing



2-3/4" Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.




2-3/4"

GRIT	YARDS	055395-
P400B	45	20332
P320B	45	20333
P240B	45	20334
P220B	45	20335
P180B	45	20336
P150B	45	20337
P120B	30	20338
P100B	30	20339
P80B	25	20340
PKG/CASE		1/5



Body File Strips

These body file sheets are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.



Grip-On 2-3/4" x 16-1/2"



Stick-On 2-3/4" x 16-1/2"

GRIT	055395-	055395-
P220B	20470	-
P180B	20471	20459
P150B	20472	-
P120B	20473	20461
P100B	20474	-
P80B	20475	20463
PKG/CASE	50/500	50/500



9" x 11" Sheet

Ultimate choice for dry sanding old paint, primer, primer surfacer, and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.



9" x 11"

GRIT	055395-
P1000B	20527
P800B	14148
P600B	20528
P500B	63785
P400B	20529
P320B	20530
P280B	20531
P240B	20532
P220B	20533
P180B	20534
P150B	20535
P120B	20536
P100B	20537
P80B	20538+
PKG/CASE	100/500 +50/250

PREMIER RED COARSE GRITS

Heavy-duty / Tough / Zirconia Alumina grain






Ultimate choice for sanding body filler, sanding bare metal and stripping paint.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Premium zirconia alumina abrasive 	<ul style="list-style-type: none"> Self-sharpening grain for super fast cut and long life
<ul style="list-style-type: none"> Full phenolic resin bond system plus latex 	<ul style="list-style-type: none"> Tough yet flexible Excellent grain adhesion
<ul style="list-style-type: none"> Red colored, E-weight latex paper backing 	<ul style="list-style-type: none"> Long life Resists tearing and shedding



Stick-On Discs




Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.

	 6"	 8"	 8" x 8 hole
GRIT	055395-	055395-	055395-
80-E	21300	21303	21309
40-E	21301	21304	—
36-E	21302	21305	21311
PKG/CASE	50/200	25/100	25/100



Grip-On Discs






Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.

	 6"	 8"	 8" x 8 hole
GRIT	055395-	055395-	055395-
80-E	21315	21318	21324
40-E	21316	21319	21325
36-E	—	21320	—
PKG/CASE	25/100	25/100	25/100



Body File Sheets

Premier Red body file sheets come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.

	 Stick-On 2-3/4" x 16-1/2"	 Grip-On 2-3/4" x 16-1/2"	 Clip-On 2-3/4" x 17-1/2"	 Stick-On Vac 2-3/4" x 16"	 Grip-On Vac 2-3/4" x 16"
GRIT	055395-	055395-	055395-	055395-	055395-
80-E	21336	21342	21348	21339	21345
40-E	21337	21343	21349	—	—
36-E	21338	21344	21350	—	—
PKG/CASE	50/250	25/125	50/250	50/250	25/125

WHITE LIGHTNING

Cool, fast-cutting grain / Tear-resistant / Non-loading



Ideal for sanding paint and primer.

FEATURES	BENEFITS
<ul style="list-style-type: none"> P-graded premium aluminum oxide abrasive 	<ul style="list-style-type: none"> Fast cut and long life Consistent finish
<ul style="list-style-type: none"> Water-based "anti-load" stearate 	<ul style="list-style-type: none"> Excellent load resistance
<ul style="list-style-type: none"> Durable B-weight backing 	<ul style="list-style-type: none"> High tear resistance Flexible and conformable



Stick-On Disc Rolls & Tab Discs

Pressure Sensitive Adhesive (PSA) backing.

	5" Disc Roll	6" Disc Roll	6" Disc Roll	6" Tab Disc
GRIT	055395-	055395-	055395-	055395-
P800B	—	70581	—	—
P600B	—	70580	—	—
P500B	—	70579	—	—
P400B	70554	70563	99370	70572
P320B	70553	70562	99371	70571
P240B	—	70561	—	70570
P220B	70551	70560	99372	70569
P180B	70550	70559	99373	70568
P150B	70549	70558	—	70567
P120B	70548	70557	—	70566
P100B	70547	70556	—	70565
P80B	70546	70555	99376	70564
PKG/CASE	100/400	100/400	25/100	100/400



Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut plus extended disc life.

	6"
GRIT	055395-
P800B	99413
P600B	99414
P500B	99415
P400B	99416
P320B	99417
P220B	99418
P180B	99419
P150B	99420
P120B	99421
P80B	99422
PKG/CASE	50/200



Discs

Carbo White Lightning tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.

	6" Stick-On	8" Stick-On	6" Grip-On	8" Grip-On
GRIT	055395-	055395-	055395-	666233-
P80E	99464	99467	53326	53328
P40E	99463	99466	53327	53329
P36E	99462	99465	—	—
PKG/CASE	25/125	25/125	25/100	25/100


WHITE LIGHTNING AND MERIT

Great performance at a great price



Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board, or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.




2-3/4" x 25 yds

GRIT	055395-
P400B	99343
P320B	99344
P220B	99345
P180B	99346
P150B	99347
P120B	99348
P80B	99349
PKG/CASE	1/5



Body File Sheets

Carbo White Lightning resists tearing and extends product life. Ideal for sanding body filler.



Grip-On
2-3/4" x 16-1/2"



Stick-On
2-3/4" x 16-1/2"

GRIT	055395-	055395-
P220B	99473	—
P180B	99472	—
P150B	99471	—
P120B	99470*	—
P80B	99469	—
P80E	53330	99395
P40E	53331	99394
P36E	—	99393
PKG/CASE	25/125	25/125

* Non-Stock



Merit PB273 9" x 11" Sheets

Good choice for dry sanding old paint, primer, primer surfacer and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

FEATURES	BENEFITS
<ul style="list-style-type: none"> P-graded aluminum oxide abrasive 	<ul style="list-style-type: none"> Good cut and good life Consistent finish
<ul style="list-style-type: none"> Water-based "anti-load" stearate 	<ul style="list-style-type: none"> Good load resistance
<ul style="list-style-type: none"> B-weight backing 	<ul style="list-style-type: none"> Tear resistant Flexible and conformable

PB273



9" x 11"

GRIT	666233-
P400B	11870
P320B	11871
P240B	11879
P220B	11873
P180B	11874
P150B	11875
P120B	11876
P100B	11877
P80B	11878+
PKG/CASE	100/500 +50/250

MIRROR FINISH

Premium grain / Specially-treated backing



Ultimate choice for wet sanding to remove surface imperfections.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Premium grain for automotive applications 	<ul style="list-style-type: none"> Consistent cut Fast cut
<ul style="list-style-type: none"> Flexible backing 	<ul style="list-style-type: none"> Resists tearing and cracking Resists wrinkling
<ul style="list-style-type: none"> Specially treated waterproof paper backing 	<ul style="list-style-type: none"> No soaking required Curl resistant Will not deteriorate



Waterproof Sheets

The MirrorFinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper, go ahead because MirrorFinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, MirrorFinish is ideal for water and color sanding.

	5-1/2" x 9"	9" x 11"
GRIT	055395-	055395-
2000B	63869	63877
1500B	63870	63878
1200B	63871	63879
1000B	63872	63880
P800B	-	63881
P600B	-	63882
P400B	-	63884
P360B	-	63856
P320B	-	63885
P240B	-	63887
P220B	-	63888
PKG/CASE	50/250	50/250



A GREAT REFLECTION ON YOU!

DEFECT REMOVAL

Premium aluminum oxide grain / Smooth film backing



A flawless finish is easy with high performance Medalist Finishing Discs that quickly remove imperfections, followed by Carbo Finish or Mothers®.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Smooth backing 	<ul style="list-style-type: none"> • Consistent finish that buffs out quickly and easily
<ul style="list-style-type: none"> • Premium aluminum oxide grain 	<ul style="list-style-type: none"> • Fast cut and long life • Less downtime switching discs
<ul style="list-style-type: none"> • Anti-loading agent 	<ul style="list-style-type: none"> • Eliminate pigtails and costly re-work • Uniform finish that buffs out faster • Complete the job faster



Medalist Film Finishing Disc - Dry

Medalist Finishing Film Discs are engineered to remove imperfections quickly and without loading. Superior grain on a super smooth film backing provides an incredibly fast cut with no "pigtails."

	3"		6"	
	055395-	055395-	636425-	636425-
GRIT	055395-	055395-	636425-	636425-
P1500	47312	47285	—	—
P1200	47311	47284	—	—
P1000	47310	47283	—	—
Thin Interface Pad	—	—	05457	42089
PKG/CASE	50/200	50/200	10/10	5/5
GRIT	055395-		055395-	
Back-up Pad	—	—	99306	99308
PKG/CASE	—		1/10	1/5



Medalist Foam Finishing Disc - Moist

Medalist Foam Finishing Discs, used moist, will produce a semi-polished surface that greatly reduces buffing time.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Integrated foam backing 	<ul style="list-style-type: none"> • Eliminates pigtails and costly re-work • Conformable to contours
<ul style="list-style-type: none"> • Open mesh design 	<ul style="list-style-type: none"> • Equal pressure distribution for quicker sanding • Uniform scratch pattern
<ul style="list-style-type: none"> • Produces a semi-polished finish 	<ul style="list-style-type: none"> • Quick and easy to buff out

		3"		6"	
		055395-	055395-	055395-	055395-
GRIT	COLOR	055395-	055395-	055395-	055395-
3000	Green	53377	—	53381	—
2000	Magenta	—	—	53382	—
1500	Blue	—	—	53383	—
PKG/CASE		6/24	—	15/60	—



Interface pad not required with foam discs

DEFECT REMOVAL

Water soluble / Haze-free finishing



Carbo Finish

FEATURES	BENEFITS
<ul style="list-style-type: none"> Water soluble 	<ul style="list-style-type: none"> VOC compliant Very easy to clean up
<ul style="list-style-type: none"> 1 polish, 3 pads 	<ul style="list-style-type: none"> Simple system that's easy to use Reduces inventory The polish matches the cut of the pad for optimal performance
<ul style="list-style-type: none"> Premium micro-fine abrasives 	<ul style="list-style-type: none"> Removes swirl marks and haze Removes sand scratches quickly



Carbo Finish Extra-Cut Polish

Carbo Finish Extra-Cut is easy to use and cleans up with just water. One polish and three pads virtually eliminates the chance of cross contamination.

DESCRIPTION	055395-	055395-
Quart	01209	-
Gallon	-	47329
PKG/CASE	1/4	1/2



Carbo Finish Ultra-Fine Machine Glaze

Use on its own for fine scratch removal or as Step 3 in place of Carbo Finish Extra-Cut to eliminate swirl marks and produce a high gloss finish. Ideal for dark-colored vehicles.

DESCRIPTION	055395-
Quart	99381
PKG/CASE	1/4



Carbo Finish Clean-Up/Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with the EZ Wipe Microfiber Cloth.

DESCRIPTION	055395-	055395-
32 oz. Spray Bottle	70533	-
EZ Wipe Microfiber Cloth	-	64024
PKG/CASE	1/4	5/20

BUFFING AND POLISHING

Choose the pad that works best for you



3" Pads

Engineered to work with Carbo Finish Extra-Cut polish or Mothers® compounds and polish, the 3" pads are perfect for quick spot repairs.

DESCRIPTION	055395-	055395-
Grip-On Back-Up Pad (5/16"-24)	99306	-
Natural Wool Pad – Step 1	-	01881
Medium Yellow Foam Pad – Step 2	-	69934
Soft Black Foam Pad – Step 3	-	69935
PKG/CASE	10/10	10/40



Buffing/Polishing Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.

DESCRIPTION	055395-	055395-
Grip-On Back-Up Pad (5/8"-11)	70414	-
8" Super Cut Wool Pad	-	70411
9" Yellow Cutting Foam Pad	-	70412
9" Black Finishing Foam Pad	-	70413
PKG/CASE	1/3	1/6



Buffing/Polishing Waffle Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.

DESCRIPTION	055395-	055395-
Grip-On Back-Up Pad (5/8"-11)	70414	-
8" Orange Waffle	-	99460
8" Yellow Waffle	-	99461
8" Black Waffle	-	99468
PKG/CASE	1/3	1/6





Heavy Duty Rubbing Compound

Quickly removes 1200 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove heavy oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	078175-	QTY/CASE
32 oz./946mL	81232	6
1 gallon/3.785L	81238	4



Rubbing Compound

Quickly removes 1500 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove light oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	078175-	QTY/CASE
12 oz./355mL	08612	6
32 oz./946mL	81132	6
1 gallon/3.785L	81138	4



Finishing Polish/Foam Pad Polish

Recommended for removal of compounding swirl marks from all types of refinish or factory-applied automotive paints. Also recommended to enhance color and add depth. Use with a foam pad.

DESCRIPTION	078175-	QTY/CASE
12 oz./355mL	08712	6
32 oz./946mL	83432	6



Professional Dispenser Bottle

Dispense polishes and compounds with ease with Mothers® Professional Refillable Dispenser Bottle. It features a self-cleaning pop top to prevent clogging, keeping you focused on the task at hand, all while distributing the perfect amount of product every time. Buy in bulk, and dispense with ease with this high-quality dispenser bottle.

DESCRIPTION	078175-	QTY/CASE
12 oz./355mL	80000	12



Instant Detailer

Instant Detailer is a silicone-free, body shop safe, paintable product that provides unparalleled depth and clarity. This unique formula is easy-to-use and completely safe on all types of paints, including clearcoats. Simply the fastest way to prep and shine any vehicle's paint in any body shop environment.

tech tip

Use Instant Detailer with a clean microfiber towel during and after compounding and polishing, for a quick and easy cleanup.

DESCRIPTION	078175-	QTY/CASE
24 oz./710mL	85624	6
1 gallon/3.785L	85638	4
5 gallon/18.925L	85645	1
32 oz. Chemical Resistant Sprayer	85632	12

DETAILING

Glazes / Concentrates

MOTHERS
Polishes • Waxes • Cleaners



Machine Glaze

This high-quality polishing glaze quickly removes compound haze, fine scratches and swirl marks from all types of refinish or factory-applied automotive paints. Can be used with a wool or a foam pad.

DESCRIPTION	078175-	QTY/CASE
32 oz./946mL	82332	6



Hand Glaze

Recommended for added shine and protection, Professional Hand Glaze may be used after Professional Finishing Polish / Foam Pad Polish to achieve unparalleled depth and clarity. Hand Glaze is easy-to-use and completely safe on all types of paints.

DESCRIPTION	078175-	QTY/CASE
32 oz./946mL	84532	6



Professional Metering Unit

The Mothers® Professional Metering Unit is the most efficient and precise way to ensure that Mothers® product concentrates are being diluted correctly for their specified use; at the push of a button. The unit is easy-to-install, easy-to-use, and it dilutes up to six different Mothers® product concentrates.

DESCRIPTION	636425-	QTY/CASE
Metering Unit	05986	1



SCAN THIS CODE WITH YOUR
SMARTPHONE TO VIEW
METERING UNIT ASSEMBLY



Auto Wash (Concentrate)

Carefully crafted concentration of soaps and detergents that cleans away grease and grime with ease. This pH balanced, non-toxic, environmentally friendly, and biodegradable formula will not streak paint or remove existing wax. Can be used as a wet sanding solution when diluted 1/2 oz. per gallon of water.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	80138	4
5 gallon/18.925L	80145	1
55 gallon/208.19L	80155	1



All-Purpose Cleaner (Concentrate)

A highly-concentrated, biodegradable, multi-purpose cleaning solution for a wide variety of surfaces. Combining highly effective cleaners with a combination of water miscible solvents and surfactants, this All-Purpose Cleaner breaks down dirt and grease with ease. Perfect for cleaning carpets, fabrics, vinyl upholstery, engine compartments, fender wells, door jambs, and more. At higher concentrations, All-Purpose Cleaner is great for cleaning wheels, tires, whitewalls, and pre-spotting carpets before shampooing.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	87138	4
5 gallon/18.925L	87145	1
55 gallon/208.19L	87155	1
32 oz. Chemical Resistant Sprayer	87132	12



Water-Based Degreaser (Concentrate)

Features a safe but effective blend of grease cutting surfactants and biodegradable solvents which lift away carbon and baked-on grime from a variety of surfaces. This non-toxic, super-concentrate is tough on tenacious filth, but will not stain paint or harm aluminum engine components.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	87538	4
5 gallon/18.925L	87545	1
55 gallon/208.19L	87555	1
32 oz. Chemical Resistant Sprayer	87532	12

DETAILING

Concentrates / Ready-to-Use

MOTHERS®
Polishes • Waxes • Cleaners



Glass Cleaner (Concentrate)

Mothers® Professional Glass Cleaner is a cost-effective and versatile cleaning concentrate formulated for all glass and virtually any surface. Ideal for use in high volume detail shops and car washes to remove tough grime, dirt, oily film, and fingerprints. Also great around the house, car, boat, or motor home, even on tinted window surfaces. It dries quickly and leaves behind a sparkling clean, streak-free shine, even in cold weather.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	87638	4
5 gallon/18.925L	87645	1
32 oz. Chemical Resistant Sprayer	87632	12



Wheel Cleaner (Concentrate)

Mothers® Professional Wheel Cleaner is a biodegradable cleaning concentrate for factory/OEM wheels and hubcaps, including painted, clearcoated, color coated and chrome. Professional Wheel Cleaner does not contain hydrofluoric, sulfuric or phosphoric acids, making it safer than conventional acid cleaners.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	87938	4
5 gallon/18.925L	87945	1
55 gallon/208.19L	87955	1
32 oz. Chemical Resistant Sprayer	87932	12



Silicone-Free Dressing Concentrate

Mothers® Silicone-Free Dressing Concentrate is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	88638	4
5 gallon/18.925L	88645	1
32 oz. Chemical Resistant Sprayer	88632	12



Spigot For 5 Gallon Container

Dispensing liquids from our Professional 5 gallon containers has never been easier. With a simple twist, our spigot allows for a quick and easy fill, ideal for our 32 ounce OSHA compliant secondary spray bottles. Made from chemical resistant High Density Polyethylene (HDPE), our 3/4" spigot will thread right into our 5 gallon container's lid.

DESCRIPTION	078175-	QTY/CASE
Spigot	80005	6



Silicone-Free Dressing

Silicone-Free Dressing is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	88538	4
5 gallon/18.925L	88545	1
32 oz. Chemical Resistant Sprayer	88532	12



Vinyl & Rubber Dressing

This product is extremely versatile, and can be used on all vinyl, rubber and plastic surfaces, even engine compartments. Protects all these surfaces from the elements, and leaves a non-greasy, "like-new" finish that will not attract dust. This white silicone emulsion features a thick, creamy consistency that is easily sprayed or wiped onto any surface, and dries to a medium-high shine. Does not contain soaps, glycerin, or other extenders.

DESCRIPTION	078175-	QTY/CASE
1 gallon/3.785L	88138	4
5 gallon/18.925L	88145	1
32 oz. Chemical Resistant Sprayer	88132	12

SCUFFING

Flexible / Tear-resistant / Perforated



Consistent cut with no wild scratches.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Non-woven nylon impregnated with abrasive grain • Advanced coating process • Perforated 	<ul style="list-style-type: none"> • Easily conforms to irregular surfaces; resists tearing • Can be used wet or dry • Consistent coverage of grain throughout pad • Easy pad re-sizing

Maroon (320/400)

- Quick and aggressive cut
- Tear-resistant

Gray (800/1000)

- Quick cut, uniform finish
- Incredibly flexible yet tear-resistant
- Works with or without Scuff Gel

Gold (1000/1200)

- Ideal for pearls and metallics
- Works with or without Scuff Gel



Fibratex Hand Pads

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep, or a gold pad for pearls and metallics.

DESCRIPTION	COLOR	6" x 9" Pad	
		055395-	055395-
Primer Prep	Maroon	10890	—
Color Prep	Gray	10891	—
Clear Blend Prep	Gold	—	30893
Non Abrasive	White	10892	—
PKG/CASE		20/60	10/30



Thin-Flex Scuff Pads and Discs

An incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces.

DESCRIPTION	COLOR	4-1/2" x 9" Pad		
		055395-	055395-	055395-
Primer Prep	Maroon	99425	53389	—
Color Prep	Gray	99426	53390	—
Back-up Pad	—	—	—	99323
PKG/CASE		25/100	25/100	1/1



Perforated Scuff Rolls and Thin-Flex Scuff Rolls

Tear the rolls to the exact length needed to get the job done quickly and correctly. Perforations are every 3". Plastic wrapped rolls dispense easily and keep the product clean. The Thin-Flex roll is also offered in a boxed option.

DESCRIPTION	COLOR	4" x 30"		
		Scuff-Plastic Wrap	Thin-Flex-Plastic Wrap	Thin-Flex Boxed
Primer Prep	Maroon	53397	53400	53402
Color Prep	Gray	53396	53401	53403
PKG/CASE		1/1	1/1	1/3



Scuff Discs

For use on a D/A with a hook and loop back-up pad for faster scuffing.

DESCRIPTION	COLOR	6"	
		055395-	055395-
Primer Prep	Maroon	20484	—
Color Prep	Gray	20485	—
Back-up Pad	—	—	99323
PKG/CASE		10/40	1/1

SCUFFING

Great on contours and edges and can be used wet or dry



Scuff Gel


Formulated for consistent abrasion for paint adhesion. Use with Fibratex gray or gold pads. Cleans, degreases and abrades in one step. Rinses off easily and completely. Water-based formula, very low in V.O.C.

DESCRIPTION	SIZE	055395-
Scuff Gel	24.7 oz / 700 grams	02023
CASE		6



Foam-Rolls

Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82", are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".



4-1/2" x 82"

GRIT	055395-
P320	99438
P400	99439
P500	99440
P600	99441
P800	99442
P1000	99443

PKG/CASE 1/2

GRIT	APPLICATION
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



EZ Touch Sponges

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Abrasive grain coated on a sponge backing Grit printed on the back of each sponge Highly conformable 	<ul style="list-style-type: none"> Can be used wet or dry Eliminates finger marks Generates a uniform finish Easily identify the right product to use Ideal for bumpers, jams and small parts Great on contours and edges

CARBO™ **EZ TOUCH™**

4-1/2" x 5-1/2" x 3/16"

DESCRIPTION	055395-
Medium	70121
Fine	70122
Super Fine	70123
Ultra Fine	70124
Micro Fine	70125
PKG/CASE	20/80

GRIT DESIGNATION	FINISH GENERATED	APPLICATION
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects

CARBO FIRE SURFACE STRIP DISCS

Extra-coarse ceramic grain / Aggressive cut



Dynabrade Model #18180

Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Open web construction 	<ul style="list-style-type: none"> • Effective on sharp, jagged surfaces • Great alternative to wire brushes • Resists loading
<ul style="list-style-type: none"> • Synthetic web impregnated with ceramic abrasive 	<ul style="list-style-type: none"> • Will not rust • Very fast, aggressive cut
<ul style="list-style-type: none"> • Thick and durable 	<ul style="list-style-type: none"> • Extended product life




Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



	4" TR+	Back-Up Pad	RPM
DESCRIPTION	666233-	055395-	
Carbo Fire	29282	—	8,000
Back-Up Pad	—	22538	—
PKG/CASE	5	1	



Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut, and two washers.



	4" x 1/4" Hole	Mandrel	RPM
DESCRIPTION	776960-	055395-	
Carbo Fire	39321	—	6,000
Mandrel with 3-1/16 x 1/4" shank	—	51776	—
PKG/CASE	5/25	1/1	



Carbo Fire Speed-Lok TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



	3" TR	Back-Up Pad	RPM
DESCRIPTION	666233-	662610-	
Carbo Fire	29280	55105	12,000
PKG/CASE	10/10	10/1	

CUTTING WHEELS

Fiberglass reinforced



Ultimate choice for cutting out imperfections in autobody panels.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Blend of high performance ceramic alumina and zirconia alumina abrasive 	<ul style="list-style-type: none"> Super fast cutting Cool cutting action 3 times the life of conventional abrasive wheels
<ul style="list-style-type: none"> High performance resin bond 	<ul style="list-style-type: none"> Long wheel life
<ul style="list-style-type: none"> Fiberglass reinforcement 	<ul style="list-style-type: none"> Maintains structural integrity



Cut-Off Wheels

Premier Red is the ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

The 1/32" and 1/16" Premier Red wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

Value cut-off wheels are good for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.



Dynabrade Model #18075

	Premier Red	Value	RPM
SIZE	055395-	055395-	
3" x 1/32" x 3/8"	03861	—	25,465
3" x 1/16" x 3/8"	03863	01132	25,465
3" x 3/16" x 3/8"	04270	—	25,465
PKG/CASE	5/50	5/50	

DO NOT USE ON TOOL WITHOUT A GUARD.

FILE BELTS

Premium abrasive grain



Portable File Belts

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 grit belts for weld dressing and refinement.

	1/2" x 18" Medalist	1/2" x 18" Aluminum Oxide	3/8" x 13" Aluminum Oxide
GRIT	055395-	055395-	055395-
80	54669	54663	54648
60	54668	54662	54647
40	54666	—	—
PKG/CASE	1/10	1/10	1/10

Non-Woven Portable File Belts



Dynabrade Model #18100

		1/2" x 18" Non-Woven
GRIT	COLOR	055395-
Coarse	Brown	54479
Medium	Maroon	54480
Very Fine	Blue	54481
PKG/CASE		1/12

2" AND 3" GRINDING DISCS

Premium performance / Easy twist-on / twist-off system



Ideal for fast stock removal in a small area.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Premium ceramic and zirconia alumina grain 	<ul style="list-style-type: none"> Aggressive cut Self-sharpening for consistent cut and long life
<ul style="list-style-type: none"> Grinding aid coating 	<ul style="list-style-type: none"> Minimal loading Long life Burn free grinding of heat-sensitive materials
<ul style="list-style-type: none"> Heavy-duty backing 	<ul style="list-style-type: none"> Long life Reduced edge wear



Carbo Fire Flex-Loc TR Discs

Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

	2" TR	3" TR
GRIT	055395-	055395-
80	99383	99387
50	99385	99389
36	99386	99390
CASE	25	25



Zirconia Flex-Loc TR Discs

Zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.

	2" TR	3" TR
GRIT	055395-	055395-
50	09760	69473
36	09767	69472
24	09768	69471
CASE	25	25



Merit Flap Discs

For the job that requires an aggressive but small diameter flap disc, try Merit Mini PowerFlex Discs. Safe, quiet and easy to control, the Mini PowerFlex disc is designed with layered flaps which wear away evenly, producing a high quality and consistent finish on metal – and with a quick change feature on the back of each disc, downtime is reduced dramatically. For use with Flex-Loc TR back-up pads.

	2"	3"
GRIT	088341-	088341-
120	94554	94567
80	94553	94566
60	94552	94565
40	94551	94564
36	94550	94563
CASE	10/100	10/100

2" AND 3" GRINDING DISCS



Durable backing and tough abrasives; great combination to tackle welds and rust removal

CARBO™
FIBRATEx®



Fibratex Flex-Loc TR Surface Blending Discs



Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. Advanced resin system will not smear.

			
		2" TR	3" TR
GRIT	COLOR	055395-	055395-
Very Fine – 320	Blue	12506	12509
Medium – 120	Maroon	12507	12510
Coarse – 80	Brown	12508	12512
CASE		50	25



Carbo Fire Flex-Loc TR Surface Blend Discs




Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces and will not smear. Carbo Fire Surface Blend can also be used to remove seam sealer and undercoating without loading. The discs are thin enough to get into tight spots but durable enough to last. Carbo Fire ceramic grain ensures a fast cut with long life. Surface Blend TR can be used on the face, side, and back.

			
		2" TR	3" TR
DESCRIPTION		055395-	055395-
Carbo Fire		53332	53333
CASE		10	10



Flex-Loc TR Back-Up Pads


Flex-Loc TR are compatible with similar competitive attachment systems.

				
		1"	2"	3"
		Back-up Pad	Back-up Pad	Back-up Pad
DESCRIPTION		088341-	662610-	662610-
Flex-Loc TR		64037	55103	55105
CASE		1	10	10



Carbo-Cut Grinding Discs

Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" quick change mandrel is for use on automotive drills.

			Mandrel
		3" Disc	055395-
GRIT		055395-	
50		63891	–
36		63890	–
24		63889	–
1/4" Mandrel		–	63893
PKG/CASE		20/80	5/50

5" - 7" GRINDING DISCS

Premium performance / Rugged backing for extended life



For grinding applications requiring aggressive cutting action, such as grinding welds, rust, and bare metal, and stripping paint.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Premium ceramic and zirconia alumina grain 	<ul style="list-style-type: none"> Aggressive cut Self-sharpening for consistent cut Extended disc life
<ul style="list-style-type: none"> Grinding aid coating 	<ul style="list-style-type: none"> Minimal loading Reduces heat
<ul style="list-style-type: none"> Heavy fiber backing 	<ul style="list-style-type: none"> Long life Strength and tear resistance



Merit Grinding Discs

High performance ceramic grain is engineered for cool, rapid stock removal with a fast initial cut rate. Superb on stainless steel and steel alloys. Zirconia alumina grain is great on stainless steel and tough jobs. Aluminum Oxide grain is a general purpose disc good for small jobs removing welds and imperfections.

	5" Ceramic	5" Zirconia	5" A/O	7" Ceramic	7" Zirconia	7" A/O
GRIT	666233-	666233-	666233-	666233-	666233-	666233-
50	55599	57292	57278	55595	57297	57285
36	55598	57291	57277	55594	57296	57284
24	55597	57290	57276	55578	57295	57283
CASE	25	25	25	25	25	25



Zirconia Alumina Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

	5"	7"
GRIT	055395-	055395-
80	20055	20076
50	10711	10720
36	10712	10721
24	10713	10722
CASE	25	25



Back-Up Pads for Grinding Discs

Discs are held in place by Retainer Nut # 055395-12568.

	5" x 7/8"	7" x 7/8"
GRIT	055395-	055395-
Medium	12033	12032
CASE	1	1

MASKING PRODUCTS – MASKING TAPE

Leaves no residue / Conforms to irregular surfaces



Quick stick and stays in place with no lifting or roll-back.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Rubber-based adhesive 	<ul style="list-style-type: none"> Superior quick stick Stays in place Easily removed without adhesive transfer Conforms to curved surfaces without lifting or tearing
<ul style="list-style-type: none"> Saturated crepe paper 	<ul style="list-style-type: none"> Resists moisture and solvents No bleed-through No curling edges or roll-back



American® Brand Orange Mask®

American® brand Orange Mask® (OM) is a high performance masking tape developed to provide superior adhesion, UV resistance for 3 days. OM fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	18mm (0.70in)	24mm (0.94in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	087143-	087143-	087143-	087143-
54.8m (60yd) Roll	00306	00307	00308	00309
CASE	48	36	24	24



American® Brand PG

American® brand PG is a high quality masking tape with good quick stick and holding properties and excellent cornering. PG is designed for clean and easy removal from a variety of hot or cold surfaces. UV resistance for 3 days. PG fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	18mm (0.70in)	24mm (0.94in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	087143-	087143-	087143-	087143-
54.8m (60yd) Roll	00310	00311	00312	00313
CASE	48	36	24	24




American® Brand AM

American® brand AM is the cost-effective solution designed for clean and easy removal. UV resistance for 3 days. AM tape has a controlled unwind, is good for cornering and is resistant to temperatures up to 225°F (107°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through and resists paint flaking. Superior for wet sanding applications.

	18mm (0.70in)	24mm (0.94in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	087143-	087143-	087143-	087143-
54.8m (60yd) Roll	00314	00315	00316	00317
CASE	48	36	24	24

MASKING PRODUCTS – MASKING TAPE

Leaves no residue / Conforms to irregular surfaces



American® Brand MP

Capable of withstanding oven temperatures up to 250°F (121°C) for one hour, MP provides higher temperature resistance versus most general purpose masking tapes. MP provides controlled unwind, good cornering, excellent adhesion to backing when layered, and is superior for wet sanding, and resists paint flaking. MP is also UV resistant for up to 3 days with clean removal. Moisture- and stain-resistant, its specially designed adhesive sticks firmly and securely to most surfaces and removes cleanly.


	18mm (0.70in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	087143-	087143-	087143-
54.8m (60yd) Roll	00499	00501	00502
CASE	48	24	24



American® Brand UG

An economical, yet very reliable masking tape to meet the needs of most collision repair and refinish shops. UG offers an excellent balance of quick stick, panel adhesion and holding properties. Under normal temperature conditions, UG is the tape of choice for fast, basic service, including wet-stripping. UG provides good cornering, temperature resistance up to 175°F (80°C) for 30 minutes, UV resistance for up to 3 days, excellent adhesion to backing when layered, controlled unwind, clean removal; stain resistant; resists bleed-through, and resists paint flaking.


	18mm (0.70in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	077922-	077922-	077922-
50m Roll	88400	88402	88403
CASE	48	24	24



IPG 519 Tape

An economical masking tape to meet the basic needs of a collision repair shop. UV resistant up to 5 hours and temperature resistance: 180°F (82°C) for 1 hour. Excellent adhesion to backing when layered, clean removal at ambient temperature; stain resistant; resists bleed-through, and resists paint flaking.

	18mm (0.70in)	24mm (0.94in)	36mm (1.41in)	48mm (1.88in)
DESCRIPTION	077922-	077922-	077922-	077922-
54.8m (60yd) Roll	73848	73858	73859	73860
CASE	48	36	24	24



Tan Masking Tape

Carborundum Tan Masking Tape goes on easy, sticks fast and holds tight. It conforms easily to contours and irregular surfaces. Carborundum Tan Masking Tape can be baked up to 260°F and be exposed to wet sanding without adhesive transfer. There is no bleed-through or flaking upon removal.

	18mm (3/4")	36mm (1-1/2")	48mm (2")
DESCRIPTION	055395-	055395-	055395-
55m Roll	99396	99397	99398
CASE	48	24	24



Gold Masking Tape

A value masking tape recommended for all automotive finish systems and multiple bake cycles. Resistant to temperatures up to 260°F for 1 hour. Can be exposed to wet sanding without adhesive transfer. No flaking or bleed-through upon removal.

	18mm (3/4")	36mm (1-1/2")	48mm (2")
DESCRIPTION	055395-	055395-	055395-
55m Roll	99366	99367	99368
CASE	48	16	12

MASKING PRODUCTS – MASKING TAPE

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



Foam Masking Tape

Foam masking tape fills gaps and produces a soft paint edge. Easy application reduces masking time. The 20mm premium foam tape split design and offset adhesive allows for use on both fixed and moving parts. The 13mm foam tape is for use on fixed parts.

	13mm (1/2")	20mm (3/4")
DESCRIPTION	055395-	055395-
50m Roll	99363	99362
CASE	1	1



Premium Perforated Trim Masking Tape

Trim masking tape is designed to lift the molding away from the surface to be painted and protect the molding from paint and overspray. Trim tape provides full paint coverage without paint "bridging" to the molding. Eliminate the cost of removing and installing moldings by simply protecting them properly during the painting process.

	50mm (2") Carbo Trim Tape	50mm (2") American® brand TrimFast™
DESCRIPTION	055395-	077922
10m Roll	99359	00268
CASE	6	6



Fine Line Tape

Fine Line Tape adheres to and conforms easily to contours and irregular surfaces. This tape's unique thinness allows for minimum edge build-up and leaves no residue when removed. Resistant to temperatures up to 180°F.

- "Pucker-free" cornering
- Straight edges on long runs
- Stays in place
- No curling edges or rollback

	1/8"	1/4"	1/2"
DESCRIPTION	055395-	055395-	055395-
36 Yard Roll	30152	30153	30154
CASE	12	12	12



Cloth Duct Tape

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general purpose repair applications.

	2" x 60 yds
DESCRIPTION	077922-
IPG Duct Tape AC20	74977
CASE	24

MASKING PRODUCTS – MASKING PAPER

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



White "Paint Check" Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through, and has a built-in "Paint Check" for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

	6"	12"	18"	24"	36"
DESCRIPTION	055395-	055395-	055395-	055395-	055395-
750' Roll	70582	70583	70584	99424**	70585
CASE	1	1	1	1	1

*Each 750' boxed case is a 36" log. Dimensions are approximate.
** 24" is a single 24" log.*



Mobile Masker

The premium white paper, while incredibly strong, is thinner than standard blue paper and fits perfectly on the masker. The top two tiers can hold up to 12" and the bottom two tiers can hold up to 18".

DESCRIPTION	662610-
Stand	89212
CASE	1



MASKING PRODUCTS – PLASTIC

Paintable / Corona-treated so paint will not flake off



One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for quick application.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Tri-layer paintable sheeting 	<ul style="list-style-type: none"> • Clings, even after repositioning • Easy to handle – fast application
<ul style="list-style-type: none"> • Corona-treated 	<ul style="list-style-type: none"> • Paint won't flake off
<ul style="list-style-type: none"> • 3-ply resin .4 mil thick 	<ul style="list-style-type: none"> • Resists tearing
<ul style="list-style-type: none"> • Plastic 	<ul style="list-style-type: none"> • Resistant to solvents • No bleed-through



EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge. Tri-layer plastic is .4 mil thick.

	12' x 400'	16' x 350'	20' x 350'
DESCRIPTION	055395-	055395-	055395-
EZ Sheet	63770	63769	63895
CASE	1	1	1



Overspray Sheeting

"Value" paintable overspray sheeting is a medium-density, corona-treated plastic.

	12' x 400'	16' x 400'
DESCRIPTION	055395-	055395-
Overspray Sheeting	70530	06728
CASE	1	1



Anchor® Brand Hand Mask

IPG's Anchor® brand Hand Mask is a pre-folded, high density polyethylene masking film designed for multiple transportation applications. The thick and durable 12 micron film is corona treated to resist overspray flaking during paint applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking. Solvent resistant; no bleed-through and clings to surface. Designed to work with multiple hand dispensers and the 1" core fits most masking machines.

	24"	48"	72"	99"
Roll Height	5.35"	8.78"	9.57"	13.0"
DESCRIPTION	087143-	087143-	087143-	087143-
54.9m (180') Roll	00214	00216	—	—
27.4m (90') Roll	—	—	00217	00218
CASE	12	12	12	12

MASKING PRODUCTS – PLASTIC

Paintable / Corona-treated so paint will not flake off



EZ Wrap Protective Plastic – Wheel Maskers

Tri-layer plastic. Paintable – NO Flaking. Fully covers both sides of the wheel. Covers wheels up to 17".

DESCRIPTION	055395-
Wheel Maskers (50/roll) Paintable	68511
CASE	1



EZ Wrap Protective Plastic – Self-Adhesive Weather Barrier

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days. Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	055395-
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	68509
CASE	1



EZ Wrap Protective Plastic – Bucket Seat Covers

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll.

DESCRIPTION	055395-
Bucket Seat Covers (125/roll) Non-Slip	68510
CASE	1



EZ Wrap Protective Plastic – Floor Mats

Will not slip or tear. Protects floor from dirt, grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21"

DESCRIPTION	055395-
Floor Mats (125/roll) Non-Slip	68512
CASE	1

PLASTIC SPRAY-OUT BUMPER CARDS™

For Plastic Bumpers



FEATURES	BENEFITS
<ul style="list-style-type: none"> Proprietary plastic card that mimics all OEM and aftermarket plastics used for bumpers 	<ul style="list-style-type: none"> Superior color matching can be achieved
<ul style="list-style-type: none"> The key is to treat the cards exactly like you treat the bumper 	<ul style="list-style-type: none"> If a wax or grease remover is required for the bumper, use it on the card If sanding or scuffing is needed on the bumper, do the same to the card If an adhesion promoter is applied to the bumper, do the same to the card If you prime the bumper, prime the card If you seal the bumper, seal the card
<ul style="list-style-type: none"> Available in two colors 	<ul style="list-style-type: none"> Black cards will be most frequently used Grey may be desired when color matching lighter colored bumpers

Perfect color matching the first time

Using a metal or paper spray-out card to match a plastic bumper is like matching apples-to-oranges. They are not the same. The award winning plastic spray out Bumper Cards replicate the same plastics used for OEM and Aftermarket bumpers so now you can match apples-to-apples and get a perfect color match the first time. Any time plastic is sanded, scuffed, or prepped in some way, that action changes the static characteristics of the bumper and causes paint and metallic particles to orientate differently than they do on metal or paper. The only way to duplicate those characteristics is to use the same material as the bumper, which is plastic, and to sand, scuff, or prep the spray out card exactly the same way you sand, scuff, or prep the bumper.



Treat the Bumper Card the way you would treat the bumper

If you follow the same steps on the Bumper Card, then you will be able to replicate exactly what will happen when you spray the bumper and you will get a perfect color match the first time. Eliminate re-work, eliminate wasted paint and increase productivity and quality.

- If a wax or grease remover is required for the bumper, use it on the card
- If sanding or scuffing is needed on the bumper, do the same to the card
- If an adhesion promoter is applied to the bumper, do the same to the card
- If you prime the bumper, prime the card
- If you seal the bumper, seal the card

SIZE	COLOR	055395-	PKG/CASE
3-1/2" x 7"	Black	99356	50/200
3-1/2" x 7"	Gray	99382	50/200

The black card is the more popular card and is used with black bumpers. The gray cards are for use with lighter-colored plastics.



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW OUR VIDEO

ACRYLIC ADHESIVES

Ideal for metal bonding / Lifetime warranty



Minimal inventory handles multiple applications. Full range of products for any job on any substrate.

FEATURES	BENEFITS
<ul style="list-style-type: none"> Acrylic Adhesives 	<ul style="list-style-type: none"> Best choice for metal-to-metal bonding No welding required Lifetime corrosion and performance warranty Glass bead technology for correct panel spacing and bond control
<ul style="list-style-type: none"> Urethane Adhesives 	<ul style="list-style-type: none"> Best choice for plastic repairs Easy to sand Will not lift or roll up 100% solids so zero shrinkage
<ul style="list-style-type: none"> Epoxy Adhesives 	<ul style="list-style-type: none"> Ideal for undetectable SMC Repairs Easy to sand Will not lift or roll up



Metal Door Skin Bonding Adhesive - 45 Minutes

Two-part acrylic (2:1) for panel bonding of door panels, other body sheet metal, steel and aluminum.

- Bonds door panels to door frames without welding
- Work time 45 minutes
- Clamp time 1-1/2 hours
- Guaranteed corrosion protection

DESCRIPTION	SIZE	055395-
Metal Door Skin Bonding Adhesive 2:1	220 ml	99405
CASE		6



Metal Panel/Weld Bonding Adhesive - 75 Minutes

Two-part acrylic (2:1) for panel bonding and weld bonding of quarter panels, rear body panels, roof panels, door panels, van side panels and outer truck bed panels on bare metals, including aluminum.

- Long work time of 75 minutes for bonding large areas
- Guaranteed corrosion protection
- Perfect for high temperatures

DESCRIPTION	SIZE	055395-
Metal Panel/Weld Bonding Adhesive 2:1	220 ml	99404
CASE		6



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW METAL BOND VIDEO

URETHANE ADHESIVES

Ideal for plastic repair / Stronger than original plastics



EZ REPAIR - 1 minute

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP, and ABS and can be used to bond SMC or fiberglass panels.

- One product for all structural and cosmetic repairs on bumpers
- Easy to sand
- Will not lift or roll up
- No plastic identification required with use of 99410 / 99411 adhesion promoter

DESCRIPTION	SIZE	055395-
EZ Repair - 1 minute (1:1)	220 ml	99400

CASE **6**



EZ REPAIR - 5 minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs and cosmetic repairs including TPE, TPO, TEO, PP, and ABS and can also be used to bond SMC or fiberglass panels.

- One product for all structural and cosmetic repairs on bumpers
- Easy to sand to a feather edge
- Good for elevated temperatures
- Will not lift or roll up
- No plastic identification required with use of 99410 / 99411 adhesion promoter
- Accelerate cure with heat (3 min @ 140°F)

DESCRIPTION	SIZE	055395-
EZ Repair - 5 minute (1:1)	220 ml	99401

CASE **6**



EZ REPAIR - 15 minutes

Two-part urethane (1:1) adhesive used for installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, head lamp buckets and other body panels. For bonding fiberglass, SMC, carbon fiber, and other plastics to itself and to primed metal.

- Easy to gun out
- One product for all structural and cosmetic repairs on bumpers
- Work window allows for larger repairs
- Perfect for elevated temperatures
- Easy to sand to a feather edge
- Non-sag formulation
- No plastic identification required with use of 99410 / 99411 adhesion promoter
- Accelerate cure with heat (10 min @ 140°F)

DESCRIPTION	SIZE	055395-
EZ Repair - 15 minute (1:1)	220 ml	99402

CASE **6**



Adhesion Promoter

No need to identify plastic type – just simply apply to all plastics once, no need to re-apply. Allow for a 10 minute flash time.

- No plastic identification required.

DESCRIPTION	SIZE	055395-
Aerosol	333 grams	99411

CASE **12**

EPOXY - FILLER / BONDER / SEAM SEALER

Ideal for SMC and plastic repair / Works on various substrates



Skim Coat Epoxy Repair/Filler

Two-part epoxy (1:1) used to repair most plastic parts, including bumper covers and other plastic body panels including PP, fiberglass, Metton®, Telene®, SMC, TEO, and urethane. Formulated to finish the front side of flexible repairs used over the top of urethane adhesives.

- Incredibly easy to sand in 20 minutes or less
- Designed to be used for minor scratches, gouges, and pinholes
- No plastic identification required
- No Adhesion Promoter needed
- Mix with either a spreader #06396 or mix tip (included)

DESCRIPTION	SIZE	055395-
Skim Coat Epoxy Repair/ Filler (1:1)	220 ml	99403

CASE

6



Epoxy Multi-Bonder

Two-part epoxy (2:1) used to bond SMC, FRP, fiberglass, steel, aluminum body panels to each other and to metal frames (no primer required).

- Minimal odor
- Automatic mixing
- Outstanding sag resistance
- Long work time for bonding large areas
- Glass beads for adequate spacing
- 2:1 mixing ratio

DESCRIPTION	SIZE	055395-
Epoxy Multi-Bonder (2:1)	220 ml	99406

CASE

6



Controlled Flow Seam Sealer

Two-part epoxy (1:1) for use on horizontal or sloped areas and is ideal for trunk seams, roof seams, drip rails, and core supports. No tooling is required. The product has a 5-10 minute work time and is cream in color.

- **Paintable in 30 minutes**
- Permanently flexible
- Controlled leveling characteristics

DESCRIPTION	SIZE	055395-
Controlled Flow Seam Sealer	220 ml	99399

CASE

6



SEAM SEALERS

Match OEM Seams / Will not shrink or crack



Seam Sealer

Two-part epoxy (1:1) used to seal interior and exterior seams, joints, and voids. It will not shrink, harden or crack, and retains its flexibility. For use on vertical or horizontal seams.

- Paintable in 30 minutes
- Will not shrink or crack
- Matches OEM seams
- Non-sagging, non-flowing sealer

DESCRIPTION	SIZE	055395-
Seam Sealer (1:1)	220 ml	99407

CASE **6**



Seam Sealer-Self Leveling

Two-part epoxy (1:1) is formulated for use on drip rails, trunk seams, and roof channels. It will not shrink, harden or crack, and retains its flexibility. For use on horizontal seams.

- Paintable in 30 minutes
- Will not shrink or crack
- Offers building characteristics that reduce running
- Matches OEM seams

DESCRIPTION	SIZE	055395-
Self-Leveling Seam Sealer (1:1)	220 ml	99408

CASE **6**



Bare Metal Seam Sealer

Gray, two-part epoxy (1:1) used to seal interior and exterior seams, joints and voids. It will not shrink, harden or crack, and retains its flexibility. For use on vertical or horizontal seams.

- Paintable in 45 minutes
- Will not shrink or crack
- Matches OEM seams
- Non-sagging, non-flowing sealer
- Can be used over bare or primed metal

DESCRIPTION	SIZE	055395-
Bare Metal Seam Sealer (1:1)	220 ml	99409

CASE **6**



Sprayable Seam Sealer Starter Kit and Mixing Tips

The S-4 [Sprayable Seam Sealer System] Starter Kit includes one S-4 Atomization Unit with a standard M style air fitting (which can be changed out), a bag of six S-4 Mixing Tips, and instructions for use.

The S-4 Atomization Unit attaches to the bottom of the Pneumatic Applicator Gun (#41399) and can easily adjust the air pressure as needed. Either Seam Sealer (#99407) or Bare Metal Seam Sealer (#99409) can be used with this system to replicate textured OEM seals. The unique S-4 Mixing Tip (#06404) screws onto the cartridge, and the opposite end of the tip attaches to the hose on the S-4 Unit.

Because of the unique design of the S-4 Mixing Tip, this system also helps increase efficiency as there is virtually no clean-up. Simply replace the tip for the next job and follow the same instructions. Additional tips are also sold separately from the starter kit.

DESCRIPTION	636425-	636425-
S-4 Starter Kit (Includes 6 tips)	06403	-
S-4 Mixing Tips	-	06404

CASE **1/1** **6/60**



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW S4 KIT ASSEMBLY



Mixing Tips

24-element mixing tips are used for all 220ml cartridges to ensure automatic mixing. The tips are green.

DESCRIPTION	SIZE	636425-
Mixing Tips - 24 Element (green)	220 ml	04628
CASE		6/60



Applicator Gun

For either 200 ml or 220 ml cartridges 1:1 or 2:1

DESCRIPTION	636425-
Heavy Duty Manual Applicator Gun 1:1 and 2:1	41400
CASE	1



Pneumatic Applicator Gun

Can be used for either 200 ml or 220 ml cartridges.

DESCRIPTION	636425-
Pneumatic Applicator Gun 1:1 & 2:1	41399
CASE	1



Nylon Reinforcing Tape

Self-adhesive backing tape for repairing and filling holes and plastic gouges. It can be used for both urethane and epoxy adhesives.

DESCRIPTION	SIZE	636425-
Nylon Reinforcing Tape	2" x 65"	04632
PKG/CASE		1/6



Mixing Spreader with Tapered Edges

For use with #99403 Skim Coat Epoxy Repair/Filler.

DESCRIPTION	SIZE	636425-
Mixing Spreader with Tapered Edges	3" x 4"	06396
PKG/CASE		25/100




PLASTIC REPAIR STRUCTURAL

BEST PRACTICE

Prepare the Surface

For best results, use when the temperature of the product and the surface is between 70°F and 75°F (21°C and 24°C). Clean the repair area first with Mothers® Auto Wash, and rinse, followed by a non-solvent based cleaner then dry thoroughly.

Objective: Eliminate contaminants so they are not sanded into the plastic.



Sand the Repair Area

Sand at least two inches around the rip or tear area on both sides of the bumper with an 80 grit using a DA. Dish out the area on the back side (see diagram) for optimal adhesion. Blow off with clean, dry air.

Objective: Ensure adhesion of the repair material. Improve repair strength and aid feathering by leveling and enlarging the bond area.

Tip: Do not use any cleaners after the damaged area has been sanded.



Dynabrade Model 21061



Apply Adhesion Promoter



Apply adhesion promoter and wait 10 minutes or flash off with a heat gun, being careful not to overheat the part.

Objective: Plastic identification is not necessary with the Carborundum adhesion promoter; however, it must be allowed to flash off for 10 minutes to work properly.



Basics to Follow for Best Results


- Apply masking tape to the front side of the damaged area to keep adhesive from dripping through the tear.
- Cut the length of nylon tape needed and have it handy to apply.
- Purge the EZ Repair adhesive to ensure both cartridges are flowing. Do this without the mixing tip attached.
- Attach the mixing tip and equalize the adhesive until a consistent color is achieved, which indicates the proper mix.



Apply Adhesive and Patch

- Apply adhesive around the repair area keeping in mind the "work window" of the product.
 - Apply the reinforcing tape extending 1" beyond all edges of the damage.
- The reinforcing tape can be applied first followed by the adhesive application. Either method is acceptable.


Objective: Reinforce the repair.



Spread Adhesive Over Patch

Spread adhesive flush with the surface and apply pressure to ensure the patch has good contact and to eliminate air pockets. Once the adhesive is cured, remove the tape from the front side and sand with 80 grit to remove any tape residue or adhesive that might have squeezed through. Blow off with clean, dry air and proceed to cosmetic repair.

Objective: Repair the damage and make sure that resulting patch does not interfere with other components.





PLASTIC REPAIR *COSMETIC*


BEST PRACTICE

C1 Prepare the Surface

If continuing a structural repair, then proceed to step C3.

If beginning a new cosmetic repair (if the damage did not penetrate the bumper cover), clean the repair area first with Mothers® Auto Wash, and rinse, followed by a non-solvent based cleaner and dry thoroughly.

For best results, use when the temperature of the product and the surface is between 70°F and 75°F (21°C and 24°C).



C2 Feather Edge the Repair Area

Sand the surrounding area at a low speed with 80 grit DA, or by hand. Be sure to round off the edges of the rip or tear, then blow off with clean, dry air.

Objective: Ensure adhesion of the repair material.

Tip: Do not use any cleaners after the damaged area has been sanded.

Note: Skim Coat Epoxy #99403 does not require adhesion promoter; however, it will not stick to melted plastic. To prevent bond failure, low revolution sanding is very important.



C3a Purge Cartridge and Mix with Tip

- Purge the EZ Repair adhesive to ensure both cartridges are flowing. Do this without the mixing tip attached.
- If not mixing my hand, then attach the mixing tip and equalize the adhesive until a consistent color is achieved, which indicates the proper mix.

Objective: Ensure even flow of product for proper mixing.



C3b Mix the Repair Material by Hand

If you prefer to mix by hand, after purging the cartridges, dispense the quantity of Skim Coat Epoxy needed on a clean mixing board and mix by hand to a uniform color using a clean spreader. Skim Coat Epoxy has a 1-2 minute open time at 70°F/21°C before it will start to cure.

Objective: Proper mixing of the product will ensure good bond adhesion and eliminate the chance of pinholes.



C4 Apply the Repair Material

Immediately apply Skim Coat Epoxy to the prepared area, building up until higher than the undamaged area to allow for sanding. Allow the Skim Coat Epoxy to dry completely, approximately 20 minutes at 70°F/21°C.



C5 Sand the Cured Repair Material

Sand the cured Skim Coat Epoxy with a DA sander or by hand with 180 grit (depending on the thickness of the material to be removed, 80 grit might be needed initially), then finish with 320 grit for a feather edge.

After sanding, if there are any pinholes, re-apply a very thin skim over the top and resand with 320 grit after the product has cured.

Note: Do NOT apply polyester fillers over Skim Coat Epoxy.

Blow with clean, dry air. Allow the product to final cure 60 minutes at 70°F/21°C. Prime and paint per manufacturer's recommendations

Objective: To contour the repair area and feather it into the surrounding plastic.



ADHESIVES, SEALERS, AND COATINGS

VOC Compliant / High Quality



Protecting a vehicle against the elements is part of a quality repair. Sealing out wind, water and noise is no easy task, but VOC compliant, high quality products from the Carborundum line of Adhesives, Sealers, and Coatings are up to the challenge.

FEATURES	BENEFITS
<ul style="list-style-type: none"> • High quality components 	<ul style="list-style-type: none"> • Match OEM color or texture • High strength bond • Ultra-fast application and dry time
<ul style="list-style-type: none"> • Complete line 	<ul style="list-style-type: none"> • Multiple applications with minimal inventory
<ul style="list-style-type: none"> • V.O.C. compliant 	<ul style="list-style-type: none"> • Safer work environment



Heavy Duty Spray Trim Adhesive

A fast drying, non-staining super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

For best results, use at room temperature. This product is 50 state compliant and meets all regulations for sale in the USA.

DESCRIPTION	SIZE	055395-
Spray Trim Adhesive	24 oz / Net 15.75 oz	99446
CASE		12



Urethane Windshield Sealer

A one-part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	055395-
Urethane Windshield Sealer	11 oz / Net 10.5 oz	99447
CASE		12



Zinc-Rich Weld-Through Primer

Aerosol primer for use on bare metal parts before welding. This zinc rich primer provides excellent conductivity to minimize weld spatter. It is fast drying, resists sags and settling, is water resistant after 15 minutes, and may be topcoated, if desired. Heat resistant up to 500°F. Apply to metal surface either before or after welding to restore OEM zinc corrosion protection. It is formulated to be V.O.C. compliant in California.

DESCRIPTION	SIZE	055395-
Zinc-Rich Weld-Through Primer	16 oz / Net 13.75 oz	99452
CASE		12

ADHESIVES, SEALERS, AND COATINGS

Versatile applications / Easy-to-use



Quick-Set Seam Sealer, Beige

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily and skins over in 2 minutes and is paintable in 30. Outstanding tooling and sanding properties. It will remain flexible once dry, withstands temperature changes and vibration, and resists penetration of moisture. Excellent adhesion to clean, bare metal, primed metal, and paint surfaces.

DESCRIPTION	SIZE	055395-
Quick-Set Seam Sealer, Beige	11 oz	99449
CASE		12



Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior automotive and RV body joints and seams and duplicates OEM appearance. Can be smoothed to a featheredge and/or brushed and will not shrink or crack. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	SIZE	055395-
Urethane Seam Sealer	10.3 oz	99450
CASE		6



Application Gun for 99450

Designed for use with Carborundum Urethane Seam Sealer (#99450). This is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

DESCRIPTION	SIZE	076607-
Application Gun for 99450		82786
CASE		1



Automotive Panel Waterborne Cleaner/Degreaser

A non-hazardous, solvent free cleaner and degreaser for cleaning automotive surfaces prior to applying primer, sealer, basecoat, clearcoat, or other coatings. Intended for use as a final wash for metal, plastics, and coatings. It cleans sanding dust and grime from these substrates. Works well removing road grime, salt dust, insects, bird droppings, silicone oils, waxes, and masking tape residue. When used as directed, it leaves no harmful residue and assists in proper coating adhesion.

DESCRIPTION	SIZE	055395-
Waterborne Cleaner/ Degreaser	32 oz	99458
CASE		6



Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

DESCRIPTION	SIZE	055395-
Panel and Adhesive Cleaner	32 oz	99459
CASE		12

ADHESIVES, SEALERS, AND COATINGS

Match OEM Textures / Increase productivity



Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion resistant protective coating that can be varied to match OEM textures found on rocker panels and valances. Paintable in 60 minutes. Highly chip resistant.

DESCRIPTION	SIZE	055395-
Rocker-Panel Texture Coat (White)	16 oz / Net 13 oz	99453
Rocker-Panel Texture Coat (Black)	16 oz / Net 13 oz	99454

CASE **6**



Premium Rubberized Undercoat – Paintable

Paintable and fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks, and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture.

DESCRIPTION	SIZE	055395-
Premium Rubberized Undercoat – Paintable	24 oz / Net 17.75 oz	99455

CASE **6**



Rubberized Undercoat

Seals out rust, fumes, heat and cold, while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Engineered to protect underbody areas from moisture and abrasion while deadening sound. Fast drying and economical.

DESCRIPTION	SIZE	055395-
Rubberized Undercoat	20 oz / Net 16 oz	99456

CASE **6**



Carbon Black Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties, and other repair components.

DESCRIPTION	SIZE	055395-
Carbon Black Guide Coat	16 oz / Net 10.5 oz	99457

CASE **6**



Black Power Guide Coat

Ideal for identifying imperfections in primer and body filler that need to be sanded out to ensure a flat finish. Simply apply the applicator with the Black Powder Guide Coat over the area to be sanded, and continue sanding until the powder is no longer visible on the surface. This product does not have a dry time and can be sanded immediately, and it can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	055395-
Black Powder Guide Coat	100 grams	53346

CASE **6**

ADHESIVES, SEALERS, AND COATINGS

Pressure-sensitive bonding



Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass,, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Remains flexible at low temperatures

	1/4"	1/2"	7/8"
DESCRIPTION	055395-	055395-	055395-
20 Yard Roll .045" Thick	67381	67378	67379
CASE	12	12	12



Attachment Tape Adhesion Promoter

Molding Tape Adhesion Promoter is a liquid primer to improve the adhesion of Carborundum automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PG, PC, and ABS).

	220 ml Can
DESCRIPTION	055395-
Molding Tape Adhesion Promoter 220ml brush top can	67380
CASE	12




SIGNED AND SEALED...
CARBO DELIVERS!






FEATURES

- True 12,000 RPM motor
- Compact Ergo Grip
- One-hand speed control with comfort platform
- Dynabrade's lightest random orbital sander!

Color-coded handles provide easy identification of sanding action.






Dynorbital-Spirit® - Non-Vacuum

	 3/8" Orbital (Orange)	 3/16" Orbital (Gray)	 3/32" Orbital (Black)
DESCRIPTION	616026-	616026-	616026-
	21060	21061	21062
6" Non-Vacuum (Hook Face Pad included)			
CASE	1	1	1



Dynorbital-Spirit® - Self-Generating Vacuum




Includes #50617 Portable Dust Collection System. Uses exhaust air to create a vacuum at the sanding surface.

	 3/8" Orbital (Orange)	 3/16" Orbital (Gray)	 3/32" Orbital (Black)
DESCRIPTION	616026-	616026-	616026-
	21016	21036	21056
6" Self-Generating Vacuum (PSA Pad included)			
CASE	1	1	1



Dynorbital-Spirit® - Central Vacuum

Requires hookup to an external vacuum source.

	 3/8" Orbital (Orange)	 3/16" Orbital (Gray)	 3/32" Orbital (Black)
DESCRIPTION	616026-	616026-	616026-
	21063	21064	21065
6" Central Vacuum (Hook Face Pad included)			
CASE	1	1	1



Dynabrade® 8" Electric Rotary Buffer

- Rotary orbit for cutting, polishing and buffing
- Handle rotates 180°
- Variable speed trigger with adjustable RPM roller dial
- Rubberized side handle mounts in three positions

DESCRIPTION	RPM	616026-
120 V (AC), 11-amp	3,000	51580
CASE		1



Dynabrade® AutoFile II - Abrasive Belt Tool

- Includes 11203 contact arm for 1/2" W x 18" L abrasive belts
- Remove spot welds faster than using bits
- Easily remove door skins
- Grind, sand and deburr in tight areas
- 0.5 hp with rear exhaust; grinding head pivots 360°

DESCRIPTION	RPM	616026-
File Belt Tool	20,000	18100
CASE		1



2" TR Back-up Pad

DESCRIPTION	616026-
2" TR Back-Up Pad	51345
CASE	1



Red-Tred Eraser Wheel

RED-TRED® eraser wheel erases with NO PAINT DAMAGE!

DESCRIPTION	616026-
Red-Tred® Eraser Wheel	92255
CASE	1



Red-Tred Eraser Wheel with hub

RED-TRED® eraser wheel erases with NO PAINT DAMAGE!

DESCRIPTION	616026-
Red-Tred® Eraser w/hub	92257
CASE	1



Wire Wheel

Dynabrade DynaZip® Wire Wheels work on sealants, rust and paint.

DESCRIPTION	616026-
DynaZip® Wire Wheel	92245
CASE	1

ACCESSORIES

High quality construction / Shop efficiency



Designed to enhance autobody applications.

FEATURES	BENEFITS
<ul style="list-style-type: none"> High-quality, durable components 	<ul style="list-style-type: none"> Long lasting Cost effective
<ul style="list-style-type: none"> Ergonomic design 	<ul style="list-style-type: none"> Minimize fatigue



Carborundum Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes, and chemicals, while keeping them clean, dry, and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	055395-
Automotive Utility Cabinet	31-1/2" w x 26" h x 12-1/2" deep	33867
CASE		1



Adhesives and Sealers Cabinet

Heavy-gauge steel will hold all of the Carborundum adhesives and sealers, keeping them clean, dry, and secure.

DESCRIPTION	SIZE	055395-
Adhesives and Sealers Cabinet	30" w x 26" h x 10" deep	99365
CASE		1



Carbo Cart

The Carbo Cart is made of heavy gauge steel painted "Carbo" red. The front panel is a "hook" design to attach all "hook and loop" products. Pre-drilled holes in the back panel allow attachment of all Carbo dispenser systems.

DESCRIPTION	SIZE	055395-
Carbo Cart	31" h x 22" l x 14-1/4" deep	20486
CASE		1



Automotive Disc Roll and Sheet Roll Dispensers

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. They are versatile, for use with any 5" or 6" disc roll or 2-3/4" sheet roll. They can be attached to a wall, mounted on a Carborundum Utility Cabinet or Cart or stacked upon other Carborundum dispensers.



DESCRIPTION	055395-
Single Disc Roll Dispenser	20361
Double Disc Roll Dispenser	20299
Sheet Roll Dispenser	20523
CASE	1

ACCESSORIES

High quality construction / Designed to improve productivity



Ergonomic Sanding Blocks

Stick-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Stick-On – Firm





Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Grip-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

Grip-On – Firm



Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

	 2-3/4" x 5"	 2-3/4" x 7-3/4"	 2-3/4" x 5"	 2-3/4" x 7-3/4"
DESCRIPTION	055395-	055395-	055395-	055395-
Soft – PSA	70401	–	–	–
Firm – PSA	70402	70405	–	–
Soft – Grip-On	–	–	70403	–
Firm – Grip-On	–	–	70404	70406
CASE	5	5	5	5



Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

	 055395-	 055395-
DESCRIPTION	055395-	055395-
For 6" Stick-On Discs	63898	–
For 6" Grip-On Discs	–	63897
CASE	5	5



Dual Density Wet Sanding Sof-Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	055395-
Sof-Block	63899
CASE	12



EZ Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	055395-
EZ Block	63900
CASE	8

ACCESSORIES

Ergonomic design for comfort / Designed for automotive applications to reduce fatigue



Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

DESCRIPTION	055395-
Stick-On Body File Sanding Board	12013
CASE	6



Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop sheets.

DESCRIPTION	055395-
Grip-On Body File Sanding Board	12014
CASE	5



Grip-On Air File Shoe

The Grip-On Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.

DESCRIPTION	055395-
Grip-On Air File Shoe	12015
CASE	1



3" Back-Up Pad

For spot removal or buffing, the Grip-On faced pad works perfectly with our wool and foam polishing pads and all 3" Grip-On discs.

DESCRIPTION	055395-
Grip-On Back-Up Pad (5/16"-24)	99306
CASE	10

ACCESSORIES

A consistent surface for increased productivity when sanding

Carbo Back-Up Pads

Two back-up pad profiles and two densities give you all the options you need for any sanding job. Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools. Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.



Define the Job, Then Pick the Pad

JOB TYPE: PAD TYPE: GRIT RANGE: MAX. RPM:	COARSE TO MEDIUM GRIT SANDING Tapered Edge, Medium Density (Flexible edge, easy to reach small contours) 320 and Coarser 15,000 RPM		COARSE TO MEDIUM GRIT SANDING Low Profile, Medium Density (Hard edge) 320 and Coarser 15,000 RPM		MEDIUM TO FINE GRIT SANDING Low Profile, Soft Density (Soft, thicker foam for contours) 320 and Finer 12,000 RPM	
	PSA	Grip-On	PSA	Grip-On	PSA	Grip-On
DESCRIPTION	055395-	055395-	055395-	055395-	055395-	055395-
5" Plain Face	99317	99321	99309	99313	99304	99307
6" Plain Face	99319	99323	99311	99315	99305	99308
5" Vacuum	99318	99322	99310	99314	-	-
6" Vacuum	99320	99324	99312	99316	-	-
CASE	5	5	5	5	5	5

Most popular SKUs are shown in red
Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.

WE'VE GOT YOUR BACKUP
RIGHT HERE!



ACCESSORIES

Choose the right tool for the job to increase productivity and minimize re-work



8" Back-Up Pads

All pads have 5/8-11 threaded shank.

DESCRIPTION	RPM	055395-	055395-	636425-
8" x 1/2" Stick-On	6,000	12023	–	–
8" x 1/2" Grip-On	4,800	–	12030	–
8" VAC/Non-VAC Grip-On 5 Screw	1,500	–	–	43712
8" VAC/Non-VAC Grip-On 6 Screw	1,500	–	–	43714
CASE		5	5	1



Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

DESCRIPTION	THICKNESS	636425-	636425-	055395-
3" Thin Interface Pad	1/2"	05457	–	–
6" Thin Interface Pad	1/2"	–	42089	–
5" Foam Interface Pad	3/4"	–	–	20521
6" Foam Interface Pad	3/4"	–	–	20520
PKG/CASE		10/10	5/5	2/20



Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

DESCRIPTION	636425-
6" x 3/8" Thick Soft Foam Grip-On with strap	00906
6" Half Moon Grip-On	00904
CASE	10



Carbo CleanAir Back-Up Pads

Innovative design optimized for maximum air flow and powerful dust extraction. The medium pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face. The soft pad is packed with a Festo adapter, two threaded bolts: M8 and 5/16"-24 and three fiber ring spacers. The soft pad is only for use on extreme contours using Grip-On 320 grit and finer.

DENSITY	RPM	636425-	055395-
Medium	15,000	06160	–
Soft	7,700	–	99338
CASE		1/5	1



Pin Stripe Removal Wheel

This wheel is designed to remove pinstripes, decals and molding adhesive without damage to the underlying surface. Tan colored, it is 4" diameter, 5/8" thick with a 1/16" step and has a 5/16"-24 attached threaded mandrel.

DESCRIPTION	RPM	055395-	055395-
4" x 5/8" x 5/16"-24 Mandrel	4,000	67390	–
3/8" Drill Adapter for #67390	–	–	60773
CASE		5	1



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW COLLISION REPAIR CENTER BASICS VIDEO




COLLISION REPAIR CENTER **BASICS**

BEST PRACTICE

Clean the Vehicle

Wash area with Mothers® Auto Wash, and rinse, then use a wax and grease remover. Wipe dry with a clean cloth.

Objective: Eliminate contaminants, discover additional damage to up-sell the repair and prevent unjustified claims.



Review the Repair Order

Inspect the clean vehicle and review the repair order.

Objective: Verify the damage to be repaired.



Protect the Interior

Cover the interior with seat covers and floor mats. If the vehicle is stored outside, cover broken windows with weather barrier.

Objective: Protect the interior of the vehicle.



Acclimate the Vehicle

In extreme temperatures, bring the vehicle/part into the bodyshop in advance so it's dry and at room temperature (65°F to 75°F / 18°C to 24°C) before working on it.

Objective: Provide better surface preparation and adhesion to a stable substrate.



Control the DA

Start the tool while it is on the surface to be sanded and stop the tool after removing the tool from the surface.

Objective: Eliminate overly coarse scratches and gouges.






Choose the Proper Tool

Random Orbital or Dual-Action (DA) sanders are made with different orbits to achieve different results. Many tool companies color code their tools to indicate the orbit. Dynabrade colors the lever to indicate the orbit.

3/8" Orbit sanders are best for coarse sanding and heavy material removal.

3/16" Can be used for most body shop applications and the coarsest paint shop applications.



3/32" Can be used for most paint shop applications and all machine sanding on new finishes.



Recommended Sanding Patterns

Follow a sanding pattern for flat and contoured surfaces.

Objective: Ensures the entire area is sanded as efficiently as possible. Provides uniformity and eliminates chop on contoured surfaces.



3M TO CARBORUNDUM CROSS REFERENCE

Better Performance + Better Price = Better Value! Switch to Carborundum!

3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO
00371	21300	01067	20315	01254	99373	01439	18169	01864	20472	02543	20532
00373	21301	01069	20318	01260	99464	01440	18170	01865	20473	02544	20533
00374	21302	01070	20319	01261	99422	01441	18171	01913	10711	02545	20534
00377	21303	01071	20320	01262	53327	01442	18172	01914	10712	02546	20535
00379	21304	01072	20319	01318	20295	01443	18173	01915	10713	02547	20536
00380	21305	01073	20321	01319	20296	01485	61102	01921	10720	02548	20537
00391	21336	01075	20322	01320	18162	01489	61106	01922	10721	02549	20538
00393	21337	01076	20323	01321	18163	01491	61108	01923	10722	02590	20332
00394	21338	01077	20324	01323	18164	01493	61110	01928	10749	02591	20333
00512	21315	01078	20325	01325	18165	01506	21300	01929	10782	02593	20334
00515	21316	01079	20326	01326	18166	01547	21301	01943	55599	02594	20335
00521	21318	01080	20328	01327	18167	01548	21302	01944	55598	02595	20336
00524	21319	01081	20329	01328	18168	01549	21303	01945	55597	02596	20337
00525	21320	01082	20330	01329	18169	01550	21304	01951	55595	02597	20338
00539	21342	01083	20331	01330	18170	01551	21305	01952	55594	02598	20339
00542	21343	01100	99467	01331	18171	01569	21309	01953	55578	02599	20340
00543	21344	01101	99466	01332	18172	01602	70554	01988	01132	02600	70125
00621	21324	01105	70581	01333	18173	01603	70553	01989	03861	02601	70124
00624	21325	01106	70580	01343	99390	01605	70551	01990	03863	02602	70123
00639	21345	01107	70579	01344	99390	01606	70550	01991	04270	02604	70122
00907	47312	01108	70563	01345	99389	01607	70549	02002	63884	02606	70121
00908	47311	01109	70562	01346	99387	01608	70548	02004	63885	02621	63872
00909	47310	01110	70561	01352	63780	01609	70547	02006	63887	02622	63871
00910	70022	01111	70560	01353	18164	01610	70546	02007	63888	02623	63870
00913	99430	01112	70559	01355	18165	01624	63609	02020	63877	02624	63869
00914	70021	01113	70558	01356	18166	01628	63612	02021	63872	02702	21345
00916	99429	01114	70557	01357	18167	01634	15298	02022	63871	04240	99400
00917	70020	01115	70556	01358	18168	01635	15300	02023	63870	04247	99400
00918	99428	01116	99464	01359	18169	01637	15304	02032	63878	05440	70402
00919	99427	01117	99463	01360	18170	01638	15311	02033	63879	05441	70405
00921	70019	01178	99473	01361	18171	01639	15312	02034	63880	05442	70401
00922	20274	01179	99472	01362	18172	01640	15313	02035	63881	05450	20299
00923	20275	01180	99471	01363	18173	01641	15315	02036	63882	05539	55103
00950	47285	01181	99469	01373	15298	01642	15316	02038	63884	05540	55105
00951	20252	01182	53331	01375	15300	01643	15317	02040	63885	05546	99305
00953	20254	01184	47285	01377	15304	01661	21311	02042	63887	05551	99324
00954	20256	01185	47284	01378	15311	01677	53328	02043	63888	05555	99317
00955	20255	01186	47283	01379	15312	01678	53329	02044	63869	05556	99311
00956	63781	01187	99413	01380	15313	01679	99395	02085	99361	05575	99317
00957	20257	01188	18105	01381	15315	01680	99394	02087	99360	05576	99319
00959	20258	01189	99414	01382	15316	01681	99343	02088	47285	05579	12023
00961	20260	01190	18106	01383	15317	01682	99344	02103	30475	05655	99311
00962	20262	01191	99415	01396	99385	01684	99345	02104	30476	05656	99312
00963	20263	01194	18110	01397	99386	01685	99346	02112	10868	05711	70411
00964	20264	01195	18111	01398	09768	01686	99347	02113	10870	05717	70414
00965	20266	01196	18112	01406	99389	01687	99348	02114	10871	05719	70411
00966	20267	01197	18113	01407	99390	01688	99349	02115	10872	05723	99460
00967	20269	01198	18114	01408	69471	01743	21318	02138	10907	05725	99461
00968	47284	01202	63780	01417	63779	01744	21319	02139	10908	05733	99468
00969	47283	01203	18164	01419	18105	01745	21320	02220	21348	05740	70404
00970	20274	01205	18165	01420	18106	01791	21342	02221	21349	05741	70406
00971	20275	01206	18166	01421	18107	01793	21343	02222	21350	05742	70403
00972	63782	01208	18168	01422	18108	01794	21344	02230	21336	05748	12015
00973	20276	01209	18169	01423	18109	01810	50008	02231	21337	05755	99313
00975	20277	01210	18170	01424	18110	01811	50007	02232	21338	05756	99315
00976	20278	01211	18171	01425	18111	01812	50006	02258	21349	05759	69934
00977	20282	01212	18172	01426	18112	01814	50005	02260	21339	05775	99321
00978	20283	01213	18173	01427	18113	01815	50004	02469	20470	05776	99323
00979	20284	01218	99416	01428	18114	01816	50003	02470	20471	05777	42089
00980	20285	01219	99417	01429	63891	01817	50002	02472	20472	05791	00906
00981	20287	01221	99418	01430	63890	01818	50001	02473	20473	05792	00904
00982	20288	01222	99419	01431	63889	01819	20288	02500	33867	05855	99314
00983	20289	01223	99420	01432	63780	01819	20330	02536	14148	05860	53346
01057	20306	01224	99421	01434	18164	01820	50000	02537	20528	05861	53346
01059	20307	01225	20133	01435	18165	01850	21324	02538	63785	05865	99316
01062	20310	01251	99370	01436	18166	01852	21325	02539	20529	05885	99402
01063	20311	01252	99371	01437	18167	01862	20470	02541	20530	05887	99403
01064	20312	01253	99372	01438	18168	01863	20471	02542	20531	05907	99411

3M TO CARBORUNDUM CROSS REFERENCE

Better Performance + Better Price = Better Value! Switch to Carborundum!

3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO	3M	CARBO
05917	99452	06385	67381	06654	99367	07745	30893	26334	00310	30568	20253
05973	01209	06386	67381	06654	00316	07747	10890	26334	99396	30569	20254
05974	47329	06396	67380	06656	99368	07748	10891	26336	00307	30667	47285
06013	02023	06404	30152	06656	00317	07777	10890	26336	00311	30668	47284
06016	64024	06405	30153	06657	00318	08090	99446	26338	00308	30669	47283
06018	64024	06408	30154	06706	70582	08115	99406	26338	00312	30670	20274
06061	47329	06409	99364	06712	70583	08116	99406	26338	99397	30671	20275
06064	99381	06506	70582	06718	70584	08193	04628	26340	00309	30684	21315
06065	47329	06512	70583	06723	70530	08219	99402	26340	00313	30686	21316
06068	01209	06518	70584	06724	06728	08223	99401	26340	99398	30701	99592
06069	47329	06537	70582	06727	63770	08227	99401	26341	00581	30702	99591
06070	01209	06538	70583	06728	63769	08235	99400	26344	00587	30703	99590
06085	01209	06539	70584	06732	70583	08237	99401	30260	70022	30705	99564
06086	47329	06540	70585	06736	70585	08239	99400	30273	99430	30708	99565
06293	99362	06541	99396	06738	70584	08243	99400	30275	70021	30709	99566
06297	99363	06541	00310	06742	63895	08307	99408	30278	99429	30710	99567
06298	99362	06542	99397	06975	29216	08308	99407	30279	70020	30711	99568
06300	30152	06542	00312	07445	10892	08310	99409	30280	99428	30713	99570
06334	99396	06543	99398	07447	10890	08360	99450	30281	99427	30716	21344
06338	99397	06543	00313	07448	10891	08370	99450	30283	70019	30760	50010
06340	99398	06544	00311	07460	39321	08500	99449	30460	99501	30761	50009
06345	99359	06545	88400	07461	29280	08505	99449	30461	99502	30769	47283
06347	99359	06545	00499	07466	29282	08609	99447	30472	99503	30771	20320
06348	99359	06547	88402	07470	29282	08881	99456	30473	99504	30784	99538
06349	99359	06547	00501	07471	39321	08883	99455	30475	99505	31361	53334
06377	67378	06548	88403	07480	12508	08984	99459	30477	99507	31362	53335
06378	67379	06548	00502	07481	12507	20356	99315	30478	99508	31371	50000
06380	67378	06646	88401	07485	12512	20427	99306	30479	99509	31372	50001
06381	67379	06646	00500	07486	12510	21210	99446	30481	99511	64659	99425
06382	67378	06652	99366	07499	67390	26332	00577	30482	99512	64660	99426
06383	67379	06652	00314	07521	99425	26332	00586	30483	99513		
06384	67378	06653	00315	07522	99426	26334	00306	30567	20252		

PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE					
087143	00214	28	055395	12507	22	055395	20287	5	616026	21063	42	055395	53333	22
087143	00216	28	055395	12508	22	055395	20288	5	616026	21064	42	055395	53334	4
087143	00217	28	055395	12509	22	055395	20289	5	616026	21065	42	055395	53335	4
087143	00218	28	055395	12510	22	055395	20294	5	055395	21300	7	055395	53336	4
077922	00268	26	055395	12512	22	055395	20295	5	055395	21301	7	055395	53337	4
087143	00306	24	055395	12568	23	055395	20296	5	055395	21302	7	055395	53338	4
087143	00307	24	055395	14148	6	055395	20299	44	055395	21303	7	055395	53339	4
087143	00308	24	055395	15297	5	055395	20305	5	055395	21304	7	055395	53340	4
087143	00309	24	055395	15298	5	055395	20306	5	055395	21305	7	055395	53342	4
087143	00310	24	055395	15300	5	055395	20307	5	055395	21309	7	055395	53343	4
087143	00311	24	055395	15304	5	055395	20310	5	055395	21311	7	055395	53344	4
087143	00312	24	055395	15311	5	055395	20311	5	055395	21315	7	055395	53346	40
087143	00313	24	055395	15312	5	055395	20312	5	055395	21316	7	055395	53350	4
087143	00314	24	055395	15313	5	055395	20314	5	055395	21318	7	055395	53377	11
087143	00315	24	055395	15315	5	055395	20315	5	055395	21319	7	055395	53381	11
087143	00316	24	055395	15316	5	055395	20318	5	055395	21320	7	055395	53382	11
087143	00317	24	055395	15317	5	055395	20319	5	055395	21324	7	055395	53383	11
087143	00499	25	616026	18100	43	055395	20320	5	055395	21325	7	055395	53389	17
087143	00501	25	055395	18101	5	055395	20321	5	055395	21336	7	055395	53390	17
087143	00502	25	055395	18104	5	055395	20322	5	055395	21337	7	055395	53396	17
636425	00904	48	055395	18105	5	055395	20323	5	055395	21338	7	055395	53397	17
636425	00906	48	055395	18106	5	055395	20324	5	055395	21339	7	055395	53400	17
055395	01132	20	055395	18107	5	055395	20325	5	055395	21342	7	055395	53401	17
055395	01209	12	055395	18108	5	055395	20326	5	055395	21343	7	055395	54479	20
055395	01881	13	055395	18109	5	055395	20328	5	055395	21344	7	055395	54480	20
055395	02023	18	055395	18110	5	055395	20329	5	055395	21345	7	055395	54481	20
055395	03861	20	055395	18111	5	055395	20330	5	055395	21348	7	055395	54647	20
055395	03863	20	055395	18112	5	055395	20331	5	055395	21349	7	055395	54648	20
055395	04270	20	055395	18113	5	055395	20332	6	055395	21350	7	055395	54662	20
636425	04628	35	055395	18114	5	055395	20333	6	055395	22538	19	055395	54663	20
636425	04632	35	055395	18162	5	055395	20334	6	666233	29280	19	055395	54666	20
636425	05457	11/48	055395	18163	5	055395	20335	6	666233	29282	19	055395	54668	20
636425	05986	15	055395	18164	5	055395	20336	6	055395	30152	26	055395	54669	20
636425	06160	48	055395	18165	5	055395	20337	6	055395	30153	26	662610	55103	22
636425	06396	35	055395	18166	5	055395	20338	6	055395	30154	26	662610	55105	19/22
636425	06403	34	055395	18167	5	055395	20339	6	055395	30893	17	666233	55578	23
636425	06404	34	055395	18168	5	055395	20340	6	055395	33867	44	666233	55594	23
055395	06728	28	055395	18169	5	055395	20361	44	776960	39321	19	666233	55595	23
078175	08612	14	055395	18170	5	055395	20459	6	636425	41399	35	666233	55597	23
078175	08712	15	055395	18171	5	055395	20461	6	636425	41400	35	666233	55598	23
055395	09760	21	055395	18172	5	055395	20463	6	636425	42089	11/48	666233	55599	23
055395	09767	21	055395	18173	5	055395	20470	6	636425	43712	48	666233	57276	23
055395	09768	21	055395	20055	23	055395	20471	6	636425	43714	48	666233	57277	23
055395	10711	23	055395	20076	23	055395	20472	6	055395	47283	11	666233	57278	23
055395	10712	23	055395	20252	5	055395	20473	6	055395	47284	11	666233	57283	23
055395	10713	23	055395	20253	5	055395	20474	6	055395	47285	11	666233	57284	23
055395	10720	23	055395	20254	5	055395	20475	6	055395	47310	11	666233	57285	23
055395	10721	23	055395	20255	5	055395	20484	17	055395	47311	11	666233	57290	23
055395	10722	23	055395	20256	5	055395	20485	17	055395	47312	11	666233	57291	23
055395	10890	17	055395	20257	5	055395	20486	44	055395	47329	12	666233	57292	23
055395	10891	17	055395	20258	5	055395	20520	48	055395	50000	4	666233	57295	23
055395	10892	17	055395	20259	5	055395	20521	48	055395	50001	4	666233	57296	23
055395	10991	17	055395	20260	5	055395	20523	44	055395	50002	4	666233	57297	23
055395	10992	17	055395	20262	5	055395	20527	6	055395	50003	4	055395	60773	48
666233	11870	9	055395	20263	5	055395	20528	6	055395	50004	4	055395	61102	5
666233	11871	9	055395	20264	5	055395	20529	6	055395	50005	4	055395	61106	5
666233	11873	9	055395	20266	5	055395	20530	6	055395	50006	4	055395	61108	5
666233	11874	9	055395	20267	5	055395	20531	6	055395	50007	4	055395	61109	5
666233	11875	9	055395	20269	5	055395	20532	6	055395	50008	4	055395	61110	5
666233	11876	9	055395	20270	5	055395	20533	6	055395	50009	4	055395	63769	28
666233	11877	9	055395	20271	5	055395	20534	6	055395	50010	4	055395	63770	28
666233	11878	9	055395	20272	5	055395	20535	6	616026	51345	43	055395	63779	5
666233	11879	9	055395	20274	5	055395	20536	6	616026	51580	43	055395	63780	5
055395	12013	46	055395	20275	5	055395	20537	6	055395	51776	19	055395	63781	5
055395	12014	46	055395	20276	5	055395	20538	6	055395	53326	8	055395	63782	5
055395	12015	46	055395	20277	5	616026	21016	42	055395	53327	8	055395	63784	5
055395	12023	48	055395	20278	5	616026	21036	42	055395	53328	8	055395	63785	6
055395	12030	48	055395	20282	5	616026	21056	42	055395	53329	8	055395	63856	10
055395	12032	23	055395	20283	5	616026	21060	42	055395	53330	9	055395	63869	10
055395	12033	23	055395	20284	5	616026	21061	42	055395	53331	9	055395	63870	10
055395	12506	22	055395	20285	5	616026	21062	42	055395	53332	22	055395	63871	10

PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE					
055395	63872	10	055395	70558	8	078175	88638	16	055395	99398	25	055395	99494	4
055395	63877	10	055395	70559	8	078175	88645	16	055395	99399	33	055395	99495	4
055395	63878	10	055395	70560	8	662610	89212	27	055395	99400	32	055395	99496	4
055395	63879	10	055395	70561	8	616026	92245	43	055395	99401	32	055395	99497	4
055395	63880	10	055395	70562	8	616026	92255	43	055395	99402	32	055395	99498	4
055395	63881	10	055395	70563	8	616026	92257	43	055395	99403	33	055395	99499	4
055395	63882	10	055395	70564	8	088341	94550	21	055395	99404	31	055395	99500	4
055395	63884	10	055395	70565	8	088341	94551	21	055395	99405	31	055395	99501	4
055395	63885	10	055395	70566	8	088341	94552	21	055395	99406	33	055395	99502	4
055395	63887	10	055395	70567	8	088341	94553	21	055395	99407	34	055395	99503	4
055395	63888	10	055395	70568	8	088341	94554	21	055395	99408	34	055395	99504	4
055395	63889	22	055395	70569	8	088341	94563	21	055395	99409	34	055395	99505	4
055395	63890	22	055395	70570	8	088341	94564	21	055395	99410	32	055395	99506	4
055395	63891	22	055395	70571	8	088341	94565	21	055395	99411	32	055395	99507	4
055395	63893	22	055395	70572	8	088341	94566	21	055395	99413	8	055395	99508	4
055395	63895	28	055395	70579	8	088341	94567	21	055395	99414	8	055395	99509	4
055395	63896	28	055395	70580	8	055395	99304	47	055395	99415	8	055395	99510	4
055395	63897	45	055395	70581	8	055395	99305	47	055395	99416	8	055395	99511	4
055395	63898	45	055395	70582	27	055395	99306	11/13/46	055395	99417	8	055395	99512	4
055395	63899	45	055395	70583	27	055395	99307	47	055395	99418	8	055395	99513	4
055395	63900	45	055395	70584	27	055395	99308	11	055395	99419	8	055395	99514	4
055395	64024	12	055395	70585	27	055395	99309	47	055395	99420	8	055395	99515	4
088341	64037	22	077922	73848	25	055395	99310	47	055395	99421	8	055395	99516	4
055395	67378	41	077922	73858	25	055395	99311	47	055395	99422	8	055395	99517	4
055395	67379	41	077922	73859	25	055395	99312	47	055395	99423	4	055395	99518	4
055395	67380	41	077922	73860	25	055395	99313	47	055395	99424	27	055395	99519	4
055395	67381	41	077922	74977	26	055395	99314	47	055395	99425	17	055395	99520	4
055395	67390	48	776960	75500	17	055395	99315	47	055395	99426	17	055395	99521	4
055395	68509	29	776960	75502	17	055395	99316	47	055395	99427	5	055395	99522	4
055395	68510	29	078175	80000	14	055395	99317	47	055395	99428	5	055395	99523	4
055395	68511	29	078175	80005	16	055395	99318	47	055395	99429	5	055395	99524	4
055395	68512	29	078175	80138	15	055395	99319	47	055395	99430	5	055395	99525	4
055395	69471	21	078175	80145	15	055395	99320	47	055395	99438	18	055395	99526	4
055395	69472	21	078175	80155	15	055395	99321	47	055395	99439	18	055395	99527	4
055395	69473	21	078175	81132	14	055395	99322	47	055395	99440	18	055395	99529	4
055395	69926	5	078175	81138	14	055395	99323	47	055395	99441	18	055395	99530	4
055395	69927	5	078175	81232	14	055395	99324	47	055395	99442	18	055395	99531	4
055395	69934	13	078175	81238	14	055395	99328	48	055395	99443	18	055395	99532	4
055395	69935	13	078175	82332	15	055395	99343	9	055395	99444	4	055395	99533	4
055395	70019	5	076607	82786	39	055395	99344	9	055395	99446	38	055395	99534	4
055395	70020	5	078175	83432	14	055395	99345	9	055395	99447	38	055395	99535	4
055395	70021	5	078175	84532	14	055395	99346	9	055395	99449	39	055395	99536	4
055395	70022	5	078175	85624	14	055395	99347	9	055395	99450	39	055395	99537	4
055395	70121	18	078175	85632	14	055395	99348	9	055395	99452	38	055395	99538	4
055395	70122	18	078175	85638	14	055395	99349	9	055395	99453	40	055395	99539	4
055395	70123	18	078175	85645	14	055395	99356	30	055395	99454	40	055395	99540	4
055395	70124	18	078175	87132	15	055395	99359	26	055395	99455	40	055395	99541	4
055395	70125	18	078175	87138	15	055395	99362	26	055395	99456	40	055395	99542	4
055395	70401	45	078175	87145	15	055395	99363	26	055395	99457	40	055395	99543	4
055395	70402	45	078175	87155	15	055395	99365	44	055395	99458	39	055395	99544	4
055395	70403	45	078175	87532	15	055395	99366	25	055395	99459	39	055395	99545	4
055395	70404	45	078175	87538	15	055395	99367	25	055395	99460	13	055395	99546	4
055395	70405	45	078175	87545	15	055395	99368	25	055395	99461	13	055395	99547	4
055395	70406	45	078175	87555	15	055395	99370	8	055395	99462	8	055395	99548	4
055395	70411	13	078175	87632	16	055395	99371	8	055395	99463	8	055395	99549	4
055395	70412	13	078175	87638	16	055395	99372	8	055395	99464	8	055395	99550	4
055395	70413	13	078175	87645	16	055395	99373	8	055395	99465	8	055395	99551	4
055395	70414	13	078175	87932	16	055395	99376	8	055395	99466	8	055395	99552	4
055395	70530	28	078175	87938	16	055395	99381	12	055395	99467	8	055395	99553	4
055395	70533	12	078175	87945	16	055395	99382	30	055395	99468	13	055395	99554	4
055395	70546	8	078175	87955	16	055395	99383	21	055395	99469	9	055395	99555	4
055395	70547	8	078175	88132	16	055395	99385	21	055395	99470	9	055395	99556	4
055395	70548	8	078175	88138	16	055395	99386	21	055395	99471	9	055395	99557	4
055395	70549	8	078175	88145	16	055395	99387	21	055395	99472	9	055395	99558	4
055395	70550	8	077922	88400	25	055395	99389	21	055395	99473	9	055395	99559	4
055395	70551	8	077922	88402	25	055395	99390	21	055395	99474	9	055395	99560	4
055395	70553	8	077922	88403	25	055395	99393	9	055395	99475	4	055395	99561	4
055395	70554	8	078175	88532	16	055395	99394	9	055395	99476	4	055395	99562	4
055395	70555	8	078175	88538	16	055395	99395	9	055395	99477	4	055395	99563	4
055395	70556	8	078175	88545	16	055395	99396	25	055395	99478	4	055395	99564	4
055395	70557	8	078175	88632	16	055395	99397	25	055395	99479	4	055395	99565	4

PRODUCT AVAILABILITY MATRIX

Legendary Performance / Legendary Innovation



Discs and Body File Sheets - Fine Grits

		BEST				BETTER		GOOD			
		Medalist Foam Grip-On	Medalist Film Grip-On	Medalist Grip-On	Medalist Stick-On	Premier Red Grip-On	Premier Red Stick-On	White Lightning Grip-On	White Lightning Stick-On	White Lightning Tab Stick-On	
		055395-	055395-	055395-	055395-	055395-	055395-	055395-	055395-	055395-	
3" Disc	3000	53382	-	-	-	-	-	-	-	-	
	P1500	-	47312	53344	-	69927	-	-	-	-	
	P1200	-	47311	-	-	-	-	-	-	-	
	P1000	-	47310	53343	-	69926	-	-	-	-	
	P800	-	-	53342	-	70022	-	-	-	-	
	P500	-	-	53350	-	-	-	-	-	-	
	P400	-	-	53340	-	99430	-	-	-	-	
	P320	-	-	53339	-	70021	-	-	-	-	
	P220	-	-	53338	-	99429	-	-	-	-	
	P180	-	-	53337	-	70020	-	-	-	-	
	P150	-	-	53336	-	99428	-	-	-	-	
	P120	-	-	53335	-	99427	-	-	-	-	
	P80	-	-	53334	-	70019	-	-	-	-	
	5" Disc	P1500	-	-	-	-	20252	-	-	-	-
		P1200	-	-	-	-	20253	-	-	-	-
		P1000	-	-	-	-	20254	-	-	-	-
P800		-	-	99501	-	20255	18101	-	-	-	
P600		-	-	99502	-	20256	18104	-	-	-	
P500		-	-	99503	-	63781	63779	-	-	-	
P400		-	-	99504	-	20257	18105	-	70554	-	
P320		-	-	99505	-	20258	18106	-	70553	-	
P280		-	-	99506	-	20259	18107	-	-	-	
P240		-	-	99507	-	20260	18108	-	-	-	
P220		-	-	99508	-	20262	18109	-	70551	-	
P180		-	-	99509	-	20263	18110	-	70550	-	
P150		-	-	99510	-	20264	18111	-	70549	-	
P120		-	-	99511	-	20266	18112	-	70548	-	
P100		-	-	99512	-	20267	18113	-	70547	-	
P80		-	-	99513	-	20269	18114	-	70546	-	
6" Disc	3000	53381	-	-	-	-	-	-	-	-	
	2000	53382	-	-	-	-	-	-	-	-	
	P1500	53383	47285	99444	-	20270	20294	-	-	-	
	P1200	-	47284	-	-	20271	20295	-	-	-	
	P1000	-	47283	99423	-	20272	20296	-	-	-	
	P800	-	-	99514	99488	20274	18162	99413	70581	-	
	P600	-	-	99515	99489	20275	18163	99414	70580	-	
	P500	-	-	99516	99490	63782	63780	99415	70579	-	
	P400	-	-	99517	99491	20276	18164	99416	70563	70572	
	P320	-	-	99518	99492	20277	18165	99417	70562	70571	
	P280	-	-	99519	99493	20278	18166	-	-	-	
	P240	-	-	99520	99494	20282	18167	-	70561	70570	
	P220	-	-	99521	99495	20283	18168	99418	70560	70569	
	P180	-	-	99522	99496	20284	18169	99419	70559	70568	
	P150	-	-	99523	99497	20285	18170	99420	70558	70567	
	P120	-	-	99524	99498	20287	18171	99421	70557	70566	
P100	-	-	99525	99499	20288	18172	-	70556	70565		
P80	-	-	99526	99500	20289	18173	99422	70555	70564		
8" Disc	P320	-	-	-	-	-	61102	-	-	-	
	P180	-	-	-	-	-	61106	-	-	-	
	P120	-	-	-	-	-	61108	-	-	-	
	P100	-	-	-	-	-	61109	-	-	-	
	P80	-	-	-	-	-	61110	-	-	-	
Body File	P220	-	-	-	-	20470	-	99473	-	-	
	P180	-	-	-	-	20471	20459	99472	-	-	
	P150	-	-	-	-	20472	-	99471	-	-	
	P120	-	-	-	-	20473	20461	99470*	-	-	
	P100	-	-	-	-	20474	-	-	-	-	
	P80	-	-	-	-	20475	20463	99469	-	-	
Backing	Foam	Film	B-C wt. Latex	B-C wt. Latex	B wt. Latex Paper			B wt. Latex Paper			
Tear Resistance	High	High	High	High	High			Standard			
Grain	Prem. A/O	Prem. A/O	Ceramic	Ceramic	Prem. Heat-Treated A/O			Aluminum Oxide			
Wet/Dry	Moist	Dry	Dry/Moist	Dry	Dry/Moist			Dry			



PRODUCT AVAILABILITY MATRIX

Legendary Performance / Legendary Innovation


Discs and Body File Sheets - E-Weight

								
		BEST					GOOD	
		Premier Red Grip-On	Premier Red Stick-On	Premier Red Plain	Premier Red Grip-On Vacuum	Premier Red Stick-On Vacuum	White Lightning Stick-On	White Lightning Grip-On
UPC		055395-	055395-	055395-	055395-	055395-	055395-	055395-
6" Disc	80-E	21315	21300	-	-	-	99464	53326
	40-E	21316	21301	-	-	-	99463	53327
	36-E	-	21302	-	-	-	99462	-
8" Disc	80-E	21318	21303	-	21324	21309	99467	53328
	40-E	21319	21304	-	21325	-	99466	53329
	36-E	21320	21305	-	-	21311	99465	-
Body File	80-E	21342	21336	21348	21345	21339	99395	53330
	40-E	21343	21337	21349	-	-	99394	53331
	36-E	21344	21338	21350	-	-	99393	-
Backing				E wt. Latex Paper			E wt. Paper	
Tear Resistance				High			Standard	
Grain				Zirconia Alumina			Aluminum Oxide	


Carbo CleanAir Plus and Vacuum Discs

						
		BEST		BETTER		
		Medalist Grip-On Carbo CleanAir Plus	Premier Red Grip-On Vacuum	White Lightning Stick-On Vacuum		
UPC		055395-	055395-	055395-		
5" Disc	P800	-	-	-		
	P600	-	20305	-		
	P500	-	-	-		
	P400	-	20306	-		
	P320	-	20307	-		
	P240	-	-	-		
	P220	-	20310	-		
	P180	-	20311	-		
	P150	-	20312	-		
	P120	-	-	-		
	P100	-	20314	-		
	P80	-	20315	-		
	6" Disc	P1000	-	20318	-	
		P800	50010	20319	-	
P600		50009	20320	15297		
P500		50008	63784	-		
P400		50007	20321	15298		
P320		50006	20322	15300		
P280		-	20323	-		
P240		50005	20324	15304		
P220		50004	20325	15311		
P180		50003	20326	15312		
P150		50002	20328	15313		
P120		50001	20329	15315		
P100		-	20330	15316		
P80		50000	20331	15317		
Backing		B-C wt. Latex Paper		B wt. Latex Paper		
Tear Resistance		High		High		
Grain		Ceramic Alumina		Prem. Heat Treated Aluminum Oxide		

Foam Sanding Pads

			
		BEST	
		Premier Red	
UPC		055395-	
4-1/2" x 82' Perforated Every 5-1/2"	P1000	99443	
	P800	99442	
	P600	99441	
	P500	99440	
	P400	99439	
	P320	99438	
Backing		Foam and B-wt. Latex Paper	
Tear Resistance		High	
Grain		Heat Treated A/O	




Sanding Sponges

			
		BEST	
		EZ Touch	
UPC		055395-	
4-1/2" x 5-1/2"	Medium	70121	
	Fine	70122	
	Super Fine	70123	
	Ultra Fine	70124	
	Micro Fine	70125	
	Backing		Foam
Tear Resistance		High	
Grain		Aluminum Oxide	




PRODUCT AVAILABILITY MATRIX

Legendary Performance / Legendary Innovation


Sheet Rolls

				
		BEST	BETTER	GOOD
		Medalist Perforated Grip-On	Premier Red Stick-On	White Lightning Stick-On
UPC		055395-	055395-	055395-
2-3/4" Sheet Roll	P600	99592	-	-
	P500	99591	-	-
	P400	99590	20332	99343
	P320	99564	20333	99344
	P240	-	20334	-
	P220	99565	20335	99345
	P180	99566	20336	99346
	P150	99567	20337	99347
	P120	99568	20338	99348
	P100	-	20339	-
P80	99570	20340	99349	
Backing		<i>B-C wt Latex Paper</i>	<i>B wt Latex Paper</i>	<i>B wt Latex Paper</i>
Tear Resistance		<i>High</i>	<i>High</i>	<i>Standard</i>
Grain		<i>Ceramic Alumina</i>	<i>Heat Treated A/O</i>	<i>Aluminum Oxide</i>


Sheets

				
		BEST	BETTER	GOOD
		Premier Red	MirrorFinish	Merit PB273
UPC		055395-	055395-	666233-
5-1/2" x 9" Sheet	2000	-	63869	-
	1500	-	63870	-
	1200	-	63871	-
	1000	-	63872	-
9" x 11" Sheet	2000	-	63877	-
	1500	-	63878	-
	1200	-	63879	-
	1000	20527	63880	-
	800	14148	63881	-
	600	20528	63882	-
	500	63785	-	-
	400	20529	63884	11870
	360	-	63856	-
	320	20530	63885	11871
	280	20531	-	-
	240	20532	63887	11879
	220	20533	63888	11873
	180	20534	-	11874
	150	20535	-	11875
	120	20536	-	11876
	100	20537	-	11877
80	20538	-	11878	
Backing		<i>B-wt Latex Paper</i>	<i>A & B wt Paper</i>	<i>B wt.</i>
Tear Resistance		<i>High</i>	<i>Standard</i>	<i>Standard</i>
Grain		<i>Heat Treated A/O</i>	<i>A/O and S/C</i>	<i>A/O</i>
Wet/Dry		<i>Dry or Moist</i>	<i>Wet or Dry</i>	<i>Dry</i>

Surface Strip Discs

		
		BEST
		Carbo Fire
UPC		666233-
3" TR	X-Coarse	29280
4" x 1/2" TR+ Back-Up Pad	X-Coarse	29282
055395-22538		
UPC		776960-
4" x 1/2" x 1/4" Mandrel	X-Coarse	39321
055395-51776		
Backing		<i>Nylon Web</i>
Grain		<i>Ceramic Alumina</i>




Surface Blend Discs

		
		BEST
		Carbo Fire
UPC		055395-
2" TR Disc	X-Coarse	53332
3" TR Disc	X-Coarse	53333


PRODUCT AVAILABILITY MATRIX

Legendary Performance / Legendary Innovation


2" - 3" Grinding Discs

					
		BEST	BETTER	GOOD	
		Carbo Fire	Zirconia	Merit Flap	
UPC		055395-	055395-	88341-	
2" TR Disc	120	-	-	94554	
	80	99383	-	94553	
	Back Up Pad 662610-55103	60	-	-	94552
		50	99385	09760	-
		40	-	-	94551
		36	99386	09767	94550
24	-	09768	-		
3" TR Disc	120	-	-	94567	
	80	99387	-	94566	
	60	-	-	94565	
	Back Up Pad 662610-55105	50	99389	69473	-
		40	-	-	94564
		36	99390	69472	94563
24		-	69471	-	
Backing		<i>Cloth</i>	<i>Cloth</i>	<i>Cloth</i>	
Grain		<i>Ceramic</i>	<i>Zirconia Alumina</i>	<i>Zirconia Alumina</i>	




2" - 3" Grinding Discs

		
		BETTER
		Fibratex
UPC		055395-
2" TR Disc Back-Up Pad 662610-55103	Very Fine	12506
	Medium	12507
	Coarse	12508
3" TR Disc Back-Up Pad 662610-55105	Very Fine	12509
	Medium	12510
	Coarse	12512

2" - 3" Grinding Discs

		
		BETTER
		Carbo-Cut
UPC		055395-
3" Disc Mandrel 1/4" hex 055395-63893	50	63891
	36	63890
	24	63889
Backing		<i>Plastic</i>
Grain		<i>Zirconia Alumina</i>

5" - 7" Grinding Discs

					
		BEST	BETTER		GOOD
		Merit Ceramic	Merit Zirconia	Zirconia	Merit A/O
UPC		666233-	666233-	055395-	055395-
5"	80	-	-	20055	-
	50	55599	57292	10711	57278
	36	55598	57291	10712	57277
	24	55597	57290	10713	57276
7"	80	-	-	20076	-
	50	55595	57297	10720	57285
	36	55594	57296	10721	57284
	24	55593	57295	10722	57283
Backing		<i>Fibre</i>	<i>Fibre</i>	<i>Fibre</i>	<i>Fibre</i>
Grain		<i>Ceramic</i>	<i>Zirconia Alumina</i>	<i>Zirconia Alumina</i>	<i>Aluminum Oxide</i>

Trademarks

Carborundum logo, Carbo CleanAir, Carbo Fire, Dri-Lube, Fibratex, Grip-On, Medalist, Merit are registered trademarks to Saint-Gobain.

Carbo Cart, Carbo Cut, Carbo Finish, Carbo Gold, Carbo Premier Red, Carbo White Lightning, Carbo Clean Air Plus, Clip-On, EZ Block, EZ Repair, EZ Sheet, EZ Touch, EZ View, EZ Wipe, EZ Wrap, Flex-Loc, Legendary Innovation, Legendary Performance, Mirror Finish, Paint Check, ScuffGel, Sof-Block, Stick-On, Surface Prep, Surface Strip, The Definition of Performance, Thin-Flex are trademarks of Saint-Gobain.

The American logo, Orange Mask, and Anchor are registered trademarks and TrimFast is a trademark of Intertape Polymer Group®, Inc.

The Dynabrade logo, AutoFile, Dynaflex, DynaZip, Red-Tred are registered trademarks of Dynabrade®, Inc.

The Mothers logo is a registered trademark of Mothers® Polishes • Waxes • Cleaners, Inc.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.

WE'RE HANDING OVER THE KEYS SO YOU CAN

**OPEN
'ER
UP!**



***With Nothing To Lose And Everything To Gain...
Take Carborundum for a Cost-Savings Test Drive today!***



Carborundum is 100% committed to bringing the **best performing products** to body shops at a **fair price**.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of

performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to **increase productivity** and to **reduce costs** at absolutely no risk to you. There has never been a better time to **take Carborundum for a Test Drive!**

PERFORMANCE PARTNERS THE DEFINITION OF QUALITY



CARBORUNDUM

the definition of **PERFORMANCE™**

facebook.com/**carboauto** | youtube.com/**carboauto** | **carboauto.com**

CUSTOMER SERVICE:

USA Toll Free: 1 (877) 447-5359
Canada Toll Free: 1 (800) 263-6565

EMAIL US:

carbo.automotive@saint-gobain.com



FORM #CA5000 REV. 11/14

© 2014 Saint-Gobain.

The Carborundum logo is a registered trademark of Saint-Gobain.



Continuing Automotive
Service Education
CONFIDENTIAL PROPRIETARY INFORMATION

