



**AUTOBODY REFINISHING PRODUCTS  
FOR THE AUTOMOTIVE AFTERMARKET**





## CARBORUNDUM

### ***Our Mission***

We offer powerful, precise, user-friendly solutions for the automotive aftermarket at value pricing. By working closely with end-users and distributing partners, we design and provide customized solutions to secure the best option for performance, cost and safety.

### ***Our Expertise***

Carborundum is a brand of Saint-Gobain Abrasives, and has over 100 years of experience in manufacturing abrasives.

Carborundum abrasive products are your best choice when you want product performance with value pricing. Carborundum is committed to innovation in abrasive technology while adding significant business value to our trusted clients. We continue to strive to deliver the finest abrasives solutions and best-in-class service at the best value, giving your business a distinct advantage.

### ***Our Commitment***

Take Carborundum for a Test Drive!

We are 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carbo in your shop. Our Test Drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance.






















At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email [carbo.automotive@saint-gobain.com](mailto:carbo.automotive@saint-gobain.com)

### ***Our Connection***

Visit our website at [www.carbo.com](http://www.carbo.com) for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

***Carborundum – The Definition of Different™***

	SANDING MEDALIST	<b>4</b>		SURFACE CONDITIONING	<b>15</b>		ACCESSORIES	<b>25</b>
	SANDING PREMIER RED	<b>5</b>		CUT-OFF WHEELS	<b>16</b>		REVIVE BY RSG	<b>32</b>
	SANDING WHITE LIGHTNING	<b>8</b>		FLAP DISCS	<b>17</b>		FARÉCLA	<b>38</b>
	SANDING CLEANNET	<b>10</b>		FILE BELTS	<b>17</b>		AMERICAN TAPE	<b>39</b>
	SANDING MIRROR FINISH	<b>11</b>		GRINDING DISCS	<b>18</b>		FUSOR	<b>42</b>
	DEFECT REMOVAL	<b>12</b>		MASKING PRODUCTS	<b>21</b>		HUTCHINS	<b>57</b>
	SCUFFING SOLUTIONS	<b>13</b>		ADHESIVES AND COATINGS	<b>24</b>		TIM – TOTAL INVENTORY MANAGEMENT	<b>58</b>





Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.

**FEATURES & BENEFITS**






- Ceramic grain produces a faster cut rate and is more durable lasting longer, especially in tougher sanding applications
- Unique fiber reinforced for maximum tear resistance
- Latex/paper backing is flexible and easy to work with



**Discs - Stick-On, Grip-On and Clean Air Plus**

Discs with high-performance ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites, and aluminum.



					
	<b>6" Stick-On Disc Roll</b>	<b>3" Grip-On</b>	<b>5" Grip-On</b>	<b>6" Grip-On</b>	<b>6" Clean Air Plus</b>
<b>GRIT</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>
P1000B	—	—	—	055395 <b>99423</b>	—
P800B	055395 <b>99488</b>	—	055395 <b>99501</b>	055395 <b>99514</b>	055395 <b>50010</b>
P600B	055395 <b>99489</b>	055395 <b>53341</b> *	055395 <b>99502</b>	055395 <b>99515</b>	055395 <b>50009</b>
P500B	—	—	—	055395 <b>99516</b>	055395 <b>50008</b>
P400B	055395 <b>99491</b>	055395 <b>53340</b>	055395 <b>99504</b>	055395 <b>99517</b>	055395 <b>50007</b>
P320B	055395 <b>99492</b>	055395 <b>53339</b>	055395 <b>99505</b>	055395 <b>99518</b>	055395 <b>50006</b>
P240B	—	—	055395 <b>99507</b>	055395 <b>99520</b>	055395 <b>50005</b>
P220B	055395 <b>99495</b>	055395 <b>53338</b>	055395 <b>99508</b>	055395 <b>99521</b>	055395 <b>50004</b>
P180B	055395 <b>99496</b>	055395 <b>53337</b>	055395 <b>99509</b>	055395 <b>99522</b>	055395 <b>50003</b>
P150B	—	—	—	055395 <b>99523</b>	055395 <b>50002</b>
P120C	055395 <b>99498</b>	055395 <b>53335</b>	055395 <b>99511</b>	055395 <b>99524</b>	055395 <b>50001</b>
P100C	—	—	055395 <b>99512</b>	055395 <b>99525</b>	—
P80C	055395 <b>99500</b>	055395 <b>53334</b>	055395 <b>99513</b>	055395 <b>99526</b>	055395 <b>50000</b>
<b>PKG/CASE</b>	<b>100/4</b>	<b>50/4</b>	<b>50/4</b>	<b>50/4</b>	<b>50/4</b>



\* Non-Stock



**Perforated Grip-On Sheet Rolls**

Continuous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.



		
	<b>2-3/4" x 13 Yds</b>	<b>2-3/4" x 13 Yds Clean-Air Plus</b>
<b>GRIT</b>	<b>PART #</b>	<b>PART #</b>
P600B	055395 <b>99592</b>	—
P500B	055395 <b>99591</b>	—
P400B	055395 <b>99590</b>	055395 <b>53414</b>
P320B	055395 <b>99564</b>	055395 <b>53413</b>
P220B	055395 <b>99565</b>	055395 <b>53412</b>
P180B	055395 <b>99566</b>	055395 <b>53411</b>
P150B	055395 <b>99567</b>	—
P120C	055395 <b>99568</b>	055395 <b>53410</b>
P80C	055395 <b>99570</b>	055395 <b>53409</b>
<b>PKG/CASE</b>	<b>1/4</b>	<b>1/4</b>



Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.





### FEATURES & BENEFITS

- Premium, P-graded, heat-treated aluminum oxide abrasive for an incredibly fast cut rate and consistent finish
- Red-colored, fiber-reinforced, B-weight, latex-impregnated, paper backing has superior resistance to delamination
- Advanced bond system with excellent grain adhesion extends the life of the abrasive
- "Anti-load" stearate exhibits superior load resistance
- Tear-resistant and can be used for wet sanding applications



### Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.






				
GRIT	PART #	PART #	PART #	PART #
P1500B	—	055395 <b>20294</b>	—	—
P1200B	—	055395 <b>20295</b>	—	—
P1000B	—	055395 <b>20296</b>	—	—
P800B	055395 <b>18101</b>	055395 <b>18162</b>	—	—
P600B	055395 <b>18104</b>	055395 <b>18163</b>	—	055395 <b>15297</b>
P500B	055395 <b>63779</b>	055395 <b>63780</b>	—	—
P400B	055395 <b>18105</b>	055395 <b>18164</b>	—	055395 <b>15298</b>
P320B	055395 <b>18106</b>	055395 <b>18165</b>	055395 <b>61102</b>	055395 <b>15300</b>
P280B	055395 <b>18107</b>	055395 <b>18166</b>	—	—
P240B	055395 <b>18108</b>	055395 <b>18167</b>	—	—
P220B	055395 <b>18109</b>	055395 <b>18168</b>	—	055395 <b>15311</b>
P180B	055395 <b>18110</b>	055395 <b>18169</b>	055395 <b>61106</b>	055395 <b>15312</b>
P150B	055395 <b>18111</b>	055395 <b>18170</b>	—	055395 <b>15313</b>
P120B	055395 <b>18112</b>	055395 <b>18171</b>	055395 <b>61108</b>	055395 <b>15315</b>
P100B	055395 <b>18113</b>	055395 <b>18172</b>	—	055395 <b>15316</b>
P80B	055395 <b>18114</b>	055395 <b>18173</b>	055395 <b>61110</b>	055395 <b>15317</b>
<b>PKG/CASE</b>	<b>100/4</b>	<b>100/4</b>	<b>100/4</b>	<b>100/4</b>

\* 6" P1000 – P1500 are individual discs and come boxed: 100 to a box, and 4 boxes per case.



### Grip-On Discs


Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

					
GRIT	PART #	PART #	PART #	PART #	PART #
P1500B	055395 <b>69927</b>	055395 <b>20252</b>	055395 <b>20270</b>	—	—
P1200B	—	055395 <b>20253</b>	055395 <b>20271</b>	—	—
P1000B	055395 <b>69926</b>	055395 <b>20254</b>	055395 <b>20272</b>	—	055395 <b>20318</b>
P800B	055395 <b>70022</b>	055395 <b>20255</b>	055395 <b>20274</b>	—	055395 <b>20319</b>
P600B	—	055395 <b>20256</b>	055395 <b>20275</b>	055395 <b>20305</b>	055395 <b>20320</b>
P500B	—	055395 <b>63781</b>	055395 <b>63782</b>	—	055395 <b>63784</b>
P400B	055395 <b>99430</b>	055395 <b>20257</b>	055395 <b>20276</b>	055395 <b>20306</b>	055395 <b>20321</b>
P320B	055395 <b>70021</b>	055395 <b>20258</b>	055395 <b>20277</b>	055395 <b>20307</b>	055395 <b>20322</b>
P280B	—	055395 <b>20259</b>	055395 <b>20278</b>	—	—
P240B	—	055395 <b>20260</b>	055395 <b>20282</b>	—	055395 <b>20324</b>
P220B	055395 <b>99429</b>	055395 <b>20262</b>	055395 <b>20283</b>	055395 <b>20310</b>	055395 <b>20325</b>
P180B	055395 <b>70020</b>	055395 <b>20263</b>	055395 <b>20284</b>	055395 <b>20311</b>	055395 <b>20326</b>
P150B	055395 <b>99428</b>	055395 <b>20264</b>	055395 <b>20285</b>	055395 <b>20312</b>	055395 <b>20328</b>
P120B	055395 <b>99427</b>	055395 <b>20266</b>	055395 <b>20287</b>	—	055395 <b>20329</b>
P100B	—	055395 <b>20267</b>	055395 <b>20288</b>	055395 <b>20314</b>	055395 <b>20330</b>
P80B	055395 <b>70019</b>	055395 <b>20269</b>	055395 <b>20289</b>	055395 <b>20315</b>	055395 <b>20331</b>
<b>PKG/CASE</b>	<b>50/4</b>	<b>100/4</b>	<b>100/4</b>	<b>100/4</b>	<b>100/4</b>




### 2-3/4" Stick-On Sheet Rolls


Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.



2-3/4" 45 Yds



2-3/4" x 30 Yds



2-3/4" x 25 Yds

GRIT	PART #	PART #	PART #
P400B	055395 <b>20332</b>	—	—
P320B	055395 <b>20333</b>	—	—
P240B	055395 <b>20334</b>	—	—
P220B	055395 <b>20335</b>	—	—
P180B	055395 <b>20336</b>	—	—
P150B	055395 <b>20337</b>	—	—
P120B	—	055395 <b>20338</b>	055395 <b>20338</b>
P100B	—	055395 <b>20339</b>	055395 <b>20339</b>
P80B	—	—	055395 <b>20340</b>
<b>PKG/CASE</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>



### Body File Strips

These body file strips are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.




Grip-On 2-3/4" x 16-1/2"



Stick-On 2-3/4" x 16-1/2"

GRIT	PART #	PART #
P220B	055395 <b>20470</b>	—
P180B	055395 <b>20471</b>	055395 <b>20459</b>
P150B	055395 <b>20472</b>	—
P120B	055395 <b>20473</b>	055395 <b>20461</b>
P100B	055395 <b>20474</b>	—
P80B	055395 <b>20475</b>	055395 <b>20463</b>
<b>PKG/CASE</b>	<b>50/10</b>	<b>50/10</b>



### 9" x 11" Sheet

Ultimate choice for dry sanding old paint, primer, primer surfacer, and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.



9" x 11"

GRIT	PART #
P1000B	055395 <b>20527</b>
P800B	055395 <b>14148</b>
P600B	055395 <b>20528</b>
P500B	055395 <b>63785</b>
P400B	055395 <b>20529</b>
P320B	055395 <b>20530</b>
P280B	055395 <b>20531</b>
P240B	055395 <b>20532</b>
P220B	055395 <b>20533</b>
P180B	055395 <b>20534</b>
P150B	055395 <b>20535</b>
P120B	055395 <b>20536</b>
P100B	055395 <b>20537</b>
P80B	055395 <b>20538+</b>
<b>PKG/CASE</b>	<b>100/5</b> <b>+50/5</b>

Ultimate choice for sanding body filler, sanding bare metal, and stripping paint.

### FEATURES & BENEFITS

- Premium zirconia alumina abrasive is self-sharpening grain for super fast cut and long life
- Full phenolic resin bond system plus latex is tough yet flexible and yields excellent grain adhesion
- Red colored, E-weight latex paper backing resists tearing and shredding for a longer life



### Stick-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.



GRIT	6" PART #	8" PART #
80-E	—	055395 <b>21303</b>
40-E	055395 <b>21301</b>	055395 <b>21304</b>
36-E	055395 <b>21302</b>	055395 <b>21305</b>
<b>PKG/CASE</b>	<b>50/4</b>	<b>25/4</b>




### Grip-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.



GRIT	6" PART #	8" PART #
80-E	055395 <b>21315</b>	055395 <b>21318</b>
40-E	055395 <b>21316</b>	055395 <b>21319</b>
36-E	—	055395 <b>21320</b>
<b>PKG/CASE</b>	<b>25/4</b>	<b>25/4</b>



### Body File Strips

Premier Red body file strips come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.



GRIT	Stick-On 2-3/4" x 16-1/2" PART #	Grip-On 2-3/4" x 16-1/2" PART #	Clip-On 2-3/4" x 17-1/2" PART #
80-E	055395 <b>21336</b>	055395 <b>21342</b>	055395 <b>21348</b>
40-E	055395 <b>21337</b>	055395 <b>21343</b>	055395 <b>21349</b>
36-E	055395 <b>21338</b>	055395 <b>21344</b>	055395 <b>21350</b>
<b>PKG/CASE</b>	<b>50/5</b>	<b>25/5</b>	<b>50/5</b>



Ideal for sanding paint and primer.





### FEATURES & BENEFITS

- P-graded premium aluminum oxide abrasive produces a fast cut, consistent finish and longer life
- Water-based "anti-load" stearate has excellent load resistance
- Durable B-weight backing is flexible and conformable and has high tear resistance



### Stick-On Disc Rolls & Tab Discs


Pressure Sensitive Adhesive (PSA) backing.

	 5" Disc Roll	 6" Disc Roll	 6" Disc Roll	 6" Tab Disc
GRIT	PART #	PART #	PART #	PART #
P800B	—	055395 <b>70581</b>	—	—
P600B	—	055395 <b>70580</b>	—	—
P400B	055395 <b>70554</b>	055395 <b>70563</b>	055395 <b>99370</b>	055395 <b>70572</b>
P320B	055395 <b>70553</b>	055395 <b>70562</b>	055395 <b>99371</b>	055395 <b>70571</b>
P240B	—	055395 <b>70561</b>	—	055395 <b>70570</b>
P220B	055395 <b>70551</b>	055395 <b>70560</b>	055395 <b>99372</b>	055395 <b>70569</b>
P180B	055395 <b>70550</b>	055395 <b>70559</b>	055395 <b>99373</b>	055395 <b>70568</b>
P150B	—	055395 <b>70558</b>	—	055395 <b>70567</b>
P120B	055395 <b>70548</b>	055395 <b>70557</b>	—	055395 <b>70566</b>
P100B	—	055395 <b>70556</b>	—	—
P80B	055395 <b>70546</b>	055395 <b>70555</b>	055395 <b>99376</b>	055395 <b>70564</b>
PKG/CASE	100/4	100/4	25/4	100/4



### Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut plus extended disc life.



6" Grip-On

GRIT	PART #
P800B	055395 <b>99413</b>
P600B	055395 <b>99414</b>
P400B	055395 <b>99416</b>
P320B	055395 <b>99417</b>
P220B	055395 <b>99418</b>
P180B	055395 <b>99419</b>
P150B	055395 <b>99420</b>
P120B	055395 <b>99421</b>
P80B	055395 <b>99422</b>
PKG/CASE	50/4






### Discs

Carbo White Lightning tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.




6" Grip-On

	 6" Stick-On	 8" Stick-On	 6" Grip-On
GRIT	PART #	PART #	PART #
P80E	—	055395 <b>99467</b>	—
P40E	055395 <b>99463</b>	055395 <b>99466</b>	055395 <b>53327</b>
P36E	055395 <b>99462</b>	055395 <b>99465</b>	—
PKG/CASE	25/5	25/5	25/4



### Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board, or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.




2-3/4" x 25 yds

GRIT	PART #
P400B	055395 <b>99343</b>
P320B	055395 <b>99344</b>
P220B	055395 <b>99345</b>
P180B	055395 <b>99346</b>
P150B	055395 <b>99347</b>
P120B	055395 <b>99348</b>
P80B	055395 <b>99349</b>
<b>PKG/CASE</b>	<b>1/5</b>



### Body File Strips

Carbo White Lightning resists tearing and extends product life. Ideal for sanding body filler.



Grip-On  
2-3/4" x 16-1/2"



Stick-On  
2-3/4" x 16-1/2"

GRIT	PART #	PART #
P220B	055395 <b>99473</b>	—
P180B	055395 <b>99472</b>	—
P80B	055395 <b>99469</b>	—
P80E	—	055395 <b>99395</b>
<b>PKG/CASE</b>	<b>25/5</b>	<b>25/5</b>





Net matrix backing contains thousands of tiny holes for powerful dust extraction; virtually eliminates dust created by sanding operations. Allows for a cleaner, healthier working environment. Reduces clean-up time – a welcome benefit for any busy sander!

### FEATURES & BENEFITS

- Carbo Dri-Lube technology is applied to the abrasive grains providing improved load resistance for a consistent cut and extended product life
- Optimizes productivity and value for money
- Offers a better, faster finish with finer scratch pattern
- Grip-on backing with no designated hole pattern for fast and easy disc changover - just apply and go!
- Can be used on many materials, on machine, or by hand on flat or contoured surfaces
- Open structure and premium resin bond system; can be used wet or dry depending on your application



### CleanNet Dri-Lube Grip-On Aluminum Oxide Mesh Discs

With Carbo CleanNet sanding discs you can say goodbye to dust for good and say hello to a cleaner, healthier working environment, improved finish and better overall sanding experience.



5" Grip-On



6" Grip-On

GRIT	PART #	PART #
400	055395 <b>53456</b>	055395 <b>53462</b>
320	055395 <b>53455</b>	055395 <b>53462</b>
240	055395 <b>53454</b>	055395 <b>53461</b>
220	055395 <b>53453</b>	055395 <b>53460</b>
180	055395 <b>53452</b>	055395 <b>53459</b>
120	055395 <b>53451</b>	055395 <b>53458</b>
80	055395 <b>53450</b>	055395 <b>53457</b>
<b>PKG/CASE</b>	<b>50/4</b>	<b>50/4</b>





Ultimate choice for wet sanding to remove surface imperfections.

**FEATURES & BENEFITS**


- Premium grain for automotive applications produces a consistent, fast cut
- Flexible backing resists wrinkling, tearing and cracking
- Specially treated waterproof paper backing does not require soaking, is curl resistant and will not deteriorate



**Mirror Finish Waterproof Sheets**

The Carbo MirrorFinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper MirrorFinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, MirrorFinish is ideal for water and color sanding.

	5-1/2" x 9"	9" x 11"
GRIT	PART #	PART #
2000B	055395 <b>63869</b>	055395 <b>63877</b>
1500B	055395 <b>63870</b>	055395 <b>63878</b>
1200B	055395 <b>63871</b>	055395 <b>63879</b>
1000B	055395 <b>63872</b>	055395 <b>63880</b>
P800B	–	055395 <b>63881</b>
P600B	–	055395 <b>63882</b>
P400B	–	055395 <b>63884</b>
P320B	–	055395 <b>63885</b>
<b>PKG/CASE</b>	<b>50/5</b>	<b>50/5</b>



# DEFECT REMOVAL

Premium aluminum oxide grain / Smooth film backing

CARBO™  
**MIRROR**  
finish™

CARBO™  
**MEDALIST**®




A perfect combination of science technology and industry knowledge brings this new design to the market. A strong, thin film backing with premium aluminum oxide abrasive and a patented resin technology sands flat, resists loading, lasts long and cuts consistently for a finish that's faster to buff out.

### FEATURES & BENEFITS


- Patented resin technology for excellent grain adhesion generates a consistent cut and resists loading to extend disc life and eliminate pigtails
- Ultra-thin film backing for maximum flexibility creates an even surface and can conform to irregular surfaces resulting in a very consistent finish that is easier to buff out
- R&D integral design of film backing and unique resin system for discs that stay flat for a superior surface finish
- Consistent, water-based stearate application for the ultimate anti-loading properties

*tech*tip

Interface pad not required with foam discs



### Mirror Finish Film Finishing Discs



GRIT	COLOR	3" PART #	6" PART #	3" Interface Pad PART #	6" Interface Pad PART #
P1500	Blue	—	055395 <b>00608</b>	—	—
P1200	Green	—	055395 <b>00607</b>	—	—
P1000	Red	055395 <b>00594</b>	055395 <b>00606</b>	—	—
P800	Black	—	055395 <b>00605</b>	—	—
1/2" Thick Foam Pad	—	—	—	636425 <b>05457</b>	055395 <b>42089</b>
<b>PKG/CASE</b>		<b>50/4</b>	<b>50/4</b>	<b>10/1</b>	<b>5/1</b>



### Medalist Foam Finishing Disc

Medalist Foam Finishing Discs, used damp, will produce a semi-polished surface that greatly reduces buffing time.

### FEATURES & BENEFITS

- Integrated foam backing is conformable to contours eliminating pigtails and costly re-work
- Open mesh design allows for equal pressure distribution for quicker sanding and an uniform scratch pattern
- Produces a semi-polished finish with quick and easy to buff out



GRIT	COLOR	3" PART #	6" PART #
3000	Green	055395 <b>53377</b>	055395 <b>53381</b>
2000	Magenta	—	055395 <b>53382</b>
1500	Blue	—	055395 <b>53383</b>
<b>PKG/CASE</b>		<b>6/4</b>	<b>15/4</b>

# SCUFFING

Flexible / Tear-resistant / Perforated



Consistent cut and uniform scratch pattern

### FEATURES & BENEFITS

- Non-woven nylon impregnated with abrasive grain easily conforms to irregular surfaces and resists tearing and can be used wet or dry
- Advanced coating process for a consistent coverage of grain throughout pad
- Perforated for easy pad re-sizing

#### Maroon (320/400)

- Quick and aggressive cut
- Tear-resistant

#### Gray (800/1000)


- Quick cut, uniform finish
- Incredibly flexible yet tear-resistant

#### Gold (1000/1200)

- Ideal for pearls and metallics

#### White (non-abrasive)

- Use for surface cleaning and detailing
- Ideal for all materials and surfaces



### Fibratex Hand Pads

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep, a gold pad for pearls and metallics, or a white pad for surface cleaning.

DESCRIPTION	COLOR	6" x 9" Pad	
		PART #	PART #
Primer Prep	Maroon	055395 <b>10890</b>	—
Color Prep	Gray	055395 <b>10891</b>	—
Clear Blend Prep	Gold	—	055395 <b>30893</b>
Non Abrasive	White	055395 <b>10892</b>	—
<b>PKG/CASE</b>		<b>20/3</b>	<b>10/3</b>



### Thin-Flex Scuff Pads and Discs

An incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces. Roll is perforated every 3".

DESCRIPTION	COLOR	4-1/2" x 9" Thin-Flex Pad		6" Thin-Flex Disc	6" Back-up Pad
		PART #	PART #	PART #	PART #
Primer Prep	Maroon	055395 <b>99425</b>	055395 <b>53389</b>	—	—
Color Prep	Gray	055395 <b>99426</b>	055395 <b>53390</b>	—	—
Clear Blend Prep	Gold	662611 <b>21524*</b>	662611 <b>21523*</b>	—	—
Back-up Pad	—	—	—	055395 <b>99323</b>	—
<b>PKG/CASE</b>		<b>25/4</b> <b>*10/10</b>	<b>25/4</b> <b>*10/4</b>		<b>1/5</b>



### Scuff Discs


For use on a D/A with a hook and loop back-up pad for faster scuffing.

DESCRIPTION	COLOR	6" Back-up Pad	
		PART #	PART #
Primer Prep	Maroon	055395 <b>20484</b>	—
Color Prep	Gray	055395 <b>20485</b>	—
Back-up Pad	—	—	055395 <b>99323</b>
<b>PKG/CASE</b>		<b>40/1</b>	<b>1/5</b>



### Foam-Rolls

Carbo Premier Red Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82", are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".



4-1/2" x 82"

GRIT	PART #
P320	055395 <b>99438</b>
P400	055395 <b>99439</b>
P500	055395 <b>99440</b>
P600	055395 <b>99441</b>
P800	055395 <b>99442</b>
P1000	055395 <b>99443</b>
<b>PKG/CASE</b>	<b>1/2</b>

Grit	Application
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

### FEATURES & BENEFITS

- Abrasive grain coated on a sponge backing that can be used wet or dry and eliminates finger marks generating a uniform finish
- Grit printed on the back of each sponge to easily identify the right product to use
- Highly conformable which is ideal for bumpers, jambs and small parts and great on contours and edges

Grit Designation	Finish Generated	Application
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects



### EZTouch Sponges



4-1/2" x 5-1/2" x 3/16"

DESCRIPTION	PART #
Medium	055395 <b>70121</b>
Fine	055395 <b>70122</b>
Super Fine	055395 <b>70123</b>
Ultra Fine	055395 <b>70124</b>
Micro Fine	055395 <b>70125</b>
<b>PKG/CASE</b>	<b>20/4</b>



Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas.

### FEATURES & BENEFITS

- Open web construction resists loading
- Synthetic web impregnated with ceramic abrasive produces a very fast, aggressive cut and will not rust
- Thick and durable extending the product life
- Great alternative to wire brushes and effective on sharp, jagged surfaces



### Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



	4" TR+	Back-Up Pad	
DESCRIPTION	PART #	PART #	RPM
Carbo Fire	666233 <b>29282</b>	—	8,000
Back-Up Pad	—	055395 <b>22538</b>	—
<b>PKG/CASE</b>	<b>5</b>	<b>1</b>	



### Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut, and two washers.



	4" x 1/4" Hole	Mandrel	
DESCRIPTION	PART #	PART #	RPM
Carbo Fire	776960 <b>39321</b>	—	6,000
Mandrel with 3-1/16" x 1/4" shank	—	055395 <b>51776</b>	—
<b>PKG/CASE</b>	<b>5/5</b>	<b>1/1</b>	



### Carbo Fire Flex-Loc TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



	3" TR		
DESCRIPTION	PART #	PART #	RPM
Carbo Fire	666233 <b>29280</b>	—	12,000
Back-up Pad	—	662610 <b>55105</b>	20,000
<b>PKG/CASE</b>	<b>10/1</b>	<b>1/10</b>	

# CUTTING WHEELS

Fiberglass reinforced



Ultimate choice for cutting out imperfections in autobody panels.

### FEATURES & BENEFITS

- Blend of high performance ceramic alumina and zirconia alumina abrasive for super fast and cool cutting action producing 3 times the life of conventional abrasive wheels
- High performance resin bond for a long wheel life
- Fiberglass reinforcement maintains structural integrity

#### 1/32" Cut-off Wheel

- Thinnest, fastest cutting blade
- Much cooler cut
- Allows for a tighter fit
- Excellent for quarter panel

#### 1/16" Cut-off Wheel

- Great for demanding applications
- Cuts bolts, rods and frame rails
- Exceptional, extended work life

*techtip*

Safety Tip: Always wear protective safety equipment and never exceed the RPM shown on the wheel. Never use a cut-off wheel on a tool without a guard.



### Carbo Fire Cut-off Wheels

Carbo Fire cut-off wheels are composed of 100% of the most advanced ceramic alumina abrasive grain with a special shape for comfort and performance. Guaranteed 7X the life of aluminum oxide wheels and 3X the life of zirconia alumina wheels. The speed of cut is amongst the highest compared to other competitive product in the market.

Carbo Fire		
SIZE	PART #	RPM
3" x 1/32" x 3/8"	662528 <b>38447</b>	25,465
3" x 1/16" x 3/8"	662528 <b>38448</b>	25,465
<b>PKG/CASE</b>		<b>5/10</b>



### Premier Red Cut-off Wheels

Premier Red is the ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

The 1/32" and 1/16" Premier Red wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

Premier Red		
SIZE	PART #	RPM
3" x 1/32" x 3/8"	055395 <b>03861</b>	25,465
3" x 1/16" x 3/8"	055395 <b>03863</b>	25,465
3" x 3/16" x 3/8"	055395 <b>04270</b>	25,465
<b>PKG/CASE</b>		<b>5/10</b>



# FLAP DISCS

Eliminate conventional 2 step process



Carbo Premier Red Mini Flap Discs eliminate the conventional 2-step process in grinding, removal, and blending. The abrasive technology used in the Carbo mini-flap discs, combined with the layered flap design, wear away evenly producing a high quality and consistent finish.

### FEATURES & BENEFITS

- High performance zirconia alumina abrasive provides maximum cut rate and life
- High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity
- 2" and 3" diameter discs get into hard to reach areas and allow for easy storage while maintaining required cut and life
- Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that require less effort, while delivering better results



### TR Mini Flap Discs

	2"	3"
GRIT	PART #	PART #
120	776960 <b>90128</b>	—
80	776960 <b>90126</b>	776960 <b>90136</b>
60	776960 <b>90124</b>	776960 <b>90134</b>
40	—	776960 <b>90132</b>
36	776960 <b>90120</b>	776960 <b>90130</b>
PKG/CASE	10/1	10/1

# FILE BELTS

Premium abrasive grain



### Portable File Belts


Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 grit belts for weld dressing and refinement.

	1/2" x 18" Medalist	1/2" x 18" Aluminum Oxide	3/8" x 13" Aluminum Oxide
GRIT	PART #	PART #	PART #
80	055395 <b>54669</b>	—	055395 <b>54648</b>
60	055395 <b>54668</b>	055395 <b>54662</b>	055395 <b>54647</b>
40	055395 <b>54666</b>	—	—
PKG/CASE	10/1	10/1	10/1



### Non-Woven Portable File Belts

		1/2" x 18" Non-Woven
GRIT	COLOR	PART #
Coarse	Brown	055395 <b>54479</b>
Medium	Maroon	055395 <b>54480</b>
Very Fine	Blue	055395 <b>54481</b>
PKG/CASE		12/1



# 2" AND 3" GRINDING DISCS

Premium performance / Easy twist-on / twist-off system



Ideal for fast stock removal in a small area.



### FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating produces burn-free grinding of heat-sensitive materials for longer life and minimal loading
- Heavy-duty backing extends life and reduces edge wear



### Carbo Fire Flex-Loc TR Discs



Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

	 2" TR	 3" TR
<b>GRIT</b>	<b>PART #</b>	<b>PART #</b>
80	055395 <b>99383</b>	055395 <b>99387</b>
50	055395 <b>99385</b>	055395 <b>99389</b>
36	055395 <b>99386</b>	055395 <b>99390</b>
<b>PKG/CASE</b>	<b>25/1</b>	<b>25/1</b>



### Zirconia Flex-Loc TR Discs

Zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.

	 2" TR	 3" TR
<b>GRIT</b>	<b>PART #</b>	<b>PART #</b>
50	055395 <b>09760</b>	055395 <b>69473</b>
36	055395 <b>09767</b>	055395 <b>69472</b>
24	055395 <b>09768</b>	055395 <b>69471</b>
<b>PKG/CASE</b>	<b>25/1</b>	<b>25/1</b>



# 2" AND 3" GRINDING DISCS

Durable backing and tough abrasives; great combination to tackle welds and rust removal



## Fibratex Flex-Loc TR Surface Blending Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. Advanced resin system will not smear.

GRIT	COLOR	2" TR PART #	3" TR PART #
Very Fine – 320	Blue	055395 <b>12506</b>	055395 <b>12509</b>
Medium – 120	Maroon	055395 <b>12507</b>	055395 <b>12510</b>
Coarse – 80	Brown	055395 <b>12508</b>	055395 <b>12512</b>
<b>PKG/CASE</b>		<b>50/1</b>	<b>25/1</b>



## Carbo Fire Flex-Loc TR Surface Blend Discs

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces and will not smear. Carbo Fire Surface Blend can also be used to remove seam sealer and undercoating without loading. The discs are thin enough to get into tight spots but durable enough to last. Carbo Fire ceramic grain ensures a fast cut with long life. Surface Blend TR can be used on the face, side, and back.

DESCRIPTION	2" TR PART #	3" TR PART #
Carbo Fire	055395 <b>53332</b>	055395 <b>53333</b>
<b>PKG/CASE</b>	<b>10/1</b>	<b>10/1</b>



## Flex-Loc TR Back-Up Pads

Flex-Loc TR are compatible with similar competitive attachment systems.

DESCRIPTION	1" Back-up Pad PART #	2" Back-up Pad PART #	3" Back-up Pad PART #
Flex-Loc TR	088341 <b>64037</b>	662610 <b>55103</b>	662610 <b>55105</b>
<b>PKG/CASE</b>	<b>1/1</b>	<b>1/10</b>	<b>1/10</b>




## Carbo-Cut Grinding Discs

Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" quick change mandrel is for use on automotive drills.

GRIT	3" Disc PART #	Mandrel PART #
50	055395 <b>63891</b>	–
36	055395 <b>63890</b>	–
24	055395 <b>63889</b>	–
1/4" Mandrel	–	055395 <b>63893</b>
<b>PKG/CASE</b>	<b>20/4</b>	<b>5/10</b>

# 5" - 7" GRINDING DISCS

Premium performance / Rugged backing for extended life



For grinding applications requiring aggressive cutting action, such as grinding welds, rust, and bare metal, and stripping paint.



### FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating for minimal loading and reduced heat
- Heavy fiber backing provides strength and tear resistance for a longer life



### Zirconia Alumina Grinding Discs



Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

	 5"	 7"
GRIT	PART #	PART #
80	055395 <b>20055</b>	055395 <b>20076</b>
50	055395 <b>10711</b>	055395 <b>10720</b>
36	055395 <b>10712</b>	055395 <b>10721</b>
24	055395 <b>10713</b>	055395 <b>10722</b>
<b>PKG/CASE</b>	<b>25/1</b>	<b>25/1</b>



### Back-Up Pads for Grinding Discs

Discs are held in place by Retainer Nut.

	 5" x 7/8"	 7" x 7/8"	
GRIT	PART #	PART #	PART #
Medium	055395 <b>12033</b>	055395 <b>12032</b>	—
Max. RPM.	10,000 RPM	7,000 RPM	—
Retainer Nut	—	—	055395 <b>12568</b>
<b>PKG/CASE</b>	<b>1/1</b>	<b>1/1</b>	<b>1/1</b>



One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for quick application.

### FEATURES & BENEFITS

- Tri-layer paintable sheeting is easy to handle – fast application and clings, even after repositioning
- Corona-treated so paint won't flake off
- Plastic is resistant to solvents resulting in no bleed-through



### EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge.

	12' x 400'	16' x 350'	20' x 350'
<b>DESCRIPTION</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>
EZ Sheet	055395 <b>63770</b>	055395 <b>63769</b>	055395 <b>63895</b>
<b>PKG/CASE</b>	<b>1/1</b>	<b>1/1</b>	<b>1/1</b>



### Overspray Sheeting

Paintable overspray sheeting is a medium-density, corona-treated plastic.

	12' x 400'	16' x 400'
<b>DESCRIPTION</b>	<b>PART #</b>	<b>PART #</b>
Overspray Sheeting	055395 <b>70530</b>	055395 <b>06728</b>
<b>PKG/CASE</b>	<b>1/1</b>	<b>1/1</b>



### Anchor® Brand Hand Mask

IPG's Anchor® Brand hand mask is a pre-folded, high density polyethylene masking film designed for multiple transportation applications. The thick and durable 12 micron film is corona treated to resist overspray flaking during paint applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking. Solvent resistant; no bleed-through and clings to surface. Designed to work with multiple hand dispensers and the 1" core fits most masking machines.

Width / Roll Height	90' Roll	180' Roll
<b>DESCRIPTION</b>	<b>PART #</b>	<b>PART #</b>
24" x 180' Hand Mask Roll	–	087143 <b>00214</b>
48" x 180' Hand Mask Roll	–	087143 <b>00216</b>
72" x 90' Hand Mask Roll	087143 <b>00217</b>	–
99" x 90' Hand Mask Roll	087143 <b>00218</b>	–
<b>CASE</b>	<b>12</b>	<b>12</b>



**EZ Wrap Protective Plastic – Wheel Maskers**

Tri-layer plastic. Paintable – NO Flaking. Fully covers both sides of the wheel. Covers wheels up to 17”.

DESCRIPTION	PART #
Wheel Maskers (50/roll) Paintable	055395 <b>68511</b>
<b>CASE</b>	<b>1</b>



**EZ Wrap Protective Plastic – Self-Adhesive Weather Barrier**

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days. Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	PART #
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	055395 <b>68509</b>
<b>CASE</b>	<b>1</b>



**EZ Wrap Protective Plastic – Bucket Seat Covers**

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll.

DESCRIPTION	PART #
Bucket Seat Covers (125/roll) Non-Slip	055395 <b>68510</b>
<b>CASE</b>	<b>1</b>



**EZ Wrap Protective Plastic – Floor Mats**

Will not slip or tear. Protects floor from dirt, grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21"

DESCRIPTION	PART #
Floor Mats (125/roll) Non-Slip	055395 <b>68512</b>
<b>CASE</b>	<b>1</b>



## Foam Masking Tape

Foam masking tape fills gaps and produces a soft paint edge. Easy application reduces masking time. The 13mm foam tape is for use on fixed parts.

	<b>13mm (1/2")</b>
<b>DESCRIPTION</b>	<b>PART #</b>
50m Roll	055395 <b>99363</b>
<b>CASE</b>	<b>1</b>



## White "Paint Check" Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through, and has a built-in "Paint Check" for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

	6"	12"	18"	24"	36"
<b>DESCRIPTION</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>
750' Roll	055395 <b>70582</b>	055395 <b>70583</b>	055395 <b>70584</b>	055395 <b>99424</b>	055395 <b>70585</b>
<b>CASE</b>	<b>6</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>

*Each 750' boxed case is a 36" log. Dimensions are approximate.*





Used in conjunction with our recommended repair processes, structures can be rebuilt, repaired or bonded to recreate the original finish.

### FEATURES

- Premium Automotive Attachment Tape
- Attachment Tape Promoter
- Black Power Guide Coat



### Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Remains flexible at low temperatures

	1/4"	1/2"	7/8"
<b>DESCRIPTION</b>	<b>PART #</b>	<b>PART #</b>	<b>PART #</b>
20 Yard Roll	055395 <b>67381</b>	055395 <b>67378</b>	055395 <b>67379</b>
<b>PKG/CASE</b>	<b>1/12</b>	<b>1/12</b>	<b>1/12</b>



### Attachment Tape Adhesion Promoter

Carbo Attachment Tape Adhesion Promoter is a liquid primer to improve the adhesion of Carbo automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.). The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion.

	4oz. Dauber
<b>DESCRIPTION</b>	<b>PART #</b>
Attachment Tape Adhesion Promoter	055395 <b>53395</b>
<b>PKG/CASE</b>	<b>6/1</b>



### Black Powder Guide Coat

Ideal for identifying imperfections in primer and body filler that need to be sanded out to ensure a flat finish. Simply apply the applicator with the Black Powder Guide Coat over the area to be sanded, and continue sanding until the powder is no longer visible on the surface. This product does not have a dry time and can be sanded immediately, and it can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	PART #
Black Powder Guide Coat	100 grams	055395 <b>53346</b>
<b>PKG/CASE</b>		<b>1/6</b>

# ACCESSORIES

High quality construction / Shop efficiency



Designed to enhance autobody applications.

### FEATURES & BENEFITS

- High-quality, durable components for long life
- Cost effective
- Ergonomic design minimize fatigue



### Carborundum Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes, and chemicals, while keeping them clean, dry, and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	PART #
Automotive Utility Cabinet	31-1/2" w x 26" h x 12-1/2" deep	055395 <b>33867</b>
<b>CASE</b>		<b>1</b>



### Carbo Cart

The Carbo Cart is made of heavy gauge steel painted "Carbo" red. The front panel is a "hook" design to attach all "hook and loop" products. Pre-drilled holes in the back panel allow attachment of all Carbo dispenser systems.

DESCRIPTION	SIZE	PART #
Carbo Cart	31" h x 22" l x 14-1/4" deep	055395 <b>20486</b>
<b>CASE</b>		<b>1</b>



### Automotive Sheet Roll Dispenser

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. It is versatile for 2-3/4" sheet roll.

It can be attached to a wall, mounted on a Carborundum Utility Cabinet, Cart or stacked upon other Carborundum dispensers.

DESCRIPTION	PART #
Sheet Roll Dispenser	055395 <b>20523</b>
<b>CASE</b>	<b>1</b>



## Ergonomic Sanding Blocks

### Stick-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

### Stick-On – Firm





Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

### Grip-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

### Grip-On – Firm


Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

	 2-3/4" x 5"	 2-3/4" x 7-3/4"	 2-3/4" x 5"	 2-3/4" x 7-3/4"
DESCRIPTION	PART #	PART #	PART #	PART #
Soft – PSA	055395 <b>70401</b>	–	–	–
Firm – PSA	055395 <b>70402</b>	055395 <b>70405</b>	–	–
Soft – Grip-On	–	–	055395 <b>70403</b>	–
Firm – Grip-On	–	–	055395 <b>70404</b>	055395 <b>70406</b>
PKG/CASE	1/5	1/5	1/5	1/5



## Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

DESCRIPTION	PART #	 PART #
For 6" Stick-On Discs	055395 <b>63898</b>	–
For 6" Grip-On Discs	–	055395 <b>63897</b>
PKG/CASE	1/5	1/5



## Dual Density Wet Sanding Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Dual Density Wet Sanding Block	055395 <b>63899</b>
PKG/CASE	1/12



## EZ Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
EZ Block	055395 <b>63900</b>
PKG/CASE	1/8



### Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive strips or may be used with 2-3/4" x 16-1/2" PSA strips.

DESCRIPTION	PART #
Stick-On Body File Sanding Board	055395 <b>12013</b>
<b>PKG/CASE</b>	<b>6/6</b>



### Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop strips.

DESCRIPTION	PART #
Grip-On Body File Sanding Board	055395 <b>12014</b>
<b>PKG/CASE</b>	<b>1/5</b>



### 3" Back-Up Pad

For spot removal or buffing, the Grip-On faced pad works perfectly with our wool and foam polishing pads and all 3" Grip-On discs.

DESCRIPTION	PART #
Grip-On Back-Up Pad (5/16"-24)	055395 <b>99306</b>
<b>PKG/CASE</b>	<b>1/10</b>







# ACCESSORIES

A consistent surface for increased productivity when sanding



## Define the Job, Then Pick the Pad

Two back-up pad profiles and two densities give you all the options you need for any sanding job. Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools. Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.

	 <b>COARSE TO MEDIUM GRIT SANDING</b> Tapered Edge, Medium Density (Flexible edge, easy to reach small contours)		 <b>COARSE TO MEDIUM GRIT SANDING</b> Low Profile, Medium Density (Hard edge)		 <b>MEDIUM TO FINE GRIT SANDING</b> Low Profile, Soft Density (Soft, thicker foam for contours)	
	GRIT RANGE: 320 and Coarser MAX. RPM: 15,000 RPM		GRIT RANGE: 320 and Coarser MAX. RPM: 15,000 RPM		GRIT RANGE: 320 and Finer MAX. RPM: 12,000 RPM	
	 <b>Grip-On</b>		 <b>Grip-On</b>		 <b>Grip-On</b>	
DESCRIPTION	PSA PART #	PSA PART #	PSA PART #	PSA PART #	PSA PART #	PSA PART #
5" Plain Face	055395 <b>99317</b>	055395 <b>99321</b>	055395 <b>99309</b>	055395 <b>99313</b>	—	055395 <b>99307</b>
6" Plain Face	055395 <b>99319</b>	055395 <b>99323</b>	055395 <b>99311</b>	055395 <b>99315</b>	055395 <b>99305</b>	055395 <b>99308</b>
5" Vacuum	—	055395 <b>99322</b>	055395 <b>99310</b>	—	—	—
6" Vacuum	—	—	—	055395 <b>99316</b>	—	—
<b>PKG/CASE</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>

Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.

WE'VE GOT YOUR BACK-UP  
**RIGHT HERE!**





## 8" Back-Up Pads

All pads have 5/8"-11 threaded shank.

DESCRIPTION	RPM	PART #	CARBORUNDUM	
			PART #	PART #
8" x 1/2" Stick-On	6,000	055395 <b>12023</b>	—	—
8" x 1/2" Grip-On	4,800	—	055395 <b>12030</b>	—
8" VAC/Non-VAC Grip-On 5 Screw	1,500	—	—	636425 <b>43712</b>
<b>PKG/CASE</b>		<b>1/1</b>	<b>1/1</b>	<b>1/1</b>



## Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

DESCRIPTION	THICKNESS	CARBORUNDUM		
		PART #	PART #	PART #
3" Thin Interface Pad	1/2"	636425 <b>05457</b>	—	—
6" Thin Interface Pad	1/2"	—	636425 <b>42089</b>	—
5" Foam Interface Pad	3/4"	—	—	055395 <b>20521</b>
6" Foam Interface Pad	3/4"	—	—	055395 <b>20520</b>
<b>PKG/CASE</b>		<b>10/1</b>	<b>5/1</b>	<b>2/10</b>



## Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

DESCRIPTION	PART #
6" x 3/8" Thick Soft Foam Grip-On with strap	636425 <b>00906</b>
6" Half Moon Grip-On	636425 <b>00904</b>
<b>PKG/CASE</b>	<b>10</b>



## Carbo CleanAir Back-Up Pads

Innovative design optimized for maximum air flow and powerful dust extraction. The medium pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face.

DENSITY	RPM	CARBORUNDUM	
		6"	6"
Medium	15,000	636425 <b>06160</b>	—
Soft	7,700	—	055395 <b>99338</b>
<b>PKG/CASE</b>		<b>1/5</b>	<b>1/1</b>



Refinish Solutions Group



## Your Productivity Partner

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



To learn how the collective expertise of our industry leaders can boost your shop's bottom line, visit [www.refinishsolutionsgroup.com](http://www.refinishsolutionsgroup.com) or call 1-800-456-8444 for more information.

# POWER IN PARTNERSHIP

The Refinish Solutions Group (RSG) is an initiative driven by Saint-Gobain to deliver cutting-edge process solutions and best practices training programs that allow shops and technicians to stay up-to-date with the latest repair and refinishing technologies and advancements.

The Refinish Solutions Group seeks out partners that offer high quality products and expertise with top-level customer service in efforts to bring the best of the best for the convenience of one-stop shopping.

## CORE COMPETENCIES

The Refinish Solutions Group manufacturers bring focused expertise and know-how to deliver a single, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality. Each of the the RSG brands have specialized knowledge, skill and technique in the below core competencies:



METAL PANEL BONDING



CONTAMINANT-FREE REFINISHING



PLASTIC/COMPOSITE STRUCTURAL AND COSMETIC REPAIR



PAINT HANDLING AND ATOMIZATION



BODY PANEL SURFACE REPAIR



PAINT DEFECT REMOVAL



PAINT PREPARATION



CLEAN AND DETAIL

## WHAT DOES RSG MEAN TO YOU, THE DISTRIBUTOR?

You get one knowledgeable and resourceful expert in all the brands/products that fall under the RSG umbrella. This loyal champion can offer the distributor in-depth product and industry expertise to configure solutions that fulfill your need as a customer without having to consult with multiple representatives from all the different brands. Your trusted advisor can also offer comprehensive product training on all products and brands under RSG with a no-risk test policy!





REVvive by RSG is a line of non-abrasive products designed to complement the brands featured under the Refinish Solutions Group umbrella.

**REVvive by RSG**

REVvive by RSG Accessories compliment the use of vacuum assisted tools. This line consists of vacuum hand blocks with matching interface pads, and the REVvive by RSG Eraser Wheel.



**REVvive BY RSG Vacuum Hand Blocks**

Designed for use with vacuum abrasive sheet rolls. The flexible dust free hand blocks easily conform to edges and curves.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block	666233 <b>91381</b>	1
200 x 70mm Vacuum Block	666233 <b>91382</b>	1
400 x 70mm Vacuum Block	666233 <b>91383</b>	1



**REVvive BY RSG Vacuum Hand Block Interface Pads**

Matches hole design on the REVvive BY RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block Interface Pad	666233 <b>91384</b>	10
200 x 70mm Vacuum Block Interface Pad	666233 <b>91385</b>	10
400 x 70mm Vacuum Block Interface Pad	666233 <b>91386</b>	10



**REVvive BY RSG Eraser Wheel**

Fast removal of pinstripes, adhesive, and decals without damage to the underlying surface. Wider than solid wheels for faster removal and greater control. Tractor wheel design resists heat buildup and reduces jumping and vibration. Use with any standard household or air powered drill up to 4000 RPM.

DESCRIPTION	PART #	CASE
Premium Eraser Wheel 4" x 1" x 5/16"-24	666233 <b>91380</b>	1



REVvive by RSG is a line of non-abrasives products designed to complement the brands featured under the Refinish Solutions Group umbrella.

## REVvive by RSG Aerosols

REVvive by RSG Aerosols bring performance and quality together for the ideal spot repair solution.

### Coatings

REVvive by RSG Coatings are ideal for restoring the original appearance in a cleaner, durable, corrosion-free solution that can be used on almost any surface.



### E-Coat

- Super-durable coating provides outstanding corrosion protection
- Used as DTM primer or as a single coating to match the original OEM appearance
- Compatible with most basecoats
- Excellent adhesion over bare metal and paints and primers

DESCRIPTION	COLOR	PART #	SIZE	CASE
e-Coat	Black	666233 <b>91015</b>	12.6 oz	6
e-Coat	Gray	666233 <b>91016</b>	12.7 oz	6
e-Coat	Olive Green	666233 <b>91017</b>	12.8 oz	6
e-Coat	Light Green	666233 <b>91018</b>	12.7 oz	6
e-Coat	Tan	666233 <b>91019</b>	12.9 oz	6
e-Coat	White	666233 <b>91025</b>	12.4 oz.	6
e-Coat	Olive Brown	666233 <b>91026</b>	11.9 oz.	6
e-Coat	Dark Green	666233 <b>91027</b>	11.9 oz.	6
e-Coat	Field Drab	666233 <b>91028</b>	11.9 oz.	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, bare steel, galvanized, SMC, fiberglass, and polyester body filler.



### Dry Guide Coat

- Identify surface defects when sanding fillers or primers
- Convenient aerosol application provides no waste and clean-up
- Dries instantly
- Does not clog abrasives
- Use when dry or wet sanding

DESCRIPTION	COLOR	PART #	SIZE	CASE
Dry Guide Coat	Black	666233 <b>91008</b>	10.9 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, fiberglass, and polyester body filler.



### Trim Black

- Restores trim back to original condition
- No adhesion promoter required
- Excellent coverage
- Maintains flexibility

DESCRIPTION	PART #	SIZE	CASE
Satin Trim Black	666233 <b>91013</b>	10.9 oz	6
Matte Trim Black	666233 <b>91014</b>	11 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, lightly abraded E-Coat, TPO, EDPM, and polypropylene.



**Rocker Panel Texture Coat**

- A textured, durable coating to protect against stone chips, salt, damp and rust
- Includes two nozzles to recreate a variety of OEM textures
- Apply directly to sanded bare metal. For use on aluminum or galvanized, REVvive BY RSG Acid Etch Primer is recommended
- High Build formulation covers seams and weld areas

DESCRIPTION	COLOR	PART #	SIZE	CASE
Rocker Panel Texture Coat	Gray	666233 <b>91011</b>	13.2 oz	6
Rocker Panel Texture Coat	Black	666233 <b>91012</b>	12.8 oz	6



**Premium Rubberized Undercoating**

- Fast drying, paintable rubberized undercoating protects against stone chips and abrasion
- Non-sag, high rubber content coating with excellent build
- Texture matches OEM appearance
- Suited for wheel wells, trunks, lower body panels and underbodies
- Assists with sound deadening
- Substrates: bare metal or primed steel and aluminum (coated metal)

DESCRIPTION	COLOR	PART #	SIZE	CASE
Premium Rubberized Undercoating	Black	666233 <b>91029</b>	17.7 oz	6



**Cavity Wax**

- OEM approved corrosion protection for cavities and inner body panels
- Excellent crevice penetration
- Dries firm to touch with a slight tack
- Convenient aerosol can eliminates the need for spray equipment

DESCRIPTION	PART #	SIZE	CASE
Cavity Wax	666233 <b>91022</b>	13.75 oz	12



**Cavity Wax Applicator Wand**

- Flexible design makes reaching difficult areas easy
- 360° tip designed for outstanding coverage
- Reduces mess

DESCRIPTION	PART #	CASE
Cavity Wax Applicator Wand	666233 <b>91023</b>	1





## Primers

REVvive by RSG present a full line of Primers with exceptional adhesion and corrosion protection in an easy-to-sand, fast drying solution for all repairs.



### Weld-Thru Primer

- Excellent adhesion
- High concentration of zinc or copper for greater corrosion protection
- Superior conductivity while Resistance Spot, MIG and TIG welding
- Fast drying for maximum efficiency

DESCRIPTION	PART #	SIZE	CASE
Zinc Weld-Thru Primer	666233 <b>91000</b>	12.5 oz	6
Copper Weld Thru Primer	666233 <b>91001</b>	12.5 oz	6



#### SUBSTRATES:

Can be applied direct to metal, galvanized steel and aluminum.



### High Build Primer

- Fills uneven surfaces prior to top coating
- Ideal for spot repairs
- Includes 2 nozzles - flat fan and round for versatility in film build
- Easy to sand

DESCRIPTION	COLOR	PART #	SIZE	CASE
High Build Primer	Gray	666233 <b>91007</b>	12 oz	6



#### SUBSTRATES:

Can be applied directly to metal, prepared OEM painted surfaces, aluminum, galvanized steel, SMC, fiberglass, lightly abraded e-Coat, polyester body fillers, GRP.



### Universal Primer

- Direct adhesion to both metal and flexible plastics
- Fast drying and easy to sand- ideal for small rub through areas and localized repairs
- No adhesion promoter or etch primer required
- Can be top-coated with most water or solvent based paints

DESCRIPTION	COLOR	PART #	SIZE	CASE
Universal Primer	Gray	666233 <b>91003</b>	11.2 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, galvanized steel, directly on to metal, SMC, Fiberglass, lightly abraded E-Coat, TPO, EDPM, polypropylene.



### Acid Etch Primer

- One-step etch and prime formula prevents corrosion and promotes paint adhesion
- For use priming bare metal surfaces
- Ideal for rub-throughs
- No sanding required- can be directly top-coated

DESCRIPTION	COLOR	PART #	SIZE	CASE
Acid Etch Primer	Gray	666233 <b>91010</b>	12.9 oz	6



#### SUBSTRATES:

Can be applied to fully cured paint, Aluminum, galvanized & zinc-coated steel, bare steel, polyester body fillers, GRP.



**Cleaners**

Cleaners from REVvive by RSG eliminate contaminants on all surfaces for a completely clean finish.



**Surface Degreaser**

- Anti-silicone degreaser
- Wipes clean without leaving surface residue
- Fast evaporating and ideal for spot repairs
- Use on bare metal and painted surfaces

DESCRIPTION	PART #	SIZE	CASE
Surface Degreaser	666233 <b>91009</b>	9.9 oz	6



**SUBSTRATES:**

Direct to metal, prepared OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-Coat.



**Spray Gun Cleaner**

- Quickly dissolves cured paint residue
- Unique nozzle design creates a seal, giving a blast of cleaning solvent
- Use on waterborne or solvent-based paints
- Works with all gravity-feed guns and disposable cup adapters

DESCRIPTION	COLOR	PART #	SIZE	CASE
Spray Gun Paint Remover	Opaque	666233 <b>91024</b>	15 oz	6

# BUFFING PADS

REVvive by RSG



REVvive by RSG pads have a unique CCS waffle design that resolves the common problems of the traditional waffle.

### Benefits of CCS Design

REVvive BY RSG foam pads are manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing. They are thermally reticulated with an open cell structure, which allows air to circulate through the pad reducing heat build-up.

- Slower rate of absorption enhancing polish performance
- Gradually releases compound as needed by the operator, enhancing pad and compound performance
- Reduces surface contact resulting in less friction generated heat
- Diminishes surface friction allowing operator to run pad flat preventing skipping

### Three Proven Professional Foam Formulations:

- White Cutting Foam— for removing sanding scratches, deep scratches, oxidation, and weathered paint
- Black Polishing Foam— to remove light swirl marks
- Blue Finishing Foam— for use with a final polish or glaze to create exceptional shine



### Single-Sided Pads

REVvive BY RSG Single-Sided Pad has a beveled edge design to allow access under trim and improve user control. The recessed back provides accurate alignment for balance and protects against backing plate contact.

#### Back-Up Plate

The REVvive BY RSG back-up plate is intended for use with the REVvive BY RSG single-sided foam pads.

DESCRIPTION	PART #	CASE
<b>8" Single-Sided Pads</b>		
8" Single-Sided CCS Waffle Foam Pad - White	666233 <b>91306</b>	6
8" Single-Sided CCS Waffle Foam Pad - Black	666233 <b>91307</b>	6
8" Single-Sided CCS Waffle Foam Pad - Blue	666233 <b>91308</b>	6
8" Single-Sided Cutting Wool Pad	666233 <b>91315</b>	6
8" Back-up Plate	666233 <b>91314</b>	6
<b>3.5" Single-Sided Pads</b>		
3.5" Single-Sided CCS Waffle Cutting Foam Pad- Orange	666233 <b>91319</b>	6
3.5" Single-Sided CCS Waffle Polishing Foam Pad- Black	666233 <b>91320</b>	6
3.5" Single-Sided CCS Waffle Finishing Foam Pad- Blue	666233 <b>91321</b>	6
3.5" Single-Sided Cutting Wool Pad	666233 <b>91318</b>	6
3.5" Back Up Plate	666233 <b>91316</b>	6
<b>Accessories</b>		
Rotary Extension	666233 <b>91317</b>	6



### Double-Sided Pads

REVvive BY RSG Double-Sided Pad has a highly engineered center plate designed to minimize pad hop or chatter with the perfect amount of flexibility when buffing contours.

#### Wool Pad

The REVvive BY RSG Double-Sided Wool Pad is a 100% steamed and twisted white wool designed to eliminate severe swirls, scratches or heavy oxidation from sanded or wet sanded refinished paint surfaces.

DESCRIPTION	PART #	CASE
8" Double-Sided CCS Waffle Foam Pad - White	666233 <b>91310</b>	6
8" Double-Sided CCS Waffle Foam Pad - Black	666233 <b>91311</b>	6
8" Double-Sided CCS Waffle Foam Pad - Blue	666233 <b>91312</b>	6
Double-Sided Pad Adapter	666233 <b>91313</b>	6
8" Double-Sided Cutting Wool Pad	666233 <b>91309</b>	6



## Super Fast. Super Easy!

Farécla G360 is a radical new polishing system. Farécla G360 Compound and Finish and REVvive by RSG buffing pads are the perfect combination.

Manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing the REVvive by RSG CCS Waffle buffing pads are designed to allow air to circulate through the pad reducing heat build-up.



### G360 Super Fast Compound

G360 Super Fast Compound easily glides over the surface while rapidly cutting to remove P1200 sanding marks- saving time and money. Transparent in use, the operator is able to see these marks disappear permanently.

- Removes P1200 or finer scratches
- Use on all refinish clear coats and OEM paint
- Heavy viscosity for reduced sling and easy clean-up
- Easy glide technology

DESCRIPTION	PART #	CASE
Farécla G360 Super Fast Compound	666233 <b>90600</b>	6



### G360 Super Fast Finish

G360 Super Fast Finish easily eliminates swirl marks and other minor defects rapidly and with little effort, leaving an enhanced deep gloss finish. Transparent in use, the operator is able to see the permanent results.

Ideal for darker colors, after using G360 Super Fast Compound system.

- Ultra high gloss finish
- Eliminates swirl marks and fine scratches
- Transparent in use
- Minimal wiping

DESCRIPTION	PART #	CASE
Farécla G360 Super Fast Finish	666233 <b>90601</b>	6



## Witness the Ultimate Comprehensive Refinishing Solution System!

Farécla G360 Compound and Finish and REVvive by RSG buff pads are the perfect combination. Manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing the REVvive by RSG CCS Waffle buff pads are designed to allow air to circulate through the pad reducing heat build-up



## For the best finish, get the best start.

For more than 50 years, the American name has been recognized for innovative and high-quality tape. Proudly made in the USA by Intertape Polymer Group, American® Brand tapes are engineered from quality materials designed to withstand heat, solvents and waterborne materials typical of refinishing operations.



### Orange Mask®

American® Brand Orange Mask® (OM) is a high performance masking tape developed to provide superior adhesion, UV resistance for up to 3 days. OM fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver clean crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(1/4") 6mm	Orange	08714300579	38
(1/2") 12mm	Orange	08714300577 NS	72
(3/4") 18mm	Orange	08714300306	48
(1") 24mm	Orange	08714300307	36
(1-1/2") 36mm	Orange	08714300308	24
(2") 48mm	Orange	08714300309	24
(3") 72mm	Orange	08714300690	16



### PG

American® Brand PG is a high quality masking tape with good quick stick and holding properties and excellent cornering. PG is designed for clean and easy removal from a variety of hot or cold surfaces. UV resistance for 3 days. PG fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(1/4") 6mm	Beige	08714300587 NS	36
(1/2") 12mm	Beige	08714300586 NS	72
(3/4") 18mm	Beige	08714300310	48
(1") 24mm	Beige	08714300311	36
(1-1/2") 36mm	Beige	08714300312	24
(2") 48mm	Beige	08714300313	24
(3") 72mm	Beige	08714300581	16



### AM

American® Brand AM is the cost-effective solution designed for clean and easy removal. UV resistance for 3 days. AM tape has a controlled unwind, is good for cornering and is resistant to temperatures up to 225°F (107°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through and resists paint flaking. Superior for wet sanding applications.

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(3/4") 18mm	Aqua	08714300314	48
(1") 24mm	Aqua	08714300315	36
(1-1/2") 36mm	Aqua	08714300316	24
(2") 48mm	Aqua	08714300317	24
(3") 72mm	Aqua	08714300580	16



### MP

Capable of withstanding oven temperatures up to 250°F (121°C) for one hour, MP provides higher temperature resistance versus most general purpose masking tapes. MP provides controlled unwind, good cornering, excellent adhesion to backing when layered, and is superior for wet sanding, and resists paint flaking. MP is also UV resistant for up to 3 days with clean removal. Moisture- and stain-resistant, its specially designed adhesive sticks firmly and securely to most surfaces and removes cleanly.

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(1") 24mm	Beige	087143 <b>00500</b> NS	36
(1-1/2") 36mm	Beige	087143 <b>00501</b>	24
(2") 48mm	Beige	087143 <b>00502</b>	24



### UG

An economical, yet very reliable masking tape to meet the needs of most collision repair and refinish shops. American® Brand UG offers an excellent balance of quick stick, panel adhesion and holding properties. Under normal temperature conditions, UG is the tape of choice for fast, basic service, including wet-stripping. UG provides good cornering, temperature resistance up to 175°F (80°C) for 30 minutes, UV resistance for up to 3 days, excellent adhesion to backing when layered, controlled unwind, clean removal; stain resistant; resists bleed-through, and resists paint flaking.

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(3/4") 18mm	Beige	077922 <b>88400</b>	48
(1") 24mm	Beige	077922 <b>88401</b> NS	36
(1-1/2") 36mm	Beige	077922 <b>88402</b>	24
(2") 48mm	Beige	077922 <b>88403</b>	24



### GT

American® Brand GT masking tape is the newest, most cost effective masking tape specifically designed to perform in the automotive refinishing market. American® Brand GT is capable of withstanding oven temperatures up to 225°F (107°C) for one hour with clean removal. GT provides excellent adhesion to a multitude of surfaces and is formulated to ensure a secure bond to the surface and to prevent lifting or overspray. The flexible backing ensures that you will be able to conform around any surface!

(60YD) 54.8M LENGTH			
DESCRIPTION	COLOR	PART #	CASE
(3/4") 18mm	Green	077922 <b>00552</b>	48
(1") 24mm	Green	077922 <b>00553</b>	36
(1-1/2") 36mm	Green	077922 <b>00554</b>	24
(2") 48mm	Green	077922 <b>00555</b>	24





### FM35 Blue Fine Line

The American® Brand FM35 fine line tape offers superior conformability, secure laydown and consistently straight lines. The fine line FM35 tape is ideal for detailed design work, striping, two-tone paint schemes and masking around critical areas such as headlights. The FM35 is preferred for medium to high temperature applications, where a sharp fine line is required including composite and fiberglass (gelcoat) fabrication. It's designed to offer a high degree of conformability, solvent – resistance and is waterproof with an operating temperature range of 40°F to 280°F (4.4°C to 138°C). From basic paint jobs to detailed designs, American® brand FM35 fine line masking tape is your solution!

<b>(36YD) 32.9M LENGTH</b>		
DESCRIPTION	PART #	CASE
(1/8") 3.17mm	662611 <b>82688</b>	15
(1/4") 6.35mm	662611 <b>82686</b>	14
(1/2") 12.7mm	662611 <b>82685</b>	13



### Trim-Fast™

This premium automotive trim masking tape is designed to lift the molding from the surface to be painted to allow paint coverage under the molding.

<b>(10.94YD) 10M LENGTH</b>		
DESCRIPTION	PART #	CASE
(2") 50mm	077922 <b>00268</b>	6



### IPG Cloth Duct Tape AC20

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general-purpose repair applications.

<b>2" x 60 yds</b>		
DESCRIPTION	PART #	CASE
(2") 50.8mm	077922 <b>74977</b>	24





**Crash Tested. OEM Approved.**

Fusor® Repair Adhesives' product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading adhesives, sealers and plastic repair solutions combined with the product portfolio and strong sales team of the Refinish Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.

PART #	DESCRIPTION	WORK TIME	HANDLING / CLAMP TIME	PAINT TIME	FULL CURE	SUBSTRATES	CHEMISTRY	COLOR
80849810035 80849810007	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 minutes	20 minutes	–	2 hours	Steel and aluminum	Acrylic 2K	Green
80849810005 80849810006	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 minutes	2 hours	–	4 hours	Steel and aluminum	Acrylic 2K	Green
80849810036 80849810008	Fusor 112B/113B Metal Bonding Adhesive (Slow)	70 minutes / 35 minutes @ 90F (32C)	3 hours	–	8 hours	Steel and aluminum	Acrylic 2K	Gray
80849810175	Fusor 208B Panel Bonding Adhesive (Slow)	90 minutes	4 hours / 30 minutes @ 140°F (60°C)	Immediately	24 hours / 1 hour @ 140°F (60°C)	Steel, aluminum and SMC/FRP	Epoxy 2K	Gray
80849810172	Fusor 2098 Crash Durable Structural Adhesive (Slow)	90 minutes	6 hours / 30 minutes @ 140°F (60°C)	24 hours / 30 minutes @ 140°F (60°C)	24 hours / 2 hours @ 140°F (60°C)	Steel, aluminum, FRP	Epoxy 2K	Blue

Technical data reported @ 70°F (21°C) unless noted.



**Metal Bonding Adhesive (Fast) | BARE METAL**

**Applications:** Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches

**Features & Benefits:**

- Fast cure
- No welding required
- Guaranteed corrosion protection

**OEM Approvals & Recommendations:**

GM, Nissan, Mazda, Ford  
Honda: In-plant repair, collision repair  
Acura: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Green	110B	80849810035	6
1.7 oz (50 mL)	Green	111B	80849810007	12



**Metal Bonding Adhesive (Medium) | BARE METAL**

**Applications:** Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

**Features & Benefits:**

- 6 to 8 times faster than epoxy or urethane panel bonders
- No welding required
- Guaranteed corrosion protection
- Can be riveted and resistance welded

**OEM Approvals & Recommendations:**

GM, Mazda, Nissan, Ford,  
Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Green	108B	80849810005	6
1.7 oz (50 mL)	Green	109B	80849810006	12



**Metal Bonding Adhesive (Slow) | BARE METAL**

**Applications:** Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

**Features & Benefits:**

- Long open time for large panel replacement
- Ideal for hot temperature conditions
- Guaranteed corrosion protection
- Can be riveted and resistance welded

**OEM Approvals & Recommendations:**

Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Gray	112B	808498 <b>10036</b>	6
1.7 oz (50 mL)	Gray	113B	808498 <b>10008</b>	12



**Panel Bonding Adhesive (Slow) | BARE METAL**

**Applications:** Metal and plastic panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

**Features & Benefits:**

- Paint and sand with no need to remove adhesive squeeze out
- No odor
- Bonds plastic, e-coat and bare metals
- Excellent corrosion protection

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Gray	208B	808498 <b>10175</b>	6



**Crash Durable Structural Adhesive (Slow) | BARE METAL**

**Applications:** Metal and plastic panel bonding, weld and rivet bonding of replacement structural and non-structural auto body panels

**Features & Benefits:**

- Higher impact strength performance
- Lifetime corrosion protection
- Versatile and easy to use
- Bonds plastic, e-coat and bare metals
- Weld immediately

**OEM Approvals & Recommendations:**

Fiat, GM, PSA Peugeot, Tesla, Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
6.59 oz (195 mL)	Blue	2098	808498 <b>10172</b>	6

Use Fusor 420 Mixing Tip.

PART #	DESCRIPTION	WORK TIME	CLAMP TIME	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
808498 <b>10168</b> 808498 <b>10169</b>	Fusor 132/133 Plastic Repair Adhesive (Super Fast)	1 minutes	10 minutes	10 minutes	10 minutes	All types of plastic, SMC or fiberglass, ecoat, primed and painted metals	Urethane 2K	Black
808498 <b>10029</b> 808498 <b>10030</b>	Fusor 142/143 Plastic Repair Adhesive (Fast)	1 minutes	10 minutes	20 minutes	30 minutes	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
808498 <b>10106</b> 808498 <b>10107</b>	Fusor 152/153 Plastic Repair Adhesive (Medium)	3 minutes	30 minutes / 5 minutes @ 140°F (60°C)	90 minutes / 3 minutes @ 140°F (60°C)	2 hours / 60 minutes with heat cure	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
808498 <b>10167</b> 808498 <b>10166</b>	Fusor 114LG/114SM Plastic Finishing Adhesive (Fast)	2 minutes	–	20 minutes	60 minutes	Finishing adhesive for all plastics including PP, fiberglass, Metton®, Telene®, SMC, TEQ, urethane and carbon fiber	Epoxy 2K	Red
808498 <b>10049</b>	Fusor 102 Plastic Cosmetic Repair Adhesive (Fast)	2 minutes	–	20 minutes	60 minutes	Repair scratches and gouges on rigid plastics, SMC, fiberglass and GTX	Epoxy 2K	Beige
808498 <b>10043</b> 808498 <b>10001</b>	100EZ/101EZ Plastic Repair Adhesive (Heat Set)	40 minutes	–	10 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	All types of rigid body plastics such as SMC, GTX, fiberglass, Metton® and carbon fiber	Epoxy 2K	Beige
808498 <b>10034</b> 808498 <b>10015</b>	Fusor 141/140 Clear Plastic Bonding Adhesive (Fast)	1 minutes	5 minutes	30 minutes	30 minutes	Plastics, primed and painted metals, glass, wood and other surfaces	Urethane 2K	Clear
808498 <b>10042</b> 808498 <b>10016</b>	Fusor 147/148 Plastic Bonding Adhesive (Medium)	5 minutes	90 minutes / 15 minutes @ 140°F (60°C)	–	90 minutes / 15 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Brown
808498 <b>10039</b>	Fusor 127EZ Plastic Bonding Adhesive (Slow)	50 minutes	5 hours / 30 minutes @ 140°F (60°C)	–	4 hours / 30 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Off White
808498 <b>10038</b>	Fusor T21 Composite Adhesive (Slow)	45 minutes	4 hours / 20 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Epoxy 2K	Gray
808498 <b>10050</b>	Fusor T22 Truck Plastic Bonding Adhesive (Fast)	5 minutes	60 minutes / 15 minutes @ 140°F (60°C)	–	–	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
808498 <b>10033</b>	Fusor T23 Truck Plastic Bonding Adhesive (Medium)	20 minutes	3 hours / 22 minutes @ 140°F (60°C)	–	–	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige

Technical data reported @ 70°F (21°C) unless noted.



### Plastic Repair Adhesive (Super Fast) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

**Features & Benefits:**

- No need for plastic identification with use of Fusor 602EZ
- Sand and paint in 10 minutes
- Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

**OEM Approvals & Recommendations:**

GM, Ford, Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	132	808498 <b>10168</b>	6
1.7 oz (50 mL)	Black	133	808498 <b>10169</b>	12



**Plastic Repair Adhesive (Fast) | SANDABLE**

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

**Features & Benefits:**

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ

**OEM Approvals & Recommendations:**

GM, Ford, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	142	808498 <b>10029</b>	6
1.7 oz (50 mL)	Black	143	808498 <b>10030</b>	12



**Plastic Repair Adhesive (Medium) | SANDABLE**

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

**Features & Benefits:**

- Enough work time for larger repairs; ideal for hot temperature conditions
- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ
- On demand cure with heat

**OEM Approvals & Recommendations:**

GM, Ford, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	152	808498 <b>10106</b>	6
1.7 oz (50 mL)	Black	153	808498 <b>10107</b>	12



**Plastic Finishing Adhesive (Fast) | SANDABLE**

**Applications:** Finishing adhesive for cosmetic repair of all plastic bumpers and body panels

**Features & Benefits:**

- No plastic identification is required
- No adhesion promoters needed
- Epoxy formula sands to a perfect feather edge in 20 minutes or less
- Use with or without mixing tip

**OEM Approvals & Recommendations:**

GM, Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Red	114LG	808498 <b>10167</b>	6
1.7 oz (50 mL)	Red	114SM	808498 <b>10166</b>	12



**Plastic Cosmetic RepaVir Adhesive (Fast) | SANDABLE**

**Applications:** Cosmetic repair of scratches and gouges on body panels, hoods, decks and doors

**Features & Benefits:**

- Sands easily without loading sandpaper
- No bull's-eyes, read-throughs or halos

**OEM Approvals & Recommendations:**

Volvo

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	102	808498 <b>10049</b>	6



**Plastic Repair Adhesive (Heat Set) | SANDABLE**

**Applications:** Structural and cosmetic repair of auto and heavy duty truck composite, fiberglass, SMC and carbon fiber panels

**Features & Benefits:**

- One product for all body panels
- Easily sands to a feather edge to provide undetectable repairs
- No bull's-eyes, read-throughs or halos

**OEM Approvals & Recommendations:**

Ford, GM, Chrysler, Nissan, Volvo

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	100EZ	808498 <b>10043</b>	6
1.7 oz (50 mL)	Beige	101EZ	808498 <b>10001</b>	12

Use Fusor 702 Fiberglass Cloth.



**Clear Plastic Bonding Adhesive (Fast) | SANDABLE**

**Applications:** Rebuild bumper and headlight tabs, bond emblems, body side moldings, plastic backer panels, decorative vents, wheel opening moldings, rear wind deflectors and ground effects

**Features & Benefits:**

- Clear urethane, non-yellowing structural adhesive
- Fast cure
- High-strength, flexible bond

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Clear	141	808498 <b>10034</b>	6
1.7 oz (50 mL)	Clear	140	808498 <b>10015</b>	12



**Plastic Bonding Adhesive (Medium) | SANDABLE**

**Applications:** Installation and bonding of small body panels, spoilers, ground effects and headlight buckets

**Features & Benefits:**

- High-strength structural adhesive
- Easy to gun, urethane non-sag formula
- Provides faster cure time for smaller interior and exterior parts

**OEM Approvals & Recommendations:**

Chrysler, Ford, GM, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Brown	147	808498 <b>10042</b>	6
1.7 oz (50 mL)	Brown	148	808498 <b>10016</b>	12



**Plastic Bonding Adhesive (Slow) | SANDABLE**

**Applications:** Plastic body panels, spoilers and ground effects; excellent for cab extenders, wood and other surfaces

**Features & Benefits:**

- High-strength urethane structural adhesive
- Provides enough work time for bonding large primed metal or plastic parts
- Easy to gun, non-sag formula

**OEM Approvals & Recommendations:**

GM

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Off White	127EZ	808498 <b>10039</b>	6



**Composite Adhesive (Slow) | SANDABLE**

**Applications:** Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

**Features & Benefits:**

- One product bonds and finishes all plastic panels
- OEM epoxy formula
- Great for heavy-duty truck repair
- High strength
- Excellent gap-filling properties

**OEM Approvals & Recommendations:**

GM, Ford, Paccar, Navistar, Peterbilt, Kenworth, Mack, Volvo

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Gray	T21	808498 <b>10038</b>	6

Use Fusor 420 Mixing Tip.



**Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL**

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

**Features & Benefits:**

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

**OEM Approvals & Recommendations:**

Peterbilt, Kenworth

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	T22	808498 <b>10050</b>	6



**Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL**

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels


**Features & Benefits:**

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

**OEM Approvals & Recommendations:**

Peterbilt, Kenworth

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	T23	808498 <b>10033</b>	6



PART #	DESCRIPTION	WORK TIME	SKIN TIME	FULL EXPANSION	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
80849810041 80849810037	Fusor 123/126 Non-Sag Seam Sealer (Fast)	3 minutes	–	–	–	10 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
66623390995	Fusor 123MD Non-Sag Seam Sealer (Medium)	15 minutes	–	–	–	45 minutes	Bare metal or primed surfaces	Urethane 2K	White
80849810045 80849810013	Fusor 123EZ/126EZ Non-Sag Seam Sealer (Medium)	10 minutes / 5 minutes @ 90°F(32°C)	–	–	30 minutes	30 minutes	Apply over 2K primers	Epoxy 2K	Blue
80849810179 80849810180	Fusor 123SL/126SL Non-Sag Seam Sealer (Slow)	45 minutes	–	–	–	10 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
80849810149	Fusor 019 Bare Metal Brushable Seam Sealer (Medium)	6 minutes	–	–	10 minutes	10 minutes (Paint within 24 hours)	Bare metal	Acrylic 2K	Green
80849810075	Fusor 129 Controlled Flow Seam Sealer (Fast)	5 minutes	–	–	30 minutes	30 minutes	Bare metal	Epoxy 2K	Beige
80849810010	Fusor 122EZ Self-Leveling Seam Sealer (Medium)	8 minutes	–	–	30 minutes	30 minutes	Apply over 2K primers	Epoxy 2K	Blue
80849810170 66623390996 80849810171	Fusor 800DTM/ 801DTM/803DTM Direct-To-Metal Sealer	–	25 minutes, 50% RH	–	–	Immediately or up to 30 days without a scuff (Test with paint system)	Bare metal, cold rolled steel, ecoat and aluminum	Silane Terminated Polymer 1K	Neutral/ Black
80849810158 80849810159 80849810160 80849810161	Fusor 802HD/804HD/ 805HD/806HD High Definition Spraya- ble Sealer	–	20 minutes, 50% RH	–	–	Immediately or up to 30 days without a scuff (Test with paint system)	Bare or primed metal, SMC, fiber- glass, over epoxy or urethane primers	Silane Terminated Polymer 1K	White/Gray/ Black/Beige
80849810058 80849810011	Fusor 121/124 Flexible Foam (Super Fast)	10 seconds	–	3 minutes	–	10 minutes	Apply over 2K primers	Urethane 2K	Black
80849810129	Fusor 130 Rigid Foam (Super Fast)	25 seconds	–	4 minutes	–	10 minutes	Apply over 2K primers	Urethane 2K	Beige
66623390998	Fusor 231 Sound Dampening Material (Slow)	60 minutes	–	–	–	–	Bare metal or over 2K primed metal	Urethane 2K	Black

Technical data reported @ 70°F (21°C) unless noted.



### Non-Sag Seam Sealer (Fast) | FULL BODIED

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired

**Features & Benefits:**

- Duplicates factory appearance
- Gets the job done in 10 minutes
- Bright white color
- Can be used without primer

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	White	123	80849810041	6
1.7 oz (50 mL)	White	126	80849810037	12



**Non-Sag Seam Sealer (Medium) | FULL BODIED**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired

**Features & Benefits:**

- Duplicates factory appearance
- Longer work time
- Sandable

**OEM Approvals & Recommendations:**

GM, Ford, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Blue	123EZ	808498 <b>10045</b>	6
1.7 oz (50 mL)	Blue	126EZ	808498 <b>10013</b>	12



**Non-Sag Seam Sealer (Medium) | BARE METAL SEALER**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where medium work time is desired

**Features & Benefits:**

- Duplicates factory appearance
- Can be used with or without primer
- Extended work time
- Bright white color

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	White	123MD	<b>66623390995</b>	6



**Non-Sag Seam Sealer (Slow) | FULL BODIED**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered

**Features & Benefits:**

- Duplicates factory appearance
- Longer work time
- Bright white color

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	White	123SL	808498 <b>10179</b>	6
1.7 oz (50 mL)	White	126SL	808498 <b>10180</b>	12



**Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER**

**Applications:** Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required

**Features & Benefits:**

- Reduces cycle time
- Acrylic formula provides corrosion protection
- Perfect match to OEM brushed appearance

**OEM Approvals & Recommendations:**

Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Green	019	808498 <b>10149</b>	6



**Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW**

**Applications:** Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams

**Features & Benefits:**

- Epoxy formula provides smooth continuous beads with no gun lines
- No tooling required for factory look
- Sandable
- Can be used with or without primer

**OEM Approvals & Recommendations:**

Chrysler, GM, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	129	808498 <b>10075</b>	6



**Self-Leveling Seam Sealer (Medium) | FLOWABLE**

**Applications:** Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck

**Features & Benefits:**

- Perfectly matches factory flow-grade seams
- No tooling required
- Permanently flexible
- Sandable
- Color changes to indicate cure

**OEM Approvals & Recommendations:**

Ford, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Blue	122EZ	808498 <b>10010</b>	6



**Sound Dampening Material (Slow) | NOISE VIBRATION HARSHNESS**

**Applications:** Sound dampening and sealing of: roof bows and roof skin, door skin and intrusion beam, quarter panel and inner structure, hoods and deck lids to inner structure. Ideal for overhead and vertical applications where a non-sag material is required.

**Features & Benefits:**

- Matches OEM performance
- Flexible seal with no shrinkage or read-through; non-expanding
- Extended work time for large applications
- Non-sag formula remains in position on vertical and overhead surfaces
- Excellent adhesion to metal, e-coat and existing NVH materials

**OEM Approvals & Recommendations:**

Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
300ML	Black	231	666233 <b>90998</b>	6



**Direct-To-Metal Sealer | BARE METAL**

**Applications:** Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required

**Features & Benefits:**

- Single component direct-to-metal; no substrate primer required
- Non-sag
- Holds brush marks without die back
- Weld-thru with no burn back

**OEM Approvals & Recommendations:**

GM, Nissan, Ford, Volvo, Acura, Honda

SIZE	COLOR	FUSOR #	PART #	CASE
9.5 oz (281 mL)	Black	800DTM	808498 <b>10170</b>	12
9.5 oz (281 mL)	White	801DTM	666233 <b>90996</b>	12
9.5 oz (281 mL)	Neutral	803DTM	808498 <b>10171</b>	12





**High Definition Sprayable Sealer | BARE METAL**

**Applications:** Creates flexible textured seams on floor pans, trunk pans, strut towers, exterior and truck bed seams; restore rocker panel chip guard texture and trunk area texture. Duplicates weld-thru sealing

**Features & Benefits:**

- Extremely flexible – won't crack or peel
- Perfectly matches all OEM seams and textures with use of Fusor 312 Dispensing Gun

**OEM Approvals & Recommendations:**

Chrysler, GM, Honda, Acura, Ford

SIZE	COLOR	FUSOR #	PART #	CASE
9.5 oz (281 mL)	White	802HD	808498 <b>10158</b>	12
9.5 oz (281 mL)	Gray	804HD	808498 <b>10159</b>	12
9.5 oz (281 mL)	Black	805HD	808498 <b>10160</b>	12
9.5 oz (281 mL)	Beige	806HD	808498 <b>10161</b>	12



**Flexible Foam (Super Fast) | FLEXIBLE**

**Applications:** Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area

**Features & Benefits:**

- Matches OEM sound deadening foams
- Retains its memory with no shrinkage
- Expands to 10 times its size
- Will not oil can
- Will not absorb moisture or cause corrosion

**OEM Approvals & Recommendations:**

Ford, GM, Chrysler, Tesla, Volvo, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	121	808498 <b>10058</b>	6
1.7 oz (50 mL)	Black	124	808498 <b>10011</b>	12



**Rigid Foam (Super Fast) | RIGID**

**Applications:** Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors

**Features & Benefits:**

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size
- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 3 minutes

**OEM Approvals & Recommendations:**

Ford, Chrysler, Honda, Acura

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	130	808498 <b>10129</b>	6



**Clear Double-Sided Tape**

**Applications:** Excellent adhesion of exterior/interior trim including emblems, side molding and bumper cover trim

**Features & Benefits:**

- Longer-sized roll for multiple jobs
- 33% stronger than competitive tapes
- UV, water and solvent resistant
- Clear, non-detectable
- Repositionable
- Increased strength when used over Fusor 602EZ

**Substrates:**

Bonds metal, glass and plastic

**OEM Approvals & Recommendations:**

Chrysler, Ford, GM

SIZE	FUSOR #	PART #	CASE
1/2" x 60' x 0.045" (12.7 mm x 18.3 m x 1.14 mm)	181	808498 <b>10133</b>	6



**Surface Modifier**

**Applications:** Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes

**Features & Benefits:**

- Open time from 10 minutes to 24 hours
- California compliant
- No need for plastic identification when used with Fusor 132/133, 142/143, 152/153 or 141/140 adhesives
- Increases adhesion when used with Fusor 180/181/182

**Substrates:**

All plastic bumper covers, emblems, moldings and primed or painted metals

SIZE	FUSOR #	PART #	CASE
9 oz (255 mL)	602EZ	808498 <b>10121</b>	6



**Reinforcing Mesh**

**Applications:** Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers.

**Features & Benefits:**

- Use with Fusor 132/133, 142/143, 152/153, 141/140 adhesives
- Use with Fusor 602EZ
- Use with Fusor 704 roller
- Finish with Fusor 114LG/114SM adhesive

**Substrates:**

Plastic bumpers, bumper tabs

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	700	808498 <b>10023</b>	12



**Fiberglass Cloth**

**Applications:** Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels.

**Features & Benefits:**

- Helps eliminate bull's-eyes in SMC repair
- Use with Fusor 100EZ/101EZ, 120/T20 and T21 adhesives
- Use with Fusor 704 roller

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	702	808498 <b>10025</b>	12



**Adhesion Prep/Cleaner**

**Applications:** Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels

SIZE	FUSOR #	PART #	CASE
32 oz (946.3 mL)	703	808498 <b>10026</b>	12



**Saturation Roller**

**Applications:** Use with Fusor 700 and 702 for maximum adhesive saturation.

**Features & Benefits:**

- 3" (76.2 mm) anodized aluminum
- Ideal for building SMC patch panel repairs
- Helps compact the surface for strong repairs

SIZE	FUSOR #	PART #	CASE
3" (76.2 mm) Roller	704	808498 <b>10027</b>	6



**Manual 50 mL Dispensing Gun**

**Applications:** Use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip

**Features & Benefits:**

- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact
- Fusor 517 replacement plungers available for Fusor 300 gun

SIZE	FUSOR #	PART #	CASE
50 mL Dispensing Gun	300	808498 <b>10019</b>	1
Replacement Plunger	517	808498 <b>10120</b>	6



**High Performance Manual 300/225 mL Dispensing Gun**

**Applications:** For use with 10.1/7.6 oz (300/225 mL) cartridges

**Features & Benefits:**

- Dispenses 1:1 and 2:1 cartridges
- Easily accommodates cartridges with different nose styles
- Sturdy, high-quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- Simplistic design allows for easy cartridge insertion and ejection
- Composite supports provide excellent cartridge stability
- Conversion plunger is securely attached to rear of applicator

SIZE	FUSOR #	PART #	CASE
300/225 mL	302	808498 <b>10177</b>	1



**Pneumatic 300/225 mL Dispensing Gun**

**Applications:** For use 7.6/ 10.1 oz (225/300 mL) cartridges

**Features & Benefits:**

- For use with 1:1 and 2:1 cartridges
- For fast and easy application of long beads

SIZE	FUSOR #	PART #	CASE
300/225 mL	304	808498 <b>10079</b>	1



**Sprayable Seam Sealer Gun**

**Applications:** For use with Fusor HD sealers

**Features & Benefits:**

- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- Material and air flow adjustment controls allow for factory match seams

SIZE	FUSOR #	PART #	CASE
	312	808498 <b>10111</b>	1



**One-Component Manual Seam Sealer Gun**

**Applications:** For use with Fusor 800DTM, Fusor 801DTM, Fusor 803DTM and Fusor 2098

**Features & Benefits:**

- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants - especially handy for thicker materials and in cold weather

SIZE	FUSOR #	PART #	CASE
	313	808498 <b>10146</b>	1



**Pneumatic One-Component Caulking Gun**

**Applications:** For use with Fusor 800DTM, Fusor 801DTM, Fusor 803DTM and Fusor 2098

**Features & Benefits:**

- Rod driven pneumatic dispenser
- True air regulator controls flow, allowing for continuous bead application
- Includes quick change aluminum barrel, safety valve in handle, and air dump valve to instantly stop flow
- Rates for 0-100 psi (0.69 MPa) of dispensing pressure

SIZE	FUSOR #	PART #	CASE
	314	808498 <b>10178</b>	1



**Red Power 50 mL Cartridges Mixing Tips**

**Applications:** For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun

**Features & Benefits:**

- Size: 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	400	808498 <b>10076</b>	12
Economy Pack	416	808498 <b>10066</b>	144



**Red Power 300/225 mL Cartridges Mixing Tips**

**Applications:** For use with all 1:1 and 2:1, 7.6/10.1 oz (225/300 mL) cartridges (except for Fusor 120/ T20, T21, T23, and 2098 which use the #420 Red Power Mixing Tip)

**Features & Benefits:**

- Size: 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	401	808498 <b>10145</b>	12
Economy Pack	417	808498 <b>10067</b>	144



**Nozzle For 800 Series Sealer**

**Applications:** For use with Fusor HD and DTM sealers

**Features & Benefits:**

- Threaded replacement nozzles for caulking tubes

SIZE	FUSOR #	PART #	CASE
	412	808498 <b>10130</b>	12



**High Performance Red Power 7.6/10.1oz (225/300mL) Cartridges Mixing Tips**

**Applications:** For use with Fusor T21, T23 and 2098

**Features & Benefits:**

- Size: 0.42" x 6.8" x 24-element (10.7 mm x 172.7 mm x 24-element)

SIZE	FUSOR #	PART #	CASE
	420	808498 <b>10073</b>	12



**Cabinet**

**Applications:** Allows easy accessibility, stocking and storage of Fusor adhesives and accessories

**Features & Benefits:**

- Keeps Fusor products dust free
- Makes evaluating inventory easier
- Size: 20" w x 35" h x 12" d (0.51 m x 0.89 m x 0.3 m)
- Complete with shelf, mixer container and hanging racks for opened and unopened cartridges
- Black

SIZE	FUSOR #	PART #	CASE
20" w x 35" h x 12" d (0.51 m x 0.89 m x 0.3 m)	907	808498 <b>10105</b>	1

*Available in black*





### The Pro Behind the Pro Finishers

Family owned and operated since 1955, Hutchins Manufacturing produces the highest quality surface preparation tools and accessories available.

All Hutchins equipment is researched, developed and structured to fulfill and exceed the current and evolving needs of today's industry as they occur.

Each air tool is built of tough, unitized, aircraft-specification aluminum for strength and balance, while also designed and structured to produce immaculate surfaces



### Hutchins Air Tools

Air-powered sanding tools for the automotive industry.

DESCRIPTION	RPM	HUTCHINS #	PART #	CASE
<b>Vacuum Random-Orbit Action Sander</b>				
3/32" ProFinisher 6" Vacuum Sander	12,000	520 Hutchins	66061401390	1
3/32" ProFinisher 3" Vacuum Sander	12,000	523 Hutchins	66061401464	1
3/16" ProFinisher 6" Vacuum Sander	12,000	620 Hutchins	66061401404	1
3/16" ProFinisher 3" Vacuum Sander	12,000	623 Hutchins	66061401465	1
5/16" ProFinisher 6" Vacuum Sander	12,000	720 Hutchins	66061401469	1
<b>Vacuum Orbital Sander</b>				
2-3/4 x 5-1/2" ProFinisher Orbital Sander	12,000	525 Hutchins	66061401547	1
<b>Vacuum Orbital Sander Pad</b>				
2-3/4" x 8" ProFinisher Vacuum Pad	—	759 Hutchins	66061401540	1





Total Inventory Management

**OPTIMIZE YOUR REPAIR MATERIALS.  
IMPROVE YOUR BOTTOM LINE.**



Exclusively offered by Refinish Solutions Group, the TIM information technology application enables collision repair shops to optimize management of repair materials, helping the shop to lower costs, streamline repair processes and improve profitability.

TIM utilizes technician barcode scanning of repair materials and simple-to-use software. The intuitive design of the TIM platform empowers shop managers to minimize inventory, ensure that the right repair materials are always available, identify recoverable materials used by RO# and track material usage trends.

Visit for more information: <https://www.refinishsolutionsgroup.com/tim>



\* Always wear protective gear.  
Photos in this catalog are for illustrative purposes only.



# PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE
0553950605	12
0553950606	12
0553950607	12
0553950608	12
05539503861	16
05539503863	16
05539504270	16
05539506728	22
05539509760	18
05539509767	18
05539509768	18
05539510711	20
05539510712	20
05539510713	20
05539510720	20
05539510721	20
05539510722	20
05539510890	13
05539510891	13
05539510892	13
05539512013	27
05539512014	27
05539512032	20
05539512033	20
05539512506	19
05539512507	19
05539512508	19
05539512509	19
05539512510	19
05539512512	19
05539512568	20
05539514148	6
05539515297	5
05539515298	5
05539515300	5
05539515311	5
05539515312	5
05539515313	5
05539515315	5
05539515316	5
05539515317	5
05539518101	5
05539518104	5
05539518105	5
05539518106	5
05539518107	5
05539518108	5
05539518109	5
05539518110	5
05539518111	5
05539518112	5
05539518113	5
05539518114	5
05539518162	5
05539518163	5
05539518164	5
05539518165	5
05539518166	5
05539518167	5

PART NUMBER	PAGE
05539518168	5
05539518169	5
05539518170	5
05539518171	5
05539518172	5
05539518173	5
05539520055	20
05539520076	20
05539520252	5
05539520253	5
05539520254	5
05539520255	5
05539520256	5
05539520257	5
05539520258	5
05539520259	5
05539520260	5
05539520262	5
05539520263	5
05539520264	5
05539520266	5
05539520267	5
05539520269	5
05539520270	5
05539520271	5
05539520272	5
05539520274	5
05539520275	5
05539520276	5
05539520277	5
05539520278	5
05539520282	5
05539520283	5
05539520284	5
05539520285	5
05539520287	5
05539520288	5
05539520289	5
05539520294	5
05539520295	5
05539520296	5
05539520305	5
05539520306	5
05539520307	5
05539520310	5
05539520311	5
05539520312	5
05539520314	5
05539520315	5
05539520318	5
05539520319	5
05539520320	5
05539520321	5
05539520322	5
05539520324	5
05539520325	5
05539520326	5
05539520328	5
05539520329	5

PART NUMBER	PAGE
05539520330	5
05539520331	5
05539520332	6
05539520333	6
05539520334	6
05539520335	6
05539520336	6
05539520337	6
05539520338	6
05539520339	6
05539520340	6
05539520459	6
05539520461	6
05539520463	6
05539520470	6
05539520471	6
05539520472	6
05539520473	6
05539520474	6
05539520475	6
05539520486	25
05539520523	25
05539520527	6
05539520528	6
05539520529	6
05539520530	6
05539520531	6
05539520532	6
05539520533	6
05539520534	6
05539520535	6
05539520536	6
05539520537	6
05539520538	6
05539521301	7
05539521302	7
05539521303	7
05539521304	7
05539521305	7
05539521315	7
05539521316	7
05539521318	7
05539521319	7
05539521320	7
05539521336	7
05539521337	7
05539521338	7
05539521342	7
05539521343	7
05539521344	7
05539521348	7
05539521349	7
05539521350	7
05539522538	15
05539530893	13
05539533867	25
05539542089	12
05539550000	4
05539550001	4

PART NUMBER	PAGE
05539550002	4
05539550003	4
05539550004	4
05539550005	4
05539550006	4
05539550007	4
05539550008	4
05539550009	4
05539550010	4
05539551776	15
05539553327	8
05539553332	19
05539553333	19
05539553334	4
05539553335	4
05539553337	4
05539553338	4
05539553339	4
05539553340	4
05539553341	4
05539553346	24
05539553377	12
05539553381	12
05539553382	12
05539553383	12
05539553389	13
05539553390	13
05539553395	24
05539553409	4
05539553410	4
05539553411	4
05539553412	4
05539553413	4
05539553414	4
05539553450	10
05539553451	10
05539553452	10
05539553453	10
05539553454	10
05539553455	10
05539553456	10
05539553457	10
05539553458	10
05539553459	10
05539553460	10
05539553461	10
05539553462	10
05539554479	17
05539554480	17
05539554481	17
05539561102	5
05539561106	5
05539561108	5
05539561110	5
05539563769	22
05539563770	22
05539563779	5
05539563780	5
05539563781	5

PART NUMBER	PAGE
05539563782	5
05539563784	5
05539563785	6
05539563889	19
05539563890	19
05539563891	19
05539563893	19
05539563895	22
05539563897	26
05539563898	26
05539563899	26
05539563900	26
05539567378	24
05539567379	24
05539567381	24
05539568511	23
05539569471	18
05539569472	18
05539569473	18
05539569926	5
05539569927	5
05539570019	5
05539570020	5
05539570021	5
05539570022	5
05539570121	14
05539570122	14
05539570123	14
05539570124	14
05539570125	14
05539570401	26
05539570402	26
05539570403	26
05539570404	26
05539570405	26
05539570406	26
05539570530	22
05539570546	8
05539570548	8
05539570550	8
05539570551	8
05539570553	8
05539570554	8
05539570555	8
05539570556	8
05539570557	8
05539570558	8
05539570559	8
05539570560	8
05539570561	8
05539570562	8
05539570563	8
05539570564	8
05539570566	8
05539570567	8
05539570568	8
05539570569	8
05539570570	8
05539570571	8

# PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE
05539570572	8
05539570580	8
05539570581	8
05539570582	21
05539570583	21
05539570584	21
05539570585	21
05539599305	28
05539599306	27
05539599307	28
05539599308	28
05539599309	28
05539599310	28
05539599311	28
05539599313	28
05539599315	28
05539599316	28
05539599317	28
05539599319	28
05539599321	28
05539599322	28
05539599323	13, 28
05539599343	9
05539599344	9
05539599345	9
05539599346	9
05539599347	9
05539599348	9
05539599349	9
05539599363	21
05539599370	8
05539599371	8
05539599372	8
05539599373	8
05539599376	8
05539599383	18
05539599385	18
05539599386	18
05539599387	18
05539599389	18
05539599390	18
05539599393	9
05539599394	9
05539599395	9
05539599413	8
05539599414	8
05539599416	8
05539599417	8
05539599418	8
05539599419	8
05539599420	8
05539599421	8
05539599422	8
05539599423	4
05539599424	21
05539599425	13
05539599426	13
05539599427	5
05539599428	5
05539599429	5
05539599430	5
05539599438	14
05539599439	14

PART NUMBER	PAGE
05539599440	14
05539599441	14
05539599442	14
05539599443	14
05539599462	8
05539599463	8
05539599465	8
05539599466	8
05539599467	8
05539599469	9
05539599472	9
05539599473	9
05539599488	4
05539599489	4
05539599491	4
05539599492	4
05539599495	4
05539599496	4
05539599498	4
05539599500	4
05539599501	4
05539599502	4
05539599504	4
05539599505	4
05539599507	4
05539599508	4
05539599509	4
05539599511	4
05539599512	4
05539599513	4
05539599514	4
05539599515	4
05539599516	4
05539599517	4
05539599518	4
05539599520	4
05539599521	4
05539599522	4
05539599523	4
05539599524	4
05539599525	4
05539599526	4
05539599564	4
05539599565	4
05539599566	4
05539599567	4
05539599568	4
05539599570	4
05539599590	4
05539599591	4
05539599592	4
07792200268	41
07792200552	40
07792200553	40
07792200554	40
07792200555	40
07792274977	41
07792288400	40
07792288401	40
07792288402	40
07792288403	40
08714300214	22
08714300216	22

PART NUMBER	PAGE
08714300217	22
08714300218	22
08714300306	39
08714300307	39
08714300308	39
08714300309	39
08714300310	39
08714300311	39
08714300312	39
08714300313	39
08714300314	39
08714300315	39
08714300316	39
08714300317	39
08714300499	40
08714300500	40
08714300501	40
08714300502	40
08714300577	39
08714300579	39
08714300580	39
08714300581	39
08714300586	39
08714300587	39
08714300690	39
08834164037	19
66061401390	57
66061401404	57
66061401464	57
66061401465	57
66061401469	57
66061401540	57
66061401547	57
66261055103	19
66261055105	15, 19
66252838447	16
66252838448	16
66261121523	13
66261121524	13
66261182685	41
66261182686	41
66261182688	41
66623329280	15
66623329282	15
66623363869	11
66623363870	11
66623363871	11
66623363872	11
66623363877	11
66623363878	11
66623363879	11
66623363880	11
66623363881	11
66623363882	11
66623363884	11
66623363885	11
66623390600	38
66623390601	38
66623390995	48-49
66623390996	48, 50
66623390998	48, 50
66623391000	35
66623391001	35

PART NUMBER	PAGE
66623391003	35
66623391007	35
66623391008	33
66623391009	36
66623391010	35
66623391011	34
66623391012	34
66623391013	33
66623391014	33
66623391015	33
66623391016	33
66623391017	33
66623391018	33
66623391019	33
66623391022	34
66623391023	34
66623391024	36
66623391025	33
66623391026	33
66623391027	33
66623391028	33
66623391029	34
66623391306	37
66623391307	37
66623391308	37
66623391309	37
66623391310	37
66623391311	37
66623391312	37
66623391313	37
66623391314	37
66623391315	37
66623391316	37
66623391317	37
66623391318	37
66623391319	37
66623391320	37
66623391321	37
66623391380	32
66623391381	32
66623391382	32
66623391383	32
66623391384	32
66623391385	32
66623391386	32
77696039321	15
77696090120	17
77696090124	17
77696090126	17
77696090128	17
77696090130	17
77696090132	17
77696090134	17
77696090136	17
80849810001	44, 46
80849810005	42
80849810006	42
80849810007	42
80849810008	42-43
80849810010	48, 50
80849810011	48, 51
80849810013	48-49
80849810015	44, 46

PART NUMBER	PAGE
80849810016	44, 46
80849810019	53
80849810023	52
80849810025	52
80849810026	53
80849810027	53
80849810029	44-45
80849810030	44-45
80849810033	44, 47
80849810034	44, 46
80849810035	42
80849810036	42-43
80849810037	48
80849810038	44, 47
80849810039	44, 46
80849810041	48
80849810042	44, 46
80849810043	44, 46
80849810045	48-49
80849810049	44-45
80849810050	44, 47
80849810058	48, 51
80849810066	55
80849810067	55
80849810073	55
80849810075	48-49
80849810076	55
80849810079	54
80849810105	56
80849810106	44-45
80849810107	44-45
80849810111	54
80849810120	53
80849810121	52
80849810129	48, 51
80849810130	55
80849810132	52
80849810133	52
80849810134	52
80849810145	55
80849810146	54
80849810149	48-49
80849810158	48, 51
80849810159	48, 51
80849810160	48, 51
80849810161	48, 51
80849810166	44-45
80849810167	44-45
80849810168	44
80849810169	44
80849810170	48, 50
80849810171	48, 50
80849810172	42-43
80849810175	42-43
80849810177	53
80849810178	54
80849810179	48-49
80849810180	48-49





# DRIVING THE COLLISION REPAIR INDUSTRY FORWARD

Carborundum | Saint-Gobain is proud to be a Sustaining Partner of I-CAR. As a Sustaining Partner, we support I-CAR's vision and mission of delivering the latest repair knowledge and training to every collision repair technician. We believe in doing the right thing for the industry by helping deliver complete, safe and quality repairs to the ultimate benefit of our families, friends and neighbors.

## DOING THE RIGHT THING FOR THE INDUSTRY AND THE CONSUMER

### REDUCING TRAINING COSTS AND INCREASING TRAINING OPPORTUNITIES

As a Sustaining Partner, we help lower training costs and provide training courses encouraging shops to continue, or even increase, training to stay current with today's complex vehicles.

### REDUCING SCHOOL FEES

As a Sustaining Partner, we provide financial support to allow more vocational schools to run programs that develop better trained entry level technicians.

### PROVIDING SAFE REPAIRS

As a Sustaining Partner, we provide resources to help I-CAR develop and deliver the training and services needed for safe repairs.

See more here: [www.I-CAR.com/SustainingPartners/Saint-Gobain](http://www.I-CAR.com/SustainingPartners/Saint-Gobain)



# POWERED BY PARTNERSHIP



## **YOUR PRODUCTIVITY PARTNER**

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



## **QUALITY ABRASIVES**

New and different solutions for body shops that demand increased productivity, consistent quality and enhanced cost control



## **ULTIMATE PAINT PROTECTION AND WINDOW FILMS**

Window and body films that act as body armor helping to guard the vehicle from damaging elements

## **Farécla**

## **SUPER FAST AND EASY**

Premium compounds and finishes to get the final shine because every detail counts



## **SUPERIOR MASKING TAPE**

Innovative and high quality automotive surface protection and masking tape products for the unique needs of the collision repair market



## **FIRST-CLASS SPRAY GUNS AND PAINT CUPS**

Pioneering product portfolio of paint guns and cups that deliver glass-like finishes to the collision repair market



## **PARAMOUNT REPAIR ADHESIVES**

Known for cutting-edge OEM approved products and expertise in providing collision repair adhesive solutions



## **THE GOLD STANDARD**

Proudly made in the USA, they set the tone for surface preparation tools



## **TRADEMARKS**

Carborundum, "The Definition of Different", Carbo, CleanAir, CleanAir Plus, CleanNet, EZ Block, EZ Repair, EZ Sheet, EZ Touch, EZ Wrap, Fibratex, Fire, Flex-Loc, Medalist, Mirror Finish, Premier Red, Refinish Solutions Group, REVvive by RSG, Thin-Flex, and White Lightning are trademarks of Saint-Gobain Abrasives.

Farécla and Solar Gard are trademarks of Saint-Gobain.

The American logo, Orange Mask, and Anchor are registered trademarks and TrimFast is a trademark of Intertape Polymer Group®, Inc.

DeVilbiss is a registered trademark DeVilbiss Automotive Refinishing.

Fusor is a registered trademark of Parker LORD Corporation.

Hutchins and ProFinishers are trademarks of Hutchins Mfg Company.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.

# AUTOBODY REFINISHING PRODUCTS FOR THE AUTOMOTIVE AFTERMARKET



## *With Nothing To Lose And Everything To Gain... Take Carborundum for a Cost-Savings Test Drive today!*

Carborundum is 100% committed to bringing the **best performing products** to body shops at a **fair price**.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to **increase productivity** and to **reduce costs** at absolutely no risk to you. There has never been a better time to **take Carborundum for a Test Drive!**

*the definition of* **DIFFERENT**<sup>®</sup>

[www.facebook.com/carboauto](https://www.facebook.com/carboauto) | [www.youtube.com/carboauto](https://www.youtube.com/carboauto)

### CUSTOMER SERVICE:

USA Toll Free: 1 (877) 447-5359

Canada Toll Free: 1 (800) 263-6565

**FORM #CA5000 REV. 07/20**

© Saint-Gobain July 2020. The Carborundum logo is a registered trademark; "The Definition of Different" is a trademark of Saint-Gobain Abrasives.



[www.carbo.com](http://www.carbo.com)

