



# Valspar Product Catalogue for De Beer Refinish

English







The Valspar Corporation is one of the largest global coatings manufacturers in the world, providing coatings and coating intermediates to a wide variety of customers. Since 1806, Valspar has been dedicated to bringing customers the latest innovations, the finest quality, and the best customer service in the coatings industry. Our head office is located in Minneapolis in the United States. We have over 80 production sites in 25 countries and 9,500 employees. Valspar is in a truly unique position to supply customers with the coating solutions they need.

De Beer Refinish offers a program that is both compact and complete

As a result of high levels of efficiency throughout all our operations, we are able to supply a worldwide range of compact, complete and high quality vehicle repair paints at competitive prices. This ensures an ideal balance between price and quality. Our vision is to develop products that enable our customers to offer a cost-effective service thereby improving their own profitability.

ISO 9001 – ISO 14001

We guarantee a consistent quality in products and working methods, combined with a responsible approach towards the environment, through the use of an integral 'Health, Environment, Quality and Safety' system based on ISO 9001 and ISO 14001, controlled and certificated by Lloyd's Register Quality Assurance.



<b>Contents</b>	<b>Page</b>
1. Cleaning agents	04
2. Puties	05
3. Groundmaterials	07
4. Color Coatings	09
5. Additives	10
6. Clear Coats	12
7. Hardeners	13
8. Thinners	17

# Cleaning agents



## WaterBase Degreaser 9-851



5L



2



9-851/5



[www.de-beer.com/tds/9-851](http://www.de-beer.com/tds/9-851)



## Antistatic Degreaser 1-851



5L



2



1-851/5



[www.de-beer.com/tds/1-851](http://www.de-beer.com/tds/1-851)



## Silicone Remover 1-951



1L



6



1-951/1

5L

3

1-951/5



<http://www.octoral.com/PF131>



## WaterBase Gun Cleaner 9-852



5L



3



9-852/5



[www.de-beer.com/tds/9-852](http://www.de-beer.com/tds/9-852)



## Gun Cleaner 1-051



5L



3



1-051/5



<http://www.octoral.com/PF131>



1L                      8                      601013

## Uni Putty Lightweight 6010

 [www.de-beer.com/tds/6010](http://www.de-beer.com/tds/6010)



1,5KG                      8                      604015

## Glassfibre Putty 6040

 [www.de-beer.com/tds/6040](http://www.de-beer.com/tds/6040)



1,8KG                      8                      605018

## Putty White 6050

 [www.de-beer.com/TDS/6050](http://www.de-beer.com/TDS/6050)



2KG                      8                      606020

## Putty Grey 6060

 [www.de-beer.com/TDS/6060](http://www.de-beer.com/TDS/6060)



1,9KG                      8                      607019

## Aluminium Putty 6070

 [www.de-beer.com/tds/6070](http://www.de-beer.com/tds/6070)



# Putties



## Spray Filler 6080



1L

6

608010



[www.de-beer.com/tds/6080](http://www.de-beer.com/tds/6080)



## Spot Repair Primer 6110



400ML

6

611004



[www.de-beer.com/tds/6110](http://www.de-beer.com/tds/6110)

*"When spraying filler, spray this from large too small to prevent capturing the overspray."*



Rutger Vellinga, Technician and trainer at Valspar.

# Groundmaterials



1L	3	8-145/1
3L	2	8-145/3
5L	2	8-145/5

## HS Surfacer Grey 8-145

[www.de-beer.com/tds/8-145xx\\_S\\_NS](http://www.de-beer.com/tds/8-145xx_S_NS)



3L	2	8-14510/3
----	---	-----------

## HS Surfacer White 8-14510

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



3L	2	8-14540/3
----	---	-----------

## HS Surfacer Black 8-14540

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



1L	3	8-149/1
3L	2	8-149/3

## HS Tinting Surfacer 8-149

[www.de-beer.com/tds/8-149\\_S\\_NS](http://www.de-beer.com/tds/8-149_S_NS)



1L	3	1-15/1
5L	2	1-15/5

## Washprimer 1-15

[www.de-beer.com/tds/1-15](http://www.de-beer.com/tds/1-15)



# Groundmaterials



## Washprimer CH 1-17



5L



2



1-17/5



[www.de-beer.com/tds/1-17](http://www.de-beer.com/tds/1-17)

## HS Non Sanding Filler Grey 30-746



3L



2



30-746/3



[www.de-beer.com/tds/30-746](http://www.de-beer.com/tds/30-746)

## Epoxy Primer White 1-7510



5L



2



1-7510/5



[www.de-beer.com/tds/1-7510](http://www.de-beer.com/tds/1-7510)

## Epoxy Primer Grey 1-7520



1L



3



1-7520/1

5L

2

1-7520/5



[www.de-beer.com/tds/1-7520](http://www.de-beer.com/tds/1-7520)

## 1K Plastic Primer 1-60



1L



6






1-60/1



[www.de-beer.com/tds/1-60](http://www.de-beer.com/tds/1-60)

# Color Coatings

## WaterBase Serie 900+




		
0,5L	3	902, 921, 922, 924, 927, 928, 940, 942, 943, 948, 951, 952, 954, 955, 956, 957, 959, 960, 962, 963, 964, 965, 966, 967, 969, 971, 972, 973, 974, 975, 976, 977, 978, 997, 998
1L	3	900, 901, 903, 904, 905, 906, 911, 912, 919, 926, 929, 930, 934, 938, 944, 946, 950, 953, 961, 979, 986, 987, 989, 913, 913C, 913VC, 913VF, 913B, 999



[www.de-beer.com/tds/DBL-WB900-TI](http://www.de-beer.com/tds/DBL-WB900-TI)



## BeroThane HS420 Serie 3000

		
1L	3	3002, 3006, 3009, 3019, 3021, 3025, 3036, 3040, 3042, 3043, 3044, 3046
		3000, 3011, 3034, 3037
3,5L	2	



[www.de-beer.com/tds/DBL-BTHS3000-TI](http://www.de-beer.com/tds/DBL-BTHS3000-TI)



*"Before spraying the object spray a test panel to ensure that the colour is correct."*

Bert Bos, Technician and trainer at Valspar



# Additives



## 2K Structure Coat Fine 1-060



1L



3



1-060/1



[www.de-beer.com/tds/1-060](http://www.de-beer.com/tds/1-060)



## 2K Structure Coat Coarse 1-065



1L



3



1-065/1



[www.de-beer.com/tds/1-065](http://www.de-beer.com/tds/1-065)



## HS420 DB Coating Additive 30-09



5L



3



30-09/5



[www.de-beer.com/tds/30-09](http://www.de-beer.com/tds/30-09)



## HS Matting Agent 30-49



1L



3



30-49/1



[www.de-beer.com/tds/30-49](http://www.de-beer.com/tds/30-49)



## HS Taping Additive 30-69



1L



6



30-69/1



[www.de-beer.com/tds/30-69](http://www.de-beer.com/tds/30-69)

## 2K Elastic 47-39



1L



6



47-39/1



[www.de-beer.com/tds/47-39](http://www.de-beer.com/tds/47-39)



## WaterBase Underhood Additive 9-819



1L



6



9-819/1



<http://www.de-beer.com/TDS/9-819>



*"Store the products at the correct temperature, otherwise the viscosity will be too high. ."*

Ab Schierbeek, technician and trainer at Valspar.



# Clear Coats



## MS Clear Coat Matt 1-105



1L

3

1-105/1



[www.de-beer.com/tds/1-105](http://www.de-beer.com/tds/1-105)



## HS Scratch Resistant Clear 8-214



1L

6

8-214/1

5L

3

8-214/5



[www.de-beer.com/tds/8-214](http://www.de-beer.com/tds/8-214)



## HS420 Clear Coat 8-414



1L

6

8-414/1

5L

3

8-414/5



[www.de-beer.com/tds/8-314\\_8-339](http://www.de-beer.com/tds/8-314_8-339)

## 2K Hardener Very Fast 47-30



0.5L	10	47-30/5
1L	6	47-30/1
2.5L	6	47-30/2.5
5L	3	47-30/5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## 2K Hardener Fast 47-40



1L	6	47-40/1
2.5L	6	47-40/2.5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## 2K Hardener Standard 47-50



0.5L	10	47-50/5
1L	6	47-50/1
2.5L	6	47-50/2.5
5L	3	47-50/5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## 2K Hardener Slow 47-60



1L	6	47-60/1
----	---	---------



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## MS Hardener Fast 47-35



0.5L	10	47-35/5
1L	6	47-35/1
2.5L	6	47-35/2.5
5L	3	47-35/5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



# Hardeners



## MS Hardener Standard 47-55



0.5L	10	47-55/.5
1L	6	47-55/1
2.5L	6	47-55/2.5
5L	3	47-55/5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## MS Hardener Slow 47-65



0.5L	10	47-65/.5
1L	6	47-65/1
5L	3	47-65/5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS420 Hardener Very Fast 8-430



1L	6	8-430/1
2.5L	6	8-430/2.5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS420 Hardener Fast 8-440



0.5L	10	8-440/0.5
1L	6	8-440/1
2.5L	6	8-44/2.5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS420 Hardener Medium 8-450



0.5L	10	8-450/.5
1L	6	8-450/1
2.5L	6	8-450/2.5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)

# Hardeners

## HS420 Hardener Slow 8-460



1L

6

8-460/1



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS Hardener Very Fast 8-130



1L

6

8-130/1



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS Hardener Fast 8-140



0.5L

10

8-140/5

1L

6

8-140/1

2.5L

6

8-140/2.5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS Hardener Standard 8-150



0.5L

10

8-150/5

1L

6

8-150/1

2.5L

6

8-150/2.5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## HS Hardener Slow 8-160



2.5L

6

8-160/2.5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



# Hardeners



## Washprimer Hardener 1-10



1L	6	1-10/1
5L	2	1-10/5

 [www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## Washprimer Hardener CH 1-12



5L	2	1-12/5
----	---	--------

 [www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## Epoxy Primer Hardener 1-70



1L	6	1-70/1
5L	3	1-70/5

 [www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)

# Thinners

## Uni Thinner Fast 1-141



1L	6	1-141/1
5L	3	1-141/5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## Uni Thinner Standard 1-151



1L	6	1-151/1
5L	3	1-151/5
20L	1	1-151/20

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## Uni Thinner Slow 1-161



1L	6	1-161/1
5L	3	1-161/5

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## WaterBase Thinner 9-151



1L	6	9-151/1
----	---	---------

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



## WaterBase Thinner Slow 9-161



1L	6	9-161/1
----	---	---------

[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)



# Thinners



## HS Thinner Very Slow 8-171



1L

6

8-171/1



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)

## HS420 Special Thinner 8-181



1L

6

8-181/1

5L

2

8-181/5



[www.de-beer.com/tds/matrixDBL](http://www.de-beer.com/tds/matrixDBL)

"After use, make sure the packaging is closed for good protection against humidity."

Rutger Vellinga, technician and trainer at Valspar.



# valspar

if it matters, we're on it.®

Valspar b.v.

Zuiveringweg 89 ■ P.O. Box 2139 ■ 8203 AC Lelystad  
8243 PE Lelystad, The Netherlands

**T:** +31 (0)320 29 22 00 ■ **F:** +31 (0)320 29 22 01

**E:** [info@de-beer.com](mailto:info@de-beer.com) ■ **I:** [www.de-beer.com](http://www.de-beer.com)