

**J** TAPE™

#TAPESMART

**PRODUCT  
BROCHURE**

[www.jtape.com](http://www.jtape.com)

#TAPESMART

**INNOVATIVE BEST SELLERS**

---

Primeshield	03
Prime And Paint Foam Masking Tape	03
Advanced Foam Masking Tape	04
Smooth Edge Foam Masking Tape	04
No Edge Blending Tape	05
Flexi No Edge Blending Tape	05
Duo Masking Tape	06
Perforated Trim Masking Tape	06

**FINE LINE MASKING TAPES**

---

Blue Fine Line Masking Tape	07
Green Fine Line Masking Tape	07
Orange Fine Line Masking Tape	08
Olive Fine Line Masking Tape	08
130°C Flat Orange Fine Line Precision Masking Tape	09
160°C High Temperature Fine Line Crepe Masking Tape	09
Customising Tape	10
Striping Tape	10

**PAPER MASKING TAPES**

---

80°C Premium Masking Tape	11
110°C High Performance Masking Tape	11
130°C Flat Orange Precision Masking Tape	12
160°C High Temperature Crepe Masking Tape	12
Paint Control Tape	12

**PROTECTION FILMS**

---

Wheel Repair Mask	13
Breathable Masking Film	13
Premium Clear Masking Film	13
Pre-Folded Clear Masking Film	14
Non-Slip Surface Protection Film	14
Seal Wrap	14

**PROTECTION TAPES**

---

Premium Cloth Protection Tapes	15
General Purpose Cloth Protection Tape	15
Aluminium Tape	15
220°C Green High Temperature Polyester Film Tape	16
220°C Blue High Temperature Polyester Film Tape	16
High Temperature Crepe Masking Discs	17
Green High Temperature Polyester Film Discs	17
Parking Sensor Masking Discs	18

**DOUBLE SIDED & MOUNTING TAPES**

---

Clear Logo Tape	19
Grey Double Sided Acrylic Tape	19
High Strength Acrylic Tape	19
Double Sided Mounting Tape	20
Refit Tape	20
Number Plate Pads	20

**OEM REPLACEMENT PRODUCTS**

---

Door Skin Replacement Foam	21
Door Skin Replacement Film	21
Seam Sealing Tape	21

**ADDITIONAL PRODUCTS**

---

Cloth Hazard Tape	22
Vinyl Hazard Tape	22
Braided Windscreen Removal Wire	22

**PRODUCT BUNDLE KITS**

---

Grande Kit	23
Essentials Kit	23
Beanie Bundle Kit	23
Polo Bundle Kit	23



## PRIMESHIELD

Primeshield is the smart solution for masking any gaps that require priming and in particular high-build priming. Applied in seconds, it prevents overspray getting inside a vehicle and provides a soft, feathered finish. Primeshield is estimated to be up to 20 times faster to prepare for spraying.

Part No.	Metric	Imperial
1015.1535	15mm x 35m	3/5" x 114'
1015.2225	22mm x 25m	7/8" x 81'

### FEATURES & BENEFITS

✓ Fast and efficient aperture masking	Dramatically reduces process time
✓ Seals and protects inside of vehicle	No unwanted primer overspray
✓ Precise fingertip adjustment	Even application of primer
✓ No primer build-up on panel edges	Leaves a feathered finish



Scan this QR code to learn more about this product on our website

### HOW TO

#### STEP 1

Apply the tape in the gap smaller side first. Locate the tape in the gap so that it sits in the central groove.



#### STEP 2

Push Primeshield further into the gap if required, to allow the primer to cover bare metal and filler areas ensuring seal is maintained.



#### STEP 3

Prime the desired areas and remove prior to colour application while the primer is soft.



## PRIME AND PAINT FOAM MASKING TAPE

Prime & Paint Foam Masking Tape is the perfect solution for light priming, colour application and clear coat finish. It supports a three-stage spraying process with only one masking application. Prime & Paint Foam Masking Tape is the unique combination of two innovative products: Primeshield and Advanced Foam Masking Tape, giving the body-shop considerable time and material savings.

Part No.	Metric	Imperial
1016.3530	35mm x 30m	1 1/2" x 99'

### FEATURES & BENEFITS

✓ Unique patented 2 in 1 masking product	No need to de-mask and re-mask between priming/painting
✓ Hidden adhesive	Prevents hard primer/ground coat edges
✓ Detachable Primeshield piece	One step process
✓ Paint absorbent	Helps to create a soft finish



Scan this QR code to learn more about this product on our website

### HOW TO

#### STEP 1

Apply product to the moving part where possible ensuring that the adhesive is hidden.

#### STEP 2

Leave the adhesive free portion extended from the edge. Close the aperture and adjust the foam into the required position.

#### STEP 3

For the A-Post application, apply the foam to the back of the wing/fender ensuring the adhesive is hidden. Close the door and adjust the foam into position.



Scan this QR code to learn more about this product on our website

## ADVANCED FOAM MASKING TAPE

Advanced Foam Masking Tape is an innovative alternative to standard, round, smooth-edge foam masking tapes. This tape is designed to mask all apertures to prevent the ingress of paint during spraying, providing a high-quality finish while saving time and money.

Part No.	Metric	Imperial
1011.2050	20mm x 50m	¾" x 165'

### FEATURES & BENEFITS

✓ One continuous length	No waste unlike competitor's products that can accidentally remove multiple length
✓ For use in all apertures, specifically designed for A, B and C posts	Suitable for all panel gaps
✓ Adjustable between coats	Helps create a softer edge
✓ Temperature resistant 90°C/194°F	Suitable for low bake ovens
✓ Offset adhesive	Prevents hard paint edges
✓ Retains its shape to re-join	Perfect product positioning every time
✓ Can be used on the moving part	Allows product to be adjusted during the coating process

### HOW TO

#### STEP 1

Remove the product from the box and apply along the aperture, ensuring not to stretch the product, then apply pressure to the foam and close the door.



#### STEP 2

With your fingertips adjust the foam, pushing it back into the gap.



#### STEP 3

Paint the vehicle and stretch to remove, leaving no residue.



Scan this QR code to learn more about this product on our website

## SMOOTH EDGE FOAM MASKING TAPE

Smooth Edge Foam Masking Tape is ideal for use in door apertures, bonnet or boot lid openings and other vehicle apertures. It is perfect for the sealing part of a painting operation and saves you time with no unwanted tape lines.

Part No.	Metric	Imperial
1013.1350	13mm x 50m	½" x 165'
1013.1935	19mm x 35m	¾" x 114'

### FEATURES & BENEFITS

✓ Fixes to the door, bonnet/hood, boot/trunk apertures	A fast efficient way to fill a gap
✓ Paint absorbent	Helps to create a soft finish
✓ Temperature resistant to 90°C/194°F	Suitable for low bake ovens
✓ 2 convenient sizes	For use on standard and commercial vehicles

### HOW TO

#### STEP 1

Remove from dispensing box working your way from one side to another.

#### STEP 2

Apply along the aperture ensuring not to stretch the product, then close the door.

#### STEP 3

Paint the vehicle and stretch to remove, leaving no residue.



Scan this QR code to learn more about this product on our website

**HOW TO**

**STEP 1**

Remove the liner from the required length of No Edge Blending Tape.



**STEP 2**

Apply the tape along the swage line.



**STEP 3**

For best results, remove straight after the last clear coat has been applied, when wet.



## NO EDGE BLENDING TAPE

Non-stretch, No Edge Blending Tape is the smart solution for masking swage lines and panel edges to create a seamless finish from new paintwork to old.

Part No.	Metric	Imperial
1012.2005	20mm x 5m	4/5" x 16'
1012.2025	20mm x 25m	4/5" x 81'

**FEATURES & BENEFITS**

✓ Feathered edge over long lengths	Consistent finish
✓ Seamless blending from old to new paintwork	Eliminates rework
✓ Temperature resistant to 160°C/320°F	Suitable for low bake ovens and infra-red drying systems
✓ Non-stretch	No unwanted elongation

## FLEXI NO EDGE BLENDING TAPE

Flexi No Edge Blending Tape is the innovative and unique solution for masking curved swage lines and curved panel edges. It makes masking around corners a speedy process even on the tightest of turns. It is the most effective solution for masking filler cap inserts and always gives a feathered paint edge, eliminating rework.



Scan this QR code to learn more about this product on our website

**HOW TO**

**STEP 1**

Remove product starting from the top row in the box.



**STEP 2**

Choose required contour to blend to and apply directly to vehicle ensuring tape is not stretched.



**STEP 3**

For best results, remove straight after the last clear coat has been applied, when wet. Stretch the tape when de-masking to ensure clean removal.



Part No.	Metric	Imperial
1018.1525	15mm x 25m	3/5" x 81'

**FEATURES & BENEFITS**

✓ Conforms around difficult areas without kinking	Suitable for blending where flexibility of the product is key
✓ Seamless blending from old to new paintwork	Eliminates rework
✓ Paint absorbent foam	No hard paint edges
✓ Temperature resistant to 90°C/194°F	Suitable for low bake ovens
✓ One size for every application	Ideal for any body repair scenario
✓ Gives feathered paint edge	No primer build-up

## DUO MASKING TAPE



Duo Masking Tape is highly versatile and can be used to mask a wide variety of applications around the vehicle. Made from high quality materials, there is adhesive on both sides and a rigid edge allows the masking of individual panels. Its primary application is to mask rubber seals along the top of the doors, creating a void when spraying cant rails and roof pillars with no adhesive exposure.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1150.7520	75mm x 20m	3" x 66'

### FEATURES & BENEFITS

✓ Creates a void when spraying cant rails/roof pillars	Eliminates need to mask door rubbers down
✓ 2:1 application around other panels, doors, bonnet/hood, boot/trunk, wing/fender	Easy application
✓ Perforated sections for easy tear	No need for scissors or knives
✓ Seals and protects inside of vehicle	Prevents overspray
✓ Easy lifting tab	Easy removal

### HOW TO

#### STEP 1

Remove the liner from the narrow section of tape and stick it to the underside of the roof rail and repeat.



#### STEP 2

Apply pressure to the tape and then close the door.



#### STEP 3

Remove the film liner from the wide section of tape, pull down and mask off the rubber seal.



## PERFORATED TRIM MASKING TAPE

Perforated Trim Masking Tape is a universal lifting tape which fits all parts of the car. Its paper construction allows it to absorb paint unlike the film versions. It's the quick, clean way to mask rubber and trims, ensuring a perfect finish every time.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1055.5010	50mm x 10m	2" x 33'

### FEATURES & BENEFITS

✓ Fits all parts of the car unlike competitor products	No need for different types of lifting products
✓ Perforated sections allow for easy tearing	No need for scissors or knives
✓ Easily fits around corners	Easy application even in difficult areas
✓ Temperature resistant to 160°C/320°F	Suitable for high bake ovens

### HOW TO

#### STEP 1

Tear perforations to desired size and use the plastic edge to slide behind rubber trim.



#### STEP 2

Pull rubber down with the plastic trim and overlay sections to go round tight corners.



#### STEP 3

Add pressure to secure.





Scan this QR code to learn more about this product on our website

## BLUE FINE LINE MASKING TAPE

Blue Fine Line Masking Tape is a medium flex tape for creating intricate curves or straight lines. After painting, it can be cleanly removed leaving a defined line with no adhesive residue. Temperature resistant up to 150°C/302°F for at least 45 minutes.

Available in 33m and 55m rolls, other sizes available upon request.

Part No.	Metric	Imperial
1110.0133	1mm x 33m	1/25" x 108'
1110.01.533	1.5mm x 33m	1/16" x 108'
1110.0233	2mm x 33m	2/25" x 108'
1110.0333	3mm x 33m	1/8" x 108'
1110.0633	6mm x 33m	1/4" x 108'
1110.0933	9mm x 33m	3/8" x 108'
1110.1233	12mm x 33m	1/2" x 108'
1110.1533	15mm x 33m	3/5" x 108'
1110.1933	19mm x 33m	3/4" x 108'
1110.2533	25mm x 33m	1" x 108'



Scan this QR code to learn more about this product on our website

## GREEN FINE LINE MASKING TAPE

Green Fine Line Masking Tape is perfect for intricate masking on multi-coloured paint jobs. It is very flexible making it easy to curve on flat surfaces and shapes with tight contours. Temperature resistant up to 150°C/302°F for at least 45 minutes.

Other sizes available upon request.

Part No.	Metric	Imperial
1105.0155	1mm x 55m	1/25" x 180'
1105.01.555	1.5mm x 55m	1/16" x 180'
1105.0255	2mm x 55m	2/25" x 180'
1105.0355	3mm x 55m	1/8" x 180'
1105.0655	6mm x 55m	1/4" x 180'
1105.0955	9mm x 55m	3/8" x 180'
1105.1255	12mm x 55m	1/2" x 180'
1105.1555	15mm x 55m	3/5" x 180'
1105.1955	19mm x 55m	3/4" x 180'
1105.2555	25mm x 55m	1" x 180'



Scan this QR code to learn more about this product on our website

## ORANGE FINE LINE MASKING TAPE

Orange Fine Line Masking Tape is thinner and more translucent than other fine line masking tapes making it ideal for seeing through to the painted surface. It is perfect for straight lines while also being highly flexible. Temperature resistant up to 150° C/302°F for at least 45 minutes.

Available in 33m and 55m rolls, other sizes available upon request.

Part No.	Metric	Imperial
1111.0155	1mm x 55m	1/25" x 180'
1111.01.555	1.5mm x 55m	1/16" x 180'
1111.0255	2mm x 55m	2/25" x 180'
1111.0355	3mm x 55m	1/8" x 180'
1111.0655	6mm x 55m	1/4" x 180'
1111.0955	9mm x 55m	3/8" x 180'
1111.1255	12mm x 55m	1/2" x 180'
1111.1555	15mm x 55m	3/5" x 180'
1111.1955	19mm x 55m	3/4" x 180'
1111.2555	25mm x 55m	1" x 180'



Scan this QR code to learn more about this product on our website

## OLIVE FINE LINE MASKING TAPE

Olive Fine Line Tape is the non-stretch fine line tape designed to solve those tricky long multi colour lines. It uses a thermally stabilised polypropylene backing with a polyurethane-based pressure sensitive adhesive, allowing it to adhere to a wide variety of surfaces. Olive Fine Line Tape is heat-resistant to temperatures up to 120°C/250°F for 1 hour, after painting it can be easily removed leaving a sharp clean line with no residue. This product meets military specification T-215955D type III.

Other sizes available upon request.

Part No.	Metric	Imperial
1109.0155	1mm x 55m	1/25" x 180'
1109.01.555	1.5mm x 55m	1/16" x 180'
1109.0255	2mm x 55m	2/25" x 180'
1109.0355	3mm x 55m	1/8" x 180'
1109.0655	6mm x 55m	1/4" x 180'
1109.0955	9mm x 55m	3/8" x 180'
1109.1255	12mm x 55m	1/2" x 180'
1109.1555	15mm x 55m	3/5" x 180'
1109.1955	19mm x 55m	3/4" x 180'
1109.2555	25mm x 55m	1" x 180'



Scan this QR code to learn more about this product on our website

## 130°C FLAT ORANGE FINE LINE PRECISION MASKING TAPE

130°C/266°F Flat Orange Precision Masking Tape is a medium tack masking tape for interior and exterior applications. Ideally suited for masking rubbers, plastics, mouldings and trims. It is an orange rice paper washi tape, with a custom formulated acrylic-based adhesive. This waterproof product is ideal for masking on painted surfaces, glass, plastics, trims, rubbers and wheels. It also offers clean, residue-free removal even when exposed to temperatures up to 130°C/266°F for up to 30 mins and can be exposed outside for up to 14 days.

Other sizes available upon request.

Part No.	Metric	Imperial
1125.0150	1mm x 50m	1/25" X 165'
1125.01.550	1.5mm x 50m	1/16" x 165'
1125.0250	2mm x 50m	2/25" x 165'
1125.0350	3mm x 50m	1/8" x 165'
1125.0650	6mm x 50m	1/4" x 165'
1125.0950	9mm x 50m	3/8" x 165'
1125.1250	12mm x 50m	1/2" x 165'



Scan this QR code to learn more about this product on our website

## 160°C HIGH TEMPERATURE FINE LINE CREPE MASKING TAPE

160°C/320°F High Temperature FINE LINE Masking Tape is a high temperature tape with excellent immediate adhesion. It is a high-quality crepe paper tape with a pressure-sensitive rubber-based adhesive. It will hold to and cleanly remove from a variety of surfaces including plastics, rubbers, trims and mouldings. Suitable for temperatures up to 160°C/320°F for up to 30 mins.

Part No.	Metric	Imperial
1185.0150	1mm x 50m	1/25" X 165'
1185.01.550	1.5mm x 50m	1/16" x 165'
1185.0250	2mm x 50m	2/25" x 165'
1185.0350	3mm x 50m	1/8" x 165'
1185.0650	6mm x 50m	1/4" x 165'
1185.0950	9mm x 50m	3/8" x 165'
1185.1250	12mm x 50m	1/2" x 165'



## CUSTOMISING TAPE

Customising Tape has been created for striping with extra flexibility in mind, allowing the user to mask the tightest of contours. By stripping out sections, a variety of stripe widths and shapes can be created. Made from our most flexible fine line tape, the 8 x 1.5mm strips allows creativity and parallel pinstriping around curves and bends.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1119.1210	12mm x 10m	½" x 33'

### HOW TO


#### STEP 1

Mask the designated area where you want the pinstriping to appear.



#### STEP 2

Remove the sections of 1.5mm (1/16") material to create your custom sized pinstripes.



#### STEP 3

Paint desired colour and demask to reveal perfect pinstripes.



## STRIPING TAPE

Striping Tape has been designed for easily painting long straight lines/stripes. It is ideal on cars, commercial vehicles, aeroplanes, boats etc. Its polypropylene, rigid construction, makes the job as simple as possible, with pre-cut lines to give a variety of stripe options and its non-bleed properties give a perfect finish. The 25mm tape is made up of a middle section of 12mm which includes 8 pull-out stripes of 1.5mm, providing a variety of stripes of different widths. Heat resistant to 120°C/248°F for up to 45 minutes. Saves time and improves accuracy during the pinstriping process.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1118.2514	25mm x 14m	1" x 45'



Scan this QR code to learn more about this product on our website

## 80°C PREMIUM MASKING TAPE

80°C/176°F Premium Masking Tape is suitable for automotive, marine, aerospace, decorative and industrial applications. The product is resistant to humidity, solvent and water-based paints and has excellent heat resistance up to 80°C/176°F. The tape has flexible conformability and tear resistance, it cuts easily and leaves no adhesive residue after baking.

Other sizes available upon request.

Part No.	Metric	Imperial
1180.1850	18mm x 50m	3/4" x 165'
1180.2450	24mm x 50m	1" x 165'
1180.3650	36mm x 50m	1 1/2" x 165'
1180.4850	48mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## 110°C HIGH PERFORMANCE MASKING TAPE

110°C/230°F High Performance Masking Tape is suitable for automotive, marine, aerospace, decorative and industrial applications even when used with low bake / infra-red drying processes. The product is resistant to humidity, solvent and water based paints and has excellent heat resistance up to 110°C/230°F. The tape has flexible conformability and resistance, it cuts easily and leaves no adhesive residue after the drying process.

Other sizes available upon request.

Part No.	Metric	Imperial
1181.1850	18mm x 50m	3/4" x 165'
1181.2450	24mm x 50m	1" x 165'
1181.3650	36mm x 50m	1 1/2" x 165'
1181.4850	48mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## 130°C FLAT ORANGE PRECISION MASKING TAPE

130°C/266°F Flat Orange Precision Masking Tape is a medium tack masking tape for interior and exterior applications. Ideally suited for masking rubbers, plastics, mouldings and trims. It is an orange rice paper wash tape, with a custom formulated acrylic-based adhesive. This waterproof product is ideal for masking on painted surfaces, glass, plastics, trims, rubbers and wheels. It also offers clean, residue-free removal even when exposed to temperatures up to 130°C/266°F for up to 30 mins and can be exposed outside for up to 14 days.

Other sizes available upon request.

Part No.	Metric	Imperial
1125.1850	18mm x 50m	3/4" x 165'
1125.2450	24mm x 50m	1" x 165'
1125.3650	36mm x 50m	1 1/2" x 165'
1125.4850	48mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## 160°C HIGH TEMPERATURE CREPE MASKING TAPE

160°C/320°F High Temperature Crepe Masking Tape is a high temperature masking tape with excellent immediate adhesion. It is a high-quality crepe paper tape with a pressure-sensitive rubber-based adhesive. It will hold to and cleanly remove from a variety of surfaces including metal, plastics, rubbers, trims and mouldings and offers clean, residue-free removal even when exposed to temperatures up to 160°C/320°F for up to 30 mins. Performs well in wet strip applications and provides excellent resistance to paint-flaking.

Other sizes available upon request.

Part No.	Metric	Imperial
1185.1850	18mm x 50m	3/4" x 165'
1185.2450	24mm x 50m	1" x 165'
1185.3650	36mm x 50m	1 1/2" x 165'
1185.4850	48mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## PAINT CONTROL TAPE

Paint Control Tape is a chequered crepe masking tape that gives the paint sprayer the ability to monitor the optimum opacity of paint applied by viewing the paint coverage over the black and white squares.

Part No.	Metric	Imperial
1190.3884	38mm x 28m x 3 rolls	1.5" x 90' x 3 rolls



## WHEEL REPAIR MASK

Wheel Repair Mask is the most effective way to mask a tyre when spraying an alloy wheel. It saves considerable time and materials over traditional masking methods and is a SEMA Global Award winner.

Part No.	Metric	Imperial
1095.1417	170cm x 170cm x 20	67" x 67" x 20



Scan this QR code to learn more about this product on our website



## BREATHABLE MASKING FILM

Breathable Masking Film is moisture absorbent, allowing body shops to mask damp cars while reducing ghost marking after bake. 17 microns thick. HDPE (high-density polyethylene) films are more tear-resistant and have better puncture resistance.

This product is Corona treated and can hold paint/mist overspray to prevent paint contamination, keeping the job as neat as possible.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1080.4015	4m x 150m	13ft x 495'
1080.5012	5m x 120m	16ft x 396'



## PREMIUM CLEAR MASKING FILM

Premium Clear Masking Film is the essential product for quickly covering all areas which are not involved in the spraying process. HDPE (high-density polyethylene) films are more tear-resistant and have better puncture resistance.

This product is Corona treated and can hold paint/mist overspray to prevent paint contamination, keeping the job as neat as possible.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1090.4015	4m x 150m	13ft x 495'
1090.5012	5m x 120m	16ft x 396'
1090.6010	6m x 100m	20ft x 330'



## PRE-FOLDED CLEAR MASKING FILM

Pre-Folded Clear Masking Film is the essential product for quickly covering all areas which are not involved in the spraying process. HDPE (high-density polyethylene) films are more tear-resistant and have better puncture resistance.

This product is Corona treated and can hold paint/mist overspray to prevent paint contamination, keeping the job as neat as possible.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1090.0550	0.5m x 50m	20" x 165'
1090.1050	1.0m x 50m	40" x 165'



## NON-SLIP SURFACE PROTECTION FILM

Non-Slip Surface Protection Film is a quick and efficient protector of surfaces in the mixing room, spray booth floors, stainless steel tabletops and paint mixing areas. It is easy to apply and remove and saves time when covering large areas.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
2214.6025	600mm x 25m	24" x 81'
2214.1225	1200mm x 25m	48" x 81'
2214.1250	1200mm x 50m	48" x 165'



## SEAL WRAP

Seal Wrap protects broken windows from the elements and prevents the glass from shattering further until ready for repair. The film is a clear, tough, low tack masking material, for both interior and exterior applications.

Other sizes available upon request.



Scan this QR code to learn more about this product on our website

Part No.	Metric	Imperial
1060.0650	60mm x 50m	2 1/2" x 165'
1060.07550	75mm x 50m	3" x 165'
1060.3050	300mm x 50m	12" x 165'
1060.6050	600mm x 50m	24" x 165'
1060.9050	900mm x 50m	36" x 165'



Scan this QR code to learn more about this product on our website

## PREMIUM CLOTH PROTECTION TAPES

Premium Cloth Protection Tapes are constructed from a polyethylene cloth laminate with 78 weaves per inch, twice as many as standard cloth gaffer-tape; this gives the tape considerable strength and allows the tape to be torn in both directions, giving the user a lot of flexibility. Premium Cloth Protection Tapes are waterproof, with a high-tack adhesive, but after use can be removed easily leaving no adhesive residue. As a premium duct-tape its uses are many; within the automotive, marine, industrial, construction and DIY sectors.

**Available in: White, Black, Silver, Red and Blue. Other sizes available upon request.**

Part No.	Colour	Metric	Imperial
2200.5050	White	50mm x 50m	2" x 165'
2201.5050	Red	50mm x 50m	2" x 165'
2202.5050	Silver	50mm x 50m	2" x 165'
2203.5050	Black	50mm x 50m	2" x 165'
2208.5050	Blue	50mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## GENERAL PURPOSE CLOTH PROTECTION TAPE

General Purpose Cloth Protection Tape is a great addition to any toolbox for most general applications from light duty sealing, bundling, marking and temporary repairs on non-critical applications. Made of a synthetic rubber adhesive which allows it to adhere to a variety of surfaces including metal, glass, wood and plastics.

This general purpose, polyethylene backed duct-tape ensures moisture resistance for reliable performance in moist or humid environments. Duct tapes offer a high level of adhesion and are great for use where longer-term fixes are required, with easy to tear properties.

**Other sizes available upon request.**

Part No.	Metric	Imperial
2209.5050	50mm x 50m	2" x 165'



Scan this QR code to learn more about this product on our website

## ALUMINIUM TAPE

JTAPE Aluminium Tape will not decrease in size with advanced age. The ideal combination of the aluminium backing and synthetic rubber adhesive which is optimized for the demands of bonding insulating material, guarantees the best adhesion and highest security for critical conditions. Aluminium Tape is resistant against heat, cold, and humidity -35°C/-31°F + 120°C/248°F. For bonding of aluminium laminated mineral fibre insulation, pipes, and air ducts, for isolating against heat and cold, and for the sealing of containers and pipes. Aluminium Tape protects and repairs.

Part No.	Metric	Imperial
2107.4805	48mm x 5m	2" x 16'
2107.4845	48mm x 45m	2" x 165'



Scan this QR code to learn more about this product on our website

## 220°C GREEN HIGH TEMPERATURE POLYESTER FILM TAPE

220°C/428°F High Temperature Polyester Film Tape is a reliable and versatile product for powder coating and painting. It is available in two colours and is used to mask and protect various surfaces during the coating, painting and baking process. Temperature resistant up to 220°C/428°F.

Other sizes available upon request.

Part No.	Metric	Imperial
4005.0366	3mm x 66m	1/8" x 216'
4005.0666	6mm x 66m	1/4" x 216'
4005.0966	9mm x 66m	3/8" x 216'
4005.1266	12mm x 66m	1/2" x 216'
4005.1966	19mm x 66m	3/4" x 216'
4005.2566	25mm x 66m	1" x 216'
4005.5066	50mm x 66m	2" x 216'
4005.7566	75mm x 66m	3" x 216'
4005.8866	88mm x 66m	3 1/2" x 216'
4005.10066	100mm x 66m	4" x 216'



Scan this QR code to learn more about this product on our website

## 220°C BLUE HIGH TEMPERATURE POLYESTER FILM TAPE

220°C/428°F Blue High Temperature Polyester Film Tape is a reliable and versatile product for powder coating and painting.

Thinner and more flexible than our Green 4005 product, the tape has excellent temperature resistance up to 220°C/428°F and is used to mask and protect various surfaces during the coating, painting and baking process.

Other sizes available upon request.

Part No.	Metric	Imperial
4006.0366	3mm x 66m	1/8" x 216'
4006.0666	6mm x 66m	1/4" x 216'
4006.0966	9mm x 66m	3/8" x 216'
4006.1266	12mm x 66m	1/2" x 216'
4006.1966	19mm x 66m	3/4" x 216'
4006.2566	25mm x 66m	1" x 216'
4006.5066	50mm x 66m	2" x 216'
4006.7566	75mm x 66m	3" x 216'
4006.8866	88mm x 66m	3 1/2" x 216'
4006.10066	100mm x 66m	4" x 216'



Scan this QR code to learn more about this product on our website

## HIGH TEMPERATURE CREPE MASKING DISCS

High Temperature Crepe Masking Discs are resistant to temperatures up to 160°C. They are specifically designed to cover the rear hub of alloy wheels and to provide a reliable solution while coating, baking and treating wheels during the refurbishment process.

Other sizes available upon request.

Part No.	Metric	Imperial
4003.145.250	145mm x 250 discs	5.7" x 250 discs
4003.150.250	150mm x 250 discs	5.9" x 250 discs
4003.155.250	155mm x 250 discs	6.1" x 250 discs
4003.160.250	160mm x 250 discs	6.3" x 250 discs
4003.165.250	165mm x 250 discs	6.49" x 250 discs
4003.170.250	170mm x 250 discs	6.7" x 250 discs
4003.180.250	180mm x 250 discs	7.1" x 250 discs
4003.200.250	200mm x 250 discs	7.9" x 250 discs



Scan this QR code to learn more about this product on our website

## GREEN HIGH TEMPERATURE POLYESTER FILM DISCS

Green High Temperature Polyester Film Discs are resistant to temperatures up to 220°C.

They are specifically designed to cover the rear hub of alloy wheels and to provide a reliable solution while coating, baking and treating wheels during the refurbishment process.

Other sizes available upon request.

Part No.	Metric	Imperial
4009.145.250	145mm x 250 discs	5.7" x 250 discs
4009.150.250	150mm x 250 discs	5.9" x 250 discs
4009.155.250	155mm x 250 discs	6.1" x 250 discs
4009.160.250	160mm x 250 discs	6.3" x 250 discs
4009.165.250	165mm x 250 discs	6.49" x 250 discs
4009.170.250	170mm x 250 discs	6.7" x 250 discs
4009.180.250	180mm x 250 discs	7.1" x 250 discs
4009.200.250	200mm x 250 discs	7.9" x 250 discs



## PARKING SENSOR MASKING DISCS

Parking Sensor Masking Discs are the ideal solution for the protection of parking sensors and rubber seals during the repair process. Our adhesive cover protects the sensor throughout the repair process, preventing damage from sanding, painting and polishing.

Part No.	Metric	Imperial
4002.6017	18mm diameter x 60 discs	¾" diameter x 60 discs



Scan this QR code to learn more about this product on our website



## CLEAR LOGO TAPE

Clear Logo Tape is a double sided permanent carrier-free transfer adhesive designed specifically for re-fixing logos/decals/badges from all types of vehicles.

Part No.	Metric	Imperial
2210.5030	50mm x 300mm x10	2" x 12" x10



Scan this QR code to learn more about this product on our website



## GREY DOUBLE SIDED ACRYLIC TAPE

Grey Double Sided Acrylic Tape is a reinforced acrylic 1.1mm or 0.8 mm closed-cell foam tape with a high-tack and utilises a high strength performance acrylic adhesive. The closed-cell foam construction makes the tape ideal for both internal and external fixings in all weather conditions. Grey Double Sided Acrylic Tape has excellent adhesion to a wide range of substrates including plastics & metals and is ideal for bonding emblems, nameplates, plastic panels and metals; it is available in widths from 6mm to 25mm.

Available in 10m and 20m lengths (other widths available upon request).

Part No.	Thickness	Metric	Imperial
2110.0610	1.1mm	6mm x 10m	¼" x 33'
2110.0910	1.1mm	9mm x 10m	⅜" x 33'
2110.1210	1.1mm	12mm x 10m	½" x 33'
2110.1910	1.1mm	19mm x 10m	¾" x 33'
2110.2510	1.1mm	25mm x 10m	1" x 33'
2111.0605	0.8mm	6mm x 5m	¼" x 16'



Scan this QR code to learn more about this product on our website



## HIGH STRENGTH ACRYLIC TAPE

High Strength Clear Acrylic Tape is a reinforced 0.5mm thick double-sided acrylic tape with very high-tack and maximum strength performance acrylic adhesive. High Strength Clear Acrylic Tape has an excellent resistance to solvents, chemicals, UV and heat; enabling the tape to bond permanently to a very wide range of substrates. This clear tape's high-strength adhesive makes it ideal for bonding emblems, nameplates and metal; available in widths from 6mm to 25mm.

Other sizes available upon request.

Part No.	Metric	Imperial
2108.0610	6mm x 10m	¼" x 33'
2108.0910	9mm x 10m	⅜" x 33'
2108.1210	12mm x 10m	½" x 33'
2108.1910	19mm x 10m	¾" x 33'
2108.2510	25mm x 10m	1" x 33'



Scan this QR code to learn more about this product on our website



Scan this QR code to learn more about this product on our website

## DOUBLE SIDED MOUNTING TAPE

Double Sided Mounting Tape has a standard high tack adhesive with excellent ageing and weather-resistant properties, ideal for fixing decals, mouldings, mirror fixings and number plates.

Other sizes available upon request.

Part No.	Metric	Imperial
2106.0610	6mm x 10m	3/8" x 33'
2106.0910	9mm x 10m	1/3" x 33'
2106.1210	12mm x 10m	1/2" x 33'
2106.1910	19mm x 10m	3/4" x 33'
2106.2510	25mm x 10m	1" x 33'
2106.5010	50mm x 10m	2" x 33'
2106.5005	50mm x 5m	2" x 16'



Scan this QR code to learn more about this product on our website

## REFIT TAPE

Refit Tape is a double sided permanent carrier-free transfer adhesive with an instant, high strength bond, even on difficult to stick surfaces.

Part No.	Metric	Imperial	Units
2207.1210	12mm x 10m	1/2" x 33'	1 roll
2207.1210.2	12mm x 10m	1/2" x 33'	2 rolls
2207.2510	25mm x 10m	1" x 33'	1 roll

## NUMBER PLATE PADS

Number Plate Pads are easy to apply and fix a number plate to a vehicle. These black double-sided heavy-duty pads come in three pack sizes.

Other sizes available upon request.



Scan this QR code to learn more about this product on our website

Part No.	Units
4000.8525	3 per pack
4000.8525	6 per pack
4000.8525.1000	1000 per roll



## SEAM SEALING TAPE

Seam Sealing Tape has a flat profile and is used to replace or repair the seams on automotive door skins, flanges, tail gates, bonnets and general clinched areas. It has excellent resistance to solvents, chemicals, UV and heat, making the tape bond securely to a wide range of substrates. Once applied, the acrylic adhesive provides a permanent waterproof bond and seal and is ready for painting.

Other sizes available upon request.

Part No.	Metric	Imperial
2205.0910	9mm x 10m	3/8" x 33'
2205.1210	12mm x 10m	1/2" x 33'
2205.2210	22mm x 10m	7/8" x 33'



Scan this QR code to learn more about this product on our website



## DOOR SKIN REPLACEMENT FOAM

Door Skin Replacement Foam is a replacement foam film to easily replace the inner door membrane during repairs. Door Skin Replacement Foam has a grid-pattern printed on the release liner to aid cutting out intricate shapes.

Part No.	Metric	Imperial
2204.6010	600mm x 10m	24" x 33'



Scan this QR code to learn more about this product on our website



## DOOR SKIN REPLACEMENT FILM

Door Skin Replacement Film is a polyethylene based clear film for making door interiors watertight. Ideal when used with JTAPE Refit Tape to adhere the film to the interior.

Part No.	Metric	Imperial
2206.6050	600mm x 50m	24" x 165'



Scan this QR code to learn more about this product on our website



Scan this QR code to learn more about this product on our website

## CLOTH HAZARD TAPE

Cloth Hazard Marking Tape is a PE laminated synthetic cloth duct tape, which is capable of withstanding harsh weather environments, although long term UV exposure is not recommended for a clean removal.

The strong durable striped adhesive tape can be used for marking equipment, flooring or marking safety areas. It is suitable for both internal and external use.

It has a high abrasion resistance and is ideal for marking safety areas.

Part No.	Colour	Metric	Imperial
1126	Yellow/Black	48mm x 33m	2" x 108'
1127	Red/White	48mm x 33m	2" x 108'



Scan this QR code to learn more about this product on our website

## VINYL HAZARD TAPE

Vinyl Hazard Tape is for marking floors and dangerous areas.

The strong durable striped adhesive tape can be used for marking equipment, flooring or marking safety areas. It is suitable for both internal and external use.

The self-adhesive warning tape features bright, noticeable colours and is made from laminated vinyl. It can also be used as social distancing tape.

Part No.	Colour	Metric	Imperial
1128	Yellow/Black Vinyl	48mm x 33m	2" x 108'
1129	Red/White Vinyl	48mm x 33m	2" x 108'



Scan this QR code to learn more about this product on our website

## BRAIDED WINDSCREEN REMOVAL WIRE

Braided Windscreen Removal Wire is designed for windscreen removal. It has been manufactured to the highest quality and specially designed to cut through urethane bonding. It is composed of three super strong brass plated steel wires braided together to form one wire.

Part No.	Metric	Imperial
2211.0422	0.7mm x 22.5m	1/33" x 75'



## GRANDE KIT Part No. 5100.0037

Part No.	Products
1011.2050	Advanced Foam Masking Tape
1012.2025	No Edge Blending Tape Plus
1018.1525	Flexi No Edge Blending Tape
1055.5010	Perforated Trim Masking Tape
1111.0655	Orange Fine Line Tape 6mm x 55m
2110.1210	Grey Double Sided Acrylic Tape 12mm x 10m
2210.5030	Logo Tape 2 sheets



## ESSENTIALS KIT Part No. 5100.0041

Part No.	Products
1013.1350	Smooth Edge Foam Masking Tape
1055.5010	Perforated Trim Masking Tape
1111.0655	Orange Fine Line Tape 6mm x 55m
2110.1210	Grey Double Sided Acrylic Tape 12mm x 10m
4002.2017	Parking Sensor Masking Discs 1 sheet (20)



## BEANIE BUNDLE KIT Part No. 5100.0039

Part No.	Products
1012.2025	No Edge Blending Tape Plus
1018.1525	Flexi No Edge Blending Tape
1055.5010	Perforated Trim Masking Tape
2110.1210	Grey Double Sided Acrylic Tape 12mm x 10m
4002.2017	20 Parking Sensor Masking Discs 1 Sheet
	JTAPE Beanie Hat



## POLO BUNDLE KIT Part No. 5100.0010

Part No.	Products
1011.2050	Advanced Foam Masking Tape
1012.2025	No Edge Blending Tape Plus
1055.5010	Perforated Trim Masking Tape
1111.0655	Orange Fine Line Tape 6mm x 55m
	JTAPE Polo Shirt

**JTAPE**<sup>TM</sup>

#TAPESMART

jtape\_official



@JTAPE



@jtapeltd



For more information call +44 (0)1625 618 185 or Email [info@jtape.com](mailto:info@jtape.com)

JTAPE Limited, Hulley Road, Macclesfield, Cheshire, United Kingdom SK10 2SF