

Safety Data Sheet acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

1 Identification

- **Product identifier**
- **Trade name:** 935WN0006 FLEET WHITE
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Lusid Technologies
5195 West 4700 South
KEARNS, UT 84118
USA
- **Information department:** Product safety department
- **Emergency telephone number:** 1-800-535-5053

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Highly flammable

Highly flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

- **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of international guidelines.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 1)

· **Code letter and hazard designation of product:**



Highly flammable

· **Risk phrases:**

Highly flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

Keep out of the reach of children.

Keep container in a well-ventilated place.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

· **Special labeling of certain preparations:**

Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate. May produce an allergic reaction.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|------------|------------------|---------|
| 13463-67-7 | titanium dioxide | 25-50% |
| 123-86-4 | n-butyl acetate | 10-25% |
| 110-43-0 | heptan-2-one | 10-25% |
| 67-64-1 | acetone | 2.5-10% |

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 2)

| | | |
|------------|--|---------|
| 98-56-6 | 4-chloro-alpha,alpha,alpha-trifluorotoluene | 2.5-10% |
| 41556-26-7 | bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate | ≤ 2.5% |
| 100-41-4 | ethylbenzene | ≤ 2.5% |

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

USA

(Contd. on page 4)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

| | |
|-----|---|
| PEL | Long-term value: 710 mg/m ³ , 150 ppm |
| REL | Short-term value: 950 mg/m ³ , 200 ppm Long-term value: 710 mg/m ³ , 150 ppm |
| TLV | Short-term value: 950 mg/m ³ , 200 ppm Long-term value: 713 mg/m ³ , 150 ppm |

110-43-0 heptan-2-one

| | |
|-----|--|
| PEL | Long-term value: 465 mg/m ³ , 100 ppm |
| REL | Long-term value: 465 mg/m ³ , 100 ppm |
| TLV | Long-term value: 233 mg/m ³ , 50 ppm |

67-64-1 acetone

| | |
|-----|--|
| PEL | Long-term value: 2400 mg/m ³ , 1000 ppm |
| REL | Long-term value: 590 mg/m ³ , 250 ppm |
| TLV | Short-term value: (1782) NIC-1187 mg/m ³ , (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m ³ , (500) NIC-250 ppm |
| BEI | |

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 4)

· Ingredients with biological limit values:

67-64-1 acetone

| | |
|-----|----------------------------------|
| BEI | 50 mg/L |
| | Medium: urine |
| | Time: end of shift |
| | Parameter: Acetone (nonspecific) |

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

| | |
|---------------------------|-----------------|
| · Form: | Liquid |
| · Color: | White |
| · Odor: | Characteristic |
| · Odour threshold: | Not determined. |

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 5)

| | |
|---|--|
| · pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 55 °C (131 °F) |
| · Flash point: | -17 °C (1 °F) |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | 370 °C (698 °F) |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits: | |
| Lower: | 1.0 Vol % |
| Upper: | 7.5 Vol % |
| · Vapor pressure at 20 °C (68 °F): | 10.7 hPa (8 mm Hg) |
| · Density at 20 °C (68 °F): | 1.23386 g/cm ³ (10.297 lbs/gal) |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 37.1 % |
| VOC content: | 29.2 % |
| | Coating VOC 402.7 g/l / 3.36 lb/gl |
| | Material VOC 361.0 g/l / 3.01 lb/gl |
| Solids content: | 62.8 % |
| · Other information | No further relevant information available. |

USA

(Contd. on page 7)



Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 6)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

| | | |
|------------|----------------------------|----|
| 13463-67-7 | titanium dioxide | 2B |
| 1330-20-7 | xylene | 3 |
| 100-41-4 | ethylbenzene | 2B |
| 108-38-3 | m-xylene | 3 |
| 106-42-3 | p-xylene | 3 |
| 95-47-6 | o-xylene | 3 |
| 1333-86-4 | Carbon black | 2B |
| 14808-60-7 | Quartz (SiO ₂) | 1 |

- **NTP (National Toxicology Program)**

| | | |
|------------|----------------------------|---|
| 14808-60-7 | Quartz (SiO ₂) | K |
|------------|----------------------------|---|

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.

(Contd. on page 8)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE


(Contd. of page 7)

- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN1263
- **UN proper shipping name**
- **DOT** Paint
- **IMDG, IATA** PAINT
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 3 Flammable liquids
- **Label** 3

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 8)

· **IMDG, IATA**



· **Class** 3 Flammable liquids
· **Label** 3

· **Packing group**
· **DOT, IMDG, IATA** II

· **Environmental hazards:**
· **Marine pollutant:** No

· **Special precautions for user** Warning: Flammable liquids
· **Danger code (Kemler):** 33
· **EMS Number:** F-E,S-E

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**
· **Quantity limitations** On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN1263, Paint, 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

1330-20-7 xylene

100-41-4 ethylbenzene

108-38-3 m-xylene

106-42-3 p-xylene

(Contd. on page 10)



Safety Data Sheet
acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 9)

| | |
|-----------|---------------------|
| 95-47-6 | <i>o</i> -xylene |
| 147-14-8 | Phthalocyanine Blue |
| 7664-38-2 | phosphoric acid |

· TSCA (Toxic Substances Control Act):

| | |
|------------|--|
| 13463-67-7 | titanium dioxide |
| 123-86-4 | <i>n</i> -butyl acetate |
| 110-43-0 | heptan-2-one |
| 67-64-1 | acetone |
| 98-56-6 | 4-chloro- α,α,α -trifluorotoluene |
| 1330-20-7 | xylene |
| 41556-26-7 | bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate |
| 100-41-4 | ethylbenzene |
| 108-38-3 | <i>m</i> -xylene |
| 64742-47-8 | Distillates (petroleum), hydrotreated light |
| 106-42-3 | <i>p</i> -xylene |
| 95-47-6 | <i>o</i> -xylene |
| 108-65-6 | 2-methoxy-1-methylethyl acetate |
| 51274-00-1 | ALPHA-IRON(III) OXIDE |
| 77-58-7 | dibutyltin dilaurate |

· Proposition 65

· Chemicals known to cause cancer:

| | |
|------------|----------------------------|
| 13463-67-7 | titanium dioxide |
| 100-41-4 | ethylbenzene |
| 1333-86-4 | Carbon black |
| 14808-60-7 | Quartz (SiO ₂) |

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

| | | |
|-----------|------------------|---|
| 67-64-1 | acetone | I |
| 1330-20-7 | xylene | I |
| 100-41-4 | ethylbenzene | D |
| 108-38-3 | <i>m</i> -xylene | I |

(Contd. on page 11)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 10)

| | | |
|----------|------------------|---|
| 106-42-3 | <i>p</i> -xylene | I |
| 95-47-6 | <i>o</i> -xylene | I |

· TLV (Threshold Limit Value established by ACGIH)

| | | |
|------------|----------------------------|----|
| 13463-67-7 | titanium dioxide | A4 |
| 67-64-1 | acetone | A4 |
| 1330-20-7 | xylene | A4 |
| 100-41-4 | ethylbenzene | A3 |
| 108-38-3 | <i>m</i> -xylene | A4 |
| 106-42-3 | <i>p</i> -xylene | A4 |
| 95-47-6 | <i>o</i> -xylene | A4 |
| 77-58-7 | dibutyltin dilaurate | A4 |
| 1333-86-4 | Carbon black | A4 |
| 14808-60-7 | Quartz (SiO ₂) | A2 |

· NIOSH-Ca (National Institute for Occupational Safety and Health)

| | |
|------------|----------------------------|
| 13463-67-7 | titanium dioxide |
| 1333-86-4 | Carbon black |
| 14808-60-7 | Quartz (SiO ₂) |

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Highly flammable

· Risk phrases:

Highly flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

· Safety phrases:

Keep out of the reach of children.

Keep container in a well-ventilated place.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

· Special labeling of certain preparations:

Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate. May produce an allergic reaction.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA

(Contd. on page 12)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/27/2015

Reviewed on 05/27/2015

Trade name: 935WN0006 FLEET WHITE

(Contd. of page 11)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:** Mr. Roberts

· **Date of preparation / last revision** 05/27/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2